BREM

BREM

RADIATORS FOR ARCHITECTURE

TECNIC

MADE IN ITALY / ITALIAN LIFESTYLE

INCREASE IN PRICES 2021
FROM 1.07.2022 **+15%**

THE COLLECTIONS

page



LAME
RADIATORS WITH ELEMENTS 9



CrossFRAME
RADIATORS WITH FRAMES 43



PANELS
RADIATORS WITH FLAT TUBES 95

TubesDESIGN
RADIATORS WITH TUBES 169

ELECTRIC MODELS RADIATORS & TOWEL HEATER 225

Valves&Accessories 273

BREM'ART
ARTISTS' RADIATORS II-XXII 289

ALPHABETICAL INDEX

ALCOVA page 200
ALIS page 82
ASYM page 80
C-PROLUX page 136
CAMEO page 158
CANNUCCIA page 196
CLAK page 102
CLARK page 144
CLIP page 198
CROSS page 52
CROSS BICOLOR/TRICOLOR page 64
CROSS CROM page 60
CROSS GILDEN/SILVER LEAF page 62
CROSS-DIVIS page 54
CROSS-G page 46
CROSS-Q radiator page 44
CROSS-Q towel-rails page 58
CROSS-R page 68
CROSS-RV page 70
CROSS-V page 50
CUBICO page 140
DIVIS dividers page 222
EGON page 120
ESSEN page 74
EYE page 202
FLAG page 142
FORM page 172
FREE page 72
GRATA page 182
GUGLIA page 216
HERG page 18
HERG-OT page 34
HERG'S page 32
HOOK page 38
KORE page 84
KUAD page 218
KUADRUM page 190
KUO page 40
LAMATH page 29
LAME page 10
LAME SLIM page 30
LAME-UP page 12
LAMINA page 98
LOGGIA radiator page 108
LOGGIA Design/Timeless page 156
MAHN page 204
MANT page 148
META page 22
OPEN page 124
PIT page 78
PLANK page 220
PLATT COLOR page 160
PLATT INOX page 162
PLATT GILDEN/SILVER LEAF page 164
PLUS 12 page 206
PLUS 20 page 214
QUAR page 76
RAM page 146
RAW radiator page 170
RAW towel-rails page 194
REGULAR page 14
S-EVID page 118
S-PLATT page 110
S-PLATT F. ORO/ARGENTO page 116
S-PLATT INOX page 114
SBARRA page 36
SBARRA-UP page 20
SHAR page 212
SLIDE page 152
SO-FLEX radiator page 106
SO-FLEX towel-rails page 150
START page 210
START CURVO page 208
SUIT page 130
TORRI page 16
TRAP page 88
UNI-PLATT page 166
VELETTA page 154
VISION page 90
WIND page 186
ZOOM page 92

LAME COLLECTIONS page 9
LAME page 10
LAME-UP page 12
REGULAR page 14
TORRI page 16
HERG page 18
SBARRA-UP page 20
META page 22
towel-rails:
LAMATH page 29
LAME SLIM page 30
HERG'S page 32
HERG-OT page 34
SBARRA page 36
HOOK page 38
KUO page 40

CrossFRAME COLLECTIONS page 43
CROSS-Q page 44
CROSS-G page 46
CROSS-V page 50
towel-rails:
CROSS page 52
CROSS-DIVIS page 54
CROSS-Q page 58
CROSS CROM page 60
CROSS GILDEN/SILVER LEAF page 62
CROSS BICOLOR/TRIC page 64
CROSS-R page 68
CROSS-RV page 70
FREE page 72
ESSEN page 74
QUAR page 76
PIT page 78
ASYM page 80
ALIS page 82
KORE page 84
TRAP page 88
VISION page 90
ZOOM page 92

PIASTRE plates COLLECTIONS page 95
LAMINA page 98
CLAK page 102
SO-FLEX page 106
LOGGIA page 108
S-PLATT page 110
S-PLATT INOX page 114
S-PLATT GILDEN/SILVER LEAF page 116
S-EVID page 118
EGON page 120
OPEN page 124
SUIT page 130
C-PROLUX page 136
towel-rails:
CUBICO page 140
FLAG page 142
CLARK page 144
RAM page 146
MANT page 148
SO-FLEX page 150
SLIDE page 152
VELETTA page 154
LOGGIA Design/Timeless page 156
CAMEO page 158
PLATT COLOR page 160
PLATT INOX page 162
PLATT GILDEN/SILVER LEAF page 164
UNI-PLATT page 166

TubiDESIGN COLLECTIONS page 169
RAW page 170
FORM page 172
GRATA page 182
WIND page 186
KUADRUM page 190
towel-rails:
RAW page 194
CANNUCCIA page 196
CLIP page 198
ALCOVA page 200
EYE page 202
MAHN page 204
PLUS 12 page 206
START CURVO page 208
START page 210
SHAR page 212
PLUS 20 page 214
GUGLIA page 216
KUAD page 218
PLANK page 220
DIVIS dividers page 222

ELECTRICAL COLLECTION page 225
e.LAME page 230
e.LAME-UP page 231
e.CROSS-Q radiatore page 232
e.CROSS V page 233
e.CLAK - e.RAM-CK page 234
e.MANT page 235
e.LAMATH page 236
e.LAME SLIM page 237
e.HERG'S page 238
e.HERG-OT page 239
e.SBARRA page 240
e.HOOK page 241
e.CROSS page 242
e.CROSS-CROM page 243
e.CROSS-Q scaldasalviette page 244
e.CROSS-R page 245
e.FREE page 246
e.ESSEN page 247
e.QUAR page 248
e.ASYM page 249
e.PIT page 250
e.KORE page 251
e.VISION page 252
e.TRAP - e.ZOOM page 253
e.CUBICO page 254
e.FLAG page 255
e.CLARK page 256
e.VELETTA page 257
e.LOGGIA Design/Timeless page 258
e.CAMEO page 259
e.PLATT COLOR page 260
e.UNI-PLATT page 261
e.KUO page 262
e.RAW page 263
e.CANNUCCIA page 264
e.MAHN page 265
e.PLUS12 page 266
e.START - e.START CURVO page 267
e.SHAR page 268
e.PLUS20 page 269
e.KUAD page 270
e.PLANK page 271

VALVES COLLECTION page 273
FINISHES VALVES page 275
TON VALVES -KIT page 276
MINI VALVES -KIT page 278
QUADRA VALVES -KIT page 279
DISTANT VALVES -KIT page 280
ACCESSORIES page 282
SPECIAL VERSIONS page 284
FITTINGS page 286

BREM'ART COLLECTION page 289
SPAZIO CHIUSO II page 290
MOSSO III page 291
CONTINUUM IV page 292
SIPAR V page 293
ERUZIONE VI page 294
ORME VII page 295
STROP VIII page 296
PINAK-HOT LUXURY IX page 297
STRUTTURA ALTA X page 298
AREE EQUE XI page 299
SCUDO DI ERACLE XII page 300
EAGLE XII page 301
CONFINI XIV page 302
PERCORSO XV page 303
CAPITONNÉ XVI page 304
GRID XVII page 305
TERRA XII page 306
TERRA LUNARE XIX page 307
GRAFFI XX page 308
GRAFFI DI LUNA XXI page 309
VIRGO XXII page 310

COLOR LIST page 312
HEAT, SAVE and DECORATE page 314
CONDITIONS OF SALE page 316

BREM. INNOVATION AND TRADITION

HEATING ELEMENTS THROUGH RESEARCH, EXPERIMENTATION AND INNOVATIVE DESIGN WITH RESPECT FOR TRADITION

BREM IS THE PRODUCT OF MEN AND WOMEN, NOT ONLY TECHNOLOGY AND MACHINES, SKILLED PEOPLE WHO CAN COMPLETE EVEN THE MOST DEMANDING PROJECTS ON TIME AND TRAINED IN THE TRANSFORMATION OF STEEL INTO PRODUCTS OF THE HIGHEST QUALITY AND WITH A HIGH AESTHETIC VALUE.

BREM: THE COLLECTION 2021
- 26 RADIATOR MODELS
- 48 HEATED TOWEL RAIL MODELS
- 10 CHROME-PLATED HEATED TOWEL RAILS
- 100.000 STANDARD SERIES DIMENSIONS
- 44 ELECTRIC TOWEL-RAILS and Radiators
- BREM'ART: RADIATOR ART
- VALVES, ACCESSORIES AND SUPPORTS

STRENGTHS

Specialized in the design and production of radiators and heated towel rails using steel tubes, BREM operates at the top end of the market thanks to the superior quality, original aesthetics, and many other distinctive features of its products.

QUALITY OF MATERIALS
High-quality steel produced to strict international standards; impeccable, high-precision working; secure, invisible welding; high gloss, bright and even paint treatment.

DESIGN
Manifolds with particular shapes; slender, flattened columns; tubes with exclusive shapes; adjustable brackets integrated into the radiator.

FUNCTIONALITY
The countless standard series versions possible (high, slender, long, wide, flat, etc.), permit the optimum insertion of the heating element in any space at all.

RANGE
A complete collection composed of 22 radiator models and 35 heated towel rail models ensures the most appropriate aesthetic solution for every interior.

MADE-TO-MEASURE VERSIONS
The elevated productive flexibility and constructive process of the radiators guarantee response to even the most unusual requests with a virtually unlimited number of applications.

CHARACTERISTICS

In the context of elevated aesthetic content, all BREM products meet the needs of living comfort, economical use, practical management, and easy installation.

REDUCED WEIGHT
Weight up to 1/3 lower than traditional tube heating elements and up to 1/8 lower than cast-iron radiators thanks to the use of slender tubes that also facilitate shipping and installation.

LOW WATER CONTENT
Reduction of up to 1/3 of the quantity of water required by traditional radiators.

INSTANT HEATING
The programmed temperature is reached rapidly thanks to the quality of steel used and the quick circulation of the small quantity of water contained.

COMFORTABLE ENVIRONMENT
Immediate stopping of heat emission by thermostat for greater comfort at constant temperature.

ENERGY SAVINGS
Lower energy consumption (thanks to lower volume of water to be heated) required for optimum heat emission.

COMFORTABLE WARMTH
Heating takes place by irradiation and convection. The sensation of wellbeing is guaranteed by the high percentage of heat irradiated.

ADVANTAGES

Depending on the model, BREM radiators permit:

- more rational installation without limits of any kind for more uniform heat distribution;
- larger radiating surfaces that increase the quantity of heat transmitted through irradiation for greater comfort;
- higher protection against cold walls and better ascending convection movement thanks to the larger surface area on the back;
- original solutions even embedded in the floor that contrast with greater efficacy the dispersion of heat through large glassed surfaces;
- the adaptation of the radiator to the space available with the possibility for positioning even at full height alongside these glassed surfaces for greater contrast to heat dispersion;
- the possibility to use the space beneath the window sill as well.

Using different types of feet and support, BREM frees radiators from their traditional position on the wall to let them live in greater freedom through creative positioning elsewhere In the room, such as:
- partition walls or screens in the center of the room
- railings for stairways or balconies
- in corners with two or more radiators
- as a vertical arch on the wall
- curved or in all the creative shapes technically possible.

TECHNICAL DATA

TECHNICAL DATA

Symbols		Unit
H	height	cm
L	length /width	cm
p	depth	mm
▲▽	tapping centres (t.c.)	mm
PE	element step	mm
A	surface	m^2
V	volume	dm^3
M	weight empty	kg
Qn	nominal calorific power	W
Q	heat output	W
S	surface of heat output	S
n	exponent	–
ck	correction factor for Qn	–
ṁ	flow rate	kg/s
EHE	Electric Heating Element	W

COEFFICIENT OF TRANSFORMATION

1 W = 0,86 kcal / h
1 kcal / h = 1,16 W

NOMINAL QN INDEX

Nominal heat output index in Watts Δt^n = 50K
According to the EN 442 regulations, the heat output of a radiator is calculated according to the following conditions:

t_1	inlet temperature	75°C
t_2	outlet temperature	65°C
t_m	average water temperature	70°C
t_r	reference air temperature	20°C
K	water temperature	10 K
Δt	air-water temperature difference	50 K

Δt different from 50 K $Q = Qn\ (\Delta t / 50)^n$

CORRECTION FACTORS (Δt different from 50K)

Δt \ n	1,20	1,22	1,24	1,26	1,28	1,30
30k	0,542	0,536	0,530	0,526	0,520	0,514
40k	0,766	0,762	0,759	0,755	0,751	0,748
50k	1	1	1	1	1	1
60k	1,245	1,248	1,253	1,258	1,263	1,267
70k	1,498	1,507	1,518	1,527	1,538	1,549

AMBIENT TEMPERATURE different from 20°

To increase or to decrease the temperature of a room, apply the index defined in the catalogue to the following theoretical coefficients:

temperatures	24°C	22°C	20°C	18°C	15°C	12°C
multiplier	0,81	0,90	1,00	1,04	1,10	1,17

CONNECTING THE RADIATOR

As standard, Brem radiators are supplied with ø 3/8" - ø 1/2"attachment points.
In the instructions for each model a formula is shown to define the distance between centres of the connections.
(eg. model FH: tapp. centres = width - 40 mm)



To make the connections without the radiator, use a template with the distance between the tapping centres marked on it.

RECOMMENDED INSTALLATION HEIGHTS







When replacing old radiators, make sure that there are no "siphons" created when installing the new fittings.



INSTALLATION AND EFFICIENCY

Always respect the position of the delivery and return fittings when connecting BREM radiators.

If EG fittings, the delivery must be at the bottom, on the left; if the position of the delivery is inverted ("G"), the radiator will not heat up completely.

A central heating plant providing pressure of 1.5/1.8 bar ensures that the radiators work evenly and efficiently.

If there is not enough pressure, hot water will not reach all points and the radiators will not warm up completely.

Check the pressure in column radiator systems, especially in residential blocks.

Make sure that there are no throttled pipes in the plant.

Bleed the air completely from the radiator.

Balance the plant by partially closing the water outlet valve.

RADIATORS COLLECTION - INDEX

LAME

LAME p.10
e.LAME p.230

LAME-UP p.12
e.LAME-UP p.231

REGULAR p.14

TORRI p.16

HERG p.18

SBARRA-UP p.20

META p.22

CrossFRAME

CROSS-Q p.44
e.CROSS-Q p.232

CROSS-G p.46

CROSS-V p.50
e.CROSS-V p.233

CROSS p.52
e.CROSS p.242

CROSS-Q p.58
e.CROSS-Q p.244

CROSS-R p.68
e.CROSS-R p.245

CROSS-RV p.70

PANELS

LAMINA p.98

CLAK p.102
e.CLAK p.234

SO-FLEX p.106

LOGGIA p.108

CUBICO p.140
e.CUBICO p.254

S-PLATT p.110
INOX p.114
F.ORO p.116
S-EVID p.118

EGON p.120

OPEN p.124

SUIT p.130

C-Prolux® p.136

SLIDE p.152

TubesDESIGN

RAW p.170
e.RAW p.263

FORM p.172

F.ONDULATO p.180

RAW p.194
e.RAW p.263

GRATA p.182

WIND p.186

KUADRUM p.190

PLUS 12 p.206
e.PLUS 12 p.266

START p.208
e.START p.267

BREM'ART
pages I-XXIV, after page 224

ELECTRIC Radiators
page 225-271

VALVES

VALVES
page 273

ACCESSORIES
page 282

TOWEL HEATERS COLLECTION - INDEX

LAMATH p.28
e.LAMATH p.236

Lame SLIM p.30
e.Lame SLIM p.237

Herg'S p.32
e.Herg'S p.238
Herg-ÖT p.34
e.Herg-ÖT p.239

SBARRA p.36
e.SBARRA p.240

HOOK p.38
e.HOOK p.241

KUO p.40
e.KUO p.262

FREE p.72
e.FREE p.246

ESSEN p.74
e.ESSEN p.247

QUAR
Quar-P p.76
e.QUAR p.248

PIT p.78
e.PIT p.250

ASYM p.80
e.ASYM p.249

ALIS p.82

KORE p.84
e.KORE p.251

Kore COR p.86
e.Kore COR p.251

TRAP p.88
e.TRAP p.253

VISION p.90
e.VISION p.252

ZOOM p.92
e. ZOOM p.253

FLAG p.142
e.FLAG p.255

CLARK p.144
e.CLARK p.256

RAM p.146
e.RAM p.235

MANT p.148
e.MANT p.235

SO-FLEX p.150

VELETTA p.154
e.VELETTA p.257

LOGGIA p.156
e.LOGGIA p.258

CAMEO p.158
e.CAMEO p.259

PLATT p.160
e.PLATT p.260

UNI-PLATT
UNI-LAM p.166
e. UNI-PLATT p.261

CANNUCCIA p.196
e.CANNUCCIA p.264

CLIP
p.198

ALCOVA
p.200

EYE
p.202

MAHN p.204
e.MAHN p.265

SHAR p.212
e.SHAR p.268

PLUS 20 p.214
e.PLUS 20 p.269

GUGLIA
p.216

KUAD p.218
e.KUAD p.270

PLANK p.220
e.PLANK p.271

KUAD SHAR
START DIVIS
p.222

BREM'ART
pages I-XXIV after page 224

ELECTRIC Towel heaters
page 225-271

SPECIAL
VERSIONS page 284

FITTINGS
page 286-287

THE COLLECTIONS

page

LAME
RADIATORS WITH ELEMENTS 9

CrossFRAME
RADIATORS WITH FRAMES 43

PANELS
RADIATORS WITH FLAT TUBES 95

TubesDESIGN
RADIATORS WITH TUBES 169

BREM'ART
ARTISTS' RADIATORS I-XXIV after 224

ELECTRIC MODELS RADIATORS & TOWEL HEATER 225

Valves&Accessories 273

INDEX LAME

RADIATORS WITH ELEMENTS

RADIATORS COLLECTION

	page
LAME	10
LAME-UP	12
REGULAR	14
TORRI	16
HERG	18
SBARRA-UP	20
META	22

TOWEL HEATER COLLECTION

	page
LAMATH	28
LAME SLIM	30
HERG'S	32
HERG-OT	34
SBARRA	36
HOOK	38
KUO	40

LAME

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

LAME is composed of rectangular tubes connected by round bars. The heating elements cut the air like knives and stand alongside one another in light to create a new heating shape like no other and enliven modern sculpture for interior décor.

DIMENSIONS
Heights: 190 / 210 / 230 cm
Widths: 11 / 17 / 23 / 29 / 35 / 41 / 47 cm
Depth: 8 cm
Depth from wall: 9,5 cm



LAME..-2 LAME..-3 LAME..-4 LAME..-5 LAME..-6 LAME..-7 LAME..-8

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) (Δt 30K = W x 0,526)

MODEL	n° el.	2	3	4	5	6	7	8
H	L cm	8(+3)	14(+3)	20(+3)	26(+3)	32(+3)	38(+3)	44(+3)
cm	▲▽ cm	6	6	12	18	24	30	36
LAME 190	€	517,60◗	636,40◗	755,10◗	873,90	992,50	1111,30	1230,00
		350w	496w	652w	788w	953w	1109w	1255w
LAME 210	€	548,20	682,50	816,70	951,20	1085,40	1219,60	1353,90
		389w	554w	730w	885w	1070w	1245w	1411w
LAME 230	€	577,40	725,90	874,20	1022,40	1172,00	1319,00	1466,00
		428w	613w	807w	982w	1187w	1381w	1566w

◗ Ready Stock

MIXED Version (E.H.E. cl. II) with sleeve and:

Model	cable €	W	Thermostat €
LAME 190-2	110,80	400	173,10
LAME 190-3	112,70	500	175,00
LAME 190-4	114,60	650	176,90
LAME 190-5	118,80	800	181,10
LAME 190-6	121,90	900	184,20
LAME 210-7	129,20	1200	191,50
LAME 210-8	138,60	1500	200,90

Other models on request
◊Radio frequency chronothermostat p.227

E.g.: LAME 210-6, EG ø 1/2", SB1017

Δt different from 50K: technical data Brem

STANDARD PRODUCTION
White "sablé" paintwork - Brackets B15
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list (colored B15 brackets) +15/25%
Electric version e.Lame, page 230

STANDARD FITTING
EG ø 1/2"
On request fitting ø 3/8"
Special fittings, page 286

TAPPING CENTRES





MIXED VERSIONS
Side fittings BD
ø 1/2",▲▽ 5cm

FIXINGS
Brackets included





Mod. n° tubes	a cm	b cm	c cm
2	6	1	9
3	12	1	15
4	18	1	21
5	24	7	21
6	30	7	27
7	36	7	33
8	42	7	39

LAME 210-6

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

REMOTE FITTINGS Art. REM 36,60€
at the rear (EG tapping centres dimensions)





REMOTE VALVES ASSEMBLY KIT p.281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

LAME-UP

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

LAME-Up is free-standing radiator designed by Davide Brembilla, its heating body acting like a totem pole in the centre of a room. The fins, arranged vertically, produce a new, versatile and highly functional way to exploit the available volumes.

DIMENSIONS
H from floor: 200 / 230 cm
L: 15 cm
Depth: 19 / 23 / 27 / 31 cm



LAME-UP 4



LAME-UP 5



LAME-UP 6



LAME-UP 7



LAME-UP 8



EN 442 Watt Δt 50K (Δt 40K = W x 0,755)-(Δt 30K = W x 0,526)

MODEL	H - n° cm tubes	€	EN 442 Watt Δt 50 K	EN 442 Watt Δt 30 K	▲ ▽ t.c. cm	Height cm	Width cm	Depth cm	Weight M Kg	Volume V dm³	MIXED Version (E.H.E. cl. II) with cable◊ W	MIXED Version (E.H.E. cl. II) with cable◊ €
LAME-UP	200-4	855,20	641	333	9	200	15	19	18,9	8,0	650	114,60
LAME-UP	200-5	1059,20	809	421	9	200	15	23	23,7	10,1	800	118,80
LAME-UP	200-6	1200,80	935	486	9	200	15	27	27,3	11,7	900	121,90
LAME-UP	200-7	1362,50	1082	563	9	200	15	27	31,5	13,5	-	-
LAME-UP	200-8	1542,60	1250	650	9	200	15	31	36,3	15,6	1200	129,20
LAME-UP	230-4	926,90	767	399	9	230	15	19	22,5	9,6	800	118,80
LAME-UP	230-5	1143,90	966	502	9	230	15	23	28,2	12,0	900	121,90
LAME-UP	230-6	1302,10	1124	584	9	230	15	27	32,7	14,0	1200	129,20
LAME-UP	230-7	1476,20	1302	677	9	230	15	27	37,8	16,2	1200	129,20
LAME-UP	230-8	1664,50	1502	781	9	230	15	31	43,5	18,7	1500	138,60

◊Radio frequency chronothermostat p.227

e.g. LAME-UP 200-4, EG ø 1/2", SB9005

FREESTANDING VERSION
Fittings on floor (t.c. ▲ ▽ 9 cm)
Extra Art. Lame-UPC 113,30€

STANDARD PRODUCTION
White "sablé" paintwork
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list +15/25%
n.1 spotlight LED 1 W Art. F.LED1 53,80€
n.2 spotlight LEDS 1 W Art. F.LED2 89,60€

STANDARD FITTINGS
EG ø 1/2"
On request remote fittings, p. 280
Electric version e.Lame-UP p. 231

TAPPING CENTRES ▲▽ = 9 cm

Standard position on the short side

Position on the long side Art. LAME-UPL 60,00€ (extra)

LAME-UP4



LAME-UPL4



LAME-UP5



LAME-UPL5



LAME-UP6



LAME-UPL6



LAME-UP7



LAME-UPL7



LAME-UP 8



LAME-UPL8



- Delivery
- Return
- Electric Heating Element
- LED on request

LAME-UP 200-4

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED MINI VALVES KIT page 278

Art. KMS 107,80€

WALL POSITION

with angled valves

FREESTANDING POSITION

Art. LAME-UPC with straight valves

REGULAR

PRICE FROM 1.07.2022 **+15%**

REGULAR is a new radiator with parallel steel fins set at a distance of either 50 or 80 mm, as requested. It features large rectangular tubes arranged in regular patterns, altering the heat output depending on their step.

DIMENSIONS
Height: 28/53/65/75/85/160/180/200/220/240 cm
Width: from 22 to 234 cm
Depth: 8 cm
Depth from wall: 9,5 cm

ELEMENT STEP 50
L = n° el. x 5 cm step - 3 cm
ELEMENT STEP 80
L = n° el. x 8 cm step - 6 cm


STEP 50


STEP 80




STEP 50


STEP 80



EN 442 Watt Δt 50K (Δt 40K = W x 0,755)-(Δt 30K = W x 0,526)

MOD.	n° el / step mm	8 /50	8 /80	10 /50	10 /80	12 /50	12 /80	14 /50	14 /80	16 /50	16 /80	18 /50	18 /80	20 /50	20 /80	22 /50	22 /80	24 /50	24 /80	26 /50	26 /80	28 /50	28 /80	30 /50	30 /80
H cm	L cm	37	58	47	74	57	90	67	106	77	122	87	138	97	154	107	170	117	186	127	202	137	218	147	234
	▲▽ cm	30	48	40	64	50	80	60	96	70	112	80	128	90	144	100	160	110	176	120	192	130	208	140	224
R 28/.. 27,5	€	424,70		496,70		568,60		640,60		712,70		784,60		856,60		928,60		1000,60		1072,50		1144,50		1216,50	
	w	173	204	216	255	259	306	302	357	346	408	389	459	432	510	475	561	518	612	562	663	605	714	648	765
R 53/.. 53	€	443,90		519,50		595,10		670,70		746,30		821,90		897,30		972,90		1048,50		1124,10		1199,70		1275,30	
	w	334	393	417	491	500	589	584	687	667	786	751	884	834	982	917	1080	1001	1178	1084	1277	1168	1375	1251	1473
R 65/.. 65	€	463,10		542,30		621,40		700,70		779,90		859,00		938,20		1017,30		1096,60		1175,80		1255,00		1334,10	
	w	410	482	512	602	614	722	717	843	819	963	922	1084	1024	1204	1126	1324	1229	1445	1331	1565	1434	1686	1536	1806
R 75/.. 75	€	491,90		577,00		662,30		747,50		832,60		917,80		1003,00		1088,20		1173,30		1258,50		1343,70		1428,90	
	w	472	556	590	695	708	834	826	973	944	1112	1062	1251	1180	1390	1298	1529	1416	1668	1534	1807	1652	1946	1770	2085
R 85/.. 85	€	520,70		611,90		703,00		794,30		885,40		976,50		1067,80		1159,00		1250,10		1341,30		1432,50		1523,60	
	w	535	630	669	787	803	944	937	1102	1070	1259	1204	1417	1338	1574	1472	1731	1606	1889	1739	2046	1873	2204	2007	2361

Intermediate or higher values by interpolation

MOD.	n° el / step mm	5 /50	5 /80	6 /50	6 /80	7 /50	7 /80	8 /50	8 /80	9 /50	9 /80	10 /50	10 /80	11 /50	11 /80	12 /50	12 /80	13 /50	13 /80	14 /50	14 /80	15 /50	15 /80
H cm	L cm	22	34	27	42	32	50	37	58	42	66	47	74	52	82	57	90	62	98	62	106	72	114
	▲▽ cm	15	24	20	32	25	40	30	48	35	56	40	64	45	72	50	80	55	88	55	96	65	104
R 160/.. 157	€	683,80		765,30		846,90		928,50		1010,10		1091,70		1173,20		1254,80		1336,40		1418,00		1499,60	
	w	599	708	718	849	838	991	958	1132	1077	1274	1197	1415	1317	1557	1436	1698	1556	1840	1676	1981	1796	2123
R 180/.. 177	€	716,20		801,40		886,60		971,80		1056,90		1142,20		1227,30		1312,50		1397,80		1482,90		1568,00	
	w	675	798	810	957	945	1117	1080	1276	1215	1436	1350	1595	1485	1755	1620	1914	1755	2074	1890	2233	2025	2393
R 200/.. 197	€	748,70		837,50		926,40		1015,20		1103,90		1192,70		1281,40		1370,30		1459,00		1547,80		1636,50	
	w	751	888	901	1065	1051	1243	1202	1420	1352	1598	1502	1775	1652	1953	1802	2130	1953	2308	2103	2485	2253	2663
R 220/.. 217	€	781,20		873,60		966,10		1058,40		1150,80		1243,20		1335,60		1427,90		1520,30		1612,70		1705,10	
	w	828	978	993	1173	1159	1369	1324	1564	1490	1760	1655	1955	1821	2151	1986	2346	2152	2542	2317	2737	2483	2933
R 240/.. 237	€	813,70		909,70		1005,60		1101,60		1197,60		1293,60		1389,60		1485,60		1581,60		1677,50		1773,50	
	w	904	1068	1084	1282	1265	1495	1446	1709	1626	1922	1807	2136	1988	2350	2168	2563	2349	2777	2530	2990	2711	3204

Intermediate or higher values by interpolation

Δt different from 50 K: consult technical data Brem

Eg.: R 220/50 - 4el - EG ø 1/2" - SB 3061



STANDARD PRODUCTION
White "sablé" paintwork - Brackets B15
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list (colored brackets B15) +15/25%
Electric version, by estimate

STANDARD FITTING
EG ø 1/2"
On request fittings ø 3/8"
Special fittings, page 286

TAPPING CENTRES

REGULAR STEP 50 mm



REGULAR STEP 80 mm





FIXINGS
Brackets included

REGULAR 200/80-5el

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

REMOTE FITTINGS Art. REM 36,60€
at the rear (EG tapping centres dimensions)



REMOTE VALVES ASSEMBLY KIT p.281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

TORRI

PRICE FROM 1.07.2022 **+15%**

design Bettazzi + Percoco

TORRI radiators are inspired by the jagged skyline of a modern metropolis. The challenge was to design a tall, slim radiator that would act as an architectural feature in the domestic environment. TORRI radiators are made from parallel, totally plain, steel plates.

DIMENSIONS
Height: 180/200/220/240 cm
Width: da 22 a 114 cm
Depth: 9,5 cm
Depth from wall: 11 cm

ELEMENT STEP 50
L = n° el. x 5 cm step - 3 cm

ELEMENT STEP 80
L = n° el. x step 8 cm - 6 cm



Mod. TO.../50 Mod. TO.../80 Mod. TOB...

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) (Δt 30K = W x 0,526)

MOD.	n° el	5 el		6 el		7el		8 el		9 el		10 el		11 el		12 el		13 el		14 el		15 el	
	step mm	/50	/80	/50	/80	/50	/80	/50	/80	/50	/80	/50	/80	/50	/80	/50	/80	/50	/80	/50	/80	/50	/80
H cm	L cm	22	34	27	42	32	50	37	58	42	66	47	74	52	82	57	90	62	98	62	106	72	114
	▲▽ cm	15	24	20	32	25	40	30	48	35	56	40	64	45	72	50	80	55	88	55	96	65	104
TO 180/..	€	778,60		871,20		963,90		1056,50		1149,10		1241,60		1334,30		1426,90		1519,50		1612,10		1704,60	
177	w	675	798	810	957	945	1117	1080	1276	1215	1436	1350	1595	1485	1755	1620	1914	1755	2074	1890	2233	2025	2393
TO 200/..	€	814,40		910,90		1007,40		1104,00		1200,50		1297,10		1393,70		1490,30		1586,80		1683,40		1779,90	
197	w	751	888	901	1065	1051	1243	1202	1420	1352	1598	1502	1775	1652	1953	1802	2130	1953	2308	2103	2485	2253	2663
TO 220/..	€	849,30		949,60		1050,10		1150,50		1250,90		1351,30		1451,70		1552,10		1652,40		1752,90		1853,30	
217	w	828	978	993	1173	1159	1369	1324	1564	1490	1760	1655	1955	1821	2151	1986	2346	2152	2542	2317	2737	2483	2933
TO 240/..	€	884,90		989,30		1093,70		1198,00		1302,30		1406,70		1511,10		1615,50		1719,90		1824,10		1928,50	
237	w	904	1068	1084	1282	1265	1495	1446	1709	1626	1922	1807	2136	1988	2350	2168	2563	2349	2777	2530	2990	2711	3204

Intermediate values, every 10 cm, by interpolation
Made-to-measure heights on request

Δt different from 50 K: consult technical data Brem



Right repetition of inclined elements every 7 elements

Es.: TO 220/80 - 9el EG ø 1/2" SB3061

STANDARD PRODUCTION
White "sablé" paintwork, brackets B15
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list (colored brackets B15) +15/25%
Made-to-measure, ask for feasibility

STANDARD FITTING
EG ø 1/2"
On request fittings ø 3/8"
Special fittings, page 286

TAPPING CENTRES

TORRI STEP 50 mm



TORRI STEP 80 mm



TORRI with feet h=20cm
Art. TOB extra 109,70€

Tapping centres REG with reverse valves ▲▽ = L - 14 cm + 2 feet





FIXINGS
Brackets included

Mod. step	a cm
50	6
80	9

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

REMOTE FITTINGS Art. REM 36,60€
at the rear (EG tapping centres dimensions)





REMOTE VALVES ASSEMBLY KIT p.281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

HERG

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

HERG is a new radiator with parallel steel fins rising from the floor up to the ceiling and set at a distance of either 50 or 80 mm, as requested. It features large rectangular tubes arranged in regular patterns altering the heat output depending on their step and height.

DIMENSIONS
Height: 180/200/220/240/260/280 cm
Width: from 17 to 106 cm
Depth: 12 cm
Depth from wall: 12 cm

ELEMENT STEP 50
L = n° el. x 5 cm step - 3 cm



ELEMENT STEP 80
L = n° el. x step 8 cm - 6 cm



Mod. HG..



HERG ../50 HERG ../80



Mod. HGB

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) (Δt 30K = W x 0,526)

MOD.	n° elements		4	5	6	7	8	9	10	11	12	13	14
	step mm		/50 /80	/50 /80	/50 /80	/50 /80	/50 /80	/50 /80	/50 /80	/50 /80	/50 /80	/50 /80	/50 /80
	L cm		17 26	22 34	27 42	32 50	37 58	42 66	47 74	52 82	57 90	62 98	67 106
	H cm	side fitt. ▲▽cm											
HG180/..	177	5 €	655,10	746,30	837,40	928,60	1019,80	1111,00	1202,20	1293,30	1384,40	1475,70	1566,90
		w	540 638	675 798	810 957	945 1117	1080 1276	1215 1436	1350 1595	1485 1755	1620 1914	1755 2074	1890 2233
HG200/..	197	5 €	684,00	778,70	873,50	968,40	1063,10	1158,00	1252,60	1347,50	1442,20	1537,00	1631,70
		w	601 710	751 888	901 1065	1051 1243	1202 1420	1352 1598	1502 1775	1652 1953	1802 2130	1953 2308	2103 2485
HG220/..	217	5 €	712,90	811,30	909,60	1008,00	1106,40	1204,80	1303,20	1401,50	1499,90	1598,40	1696,70
		w	662 782	828 978	993 1173	1159 1369	1324 1564	1490 1760	1655 1955	1821 2151	1986 2346	2152 2542	2317 2737
HG240/..	237	5 €	741,80	843,80	945,70	1047,80	1149,70	1251,70	1353,60	1455,70	1557,60	1659,60	1761,50
		w	723 854	904 1068	1084 1282	1265 1495	1446 1709	1626 1922	1807 2136	1988 2350	2168 2563	2349 2777	2530 2990
HG260/..	257	5 €	770,80	876,30	981,90	1087,40	1193,00	1298,60	1404,10	1509,80	1615,40	1720,50	1826,50
		w	784 926	980 1158	1176 1390	1372 1621	1568 1853	1764 2084	1960 2316	2156 2548	2352 2779	2548 3011	2744 3242
HG280/..	277	5 €	799,70	908,80	1018,10	1127,20	1236,40	1345,50	1454,80	1563,90	1673,10	1782,30	1891,50
		w	845 998	1057 1248	1268 1498	1479 1747	1690 1997	1902 2246	2113 2496	2324 2746	2536 2995	2747 3245	2958 3494

Made-to-measure heights on request Intermediate or higher values by interpolation, every 10 cm Δt different from 50 K: consult technical data Brem

Mod. HGB
On request
without extra

E.g.: HG 220/50 - 4el C 1/2" SB 356F

STANDARD PRODUCTION
White "sablé" paintwork with brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list (with colored brackets) +15/25%
Made-to-measure dimensions, ask for faseability

STANDARD FITTING
C ø 1/2" - D on request
On request fittings ø 3/8"
Special fittings, p.286



TAPPING CENTRES HG MODEL



Standard side fittings C ▲▽= 5 cm
D fitting on request without extra, page 282



ART. HGB REG fittings ▲▽= L-14 cm
with angled/reverse valves



FIXINGS
Brackets included

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

REMOTE FITTINGS Art. REM 36,60€
at the rear t. c. ▲▽=(n°él - 2) x step





REMOTE VALVES ASSEMBLY KIT p.281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SBARRA-UP

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

The SBARRA-UP radiator is ideal for those spaces where every centimetre counts. SBARRA-UP can be placed wherever you want, has great heat output and can either blend into the background or stand out, depending on the colour. What's more, the elements can be overlapped and/or multiplied by a factor of 3 to get a particularly striking effect.

DIMENSIONS
Width: 8 / 18 / 28 cm
Height: 180 / 200 / 220 cm
Depth: 5,8/8/14 cm
Depth from wall: 9/11,5/17,5 cm





MOD.		L cm	8	18	28
	H cm	▲▽ cm	4,2	14	24
SB-UP1	180 €		388,40	484,60	581,20
			197w	378w	543w
SB-UP2	180 €		738,10	921,00	1104,10
			323w	619w	884w
SB-UP3	180 €		1048,80	1308,80	1569,10
			449w	861w	1238w
SB-UP1	200 €		403,80	500,20	596,50
			219w	420w	603w
SB-UP2	200 €		753,40	936,40	1119,40
			359w	688w	982w
SB-UP3	200 €		1064,10	1324,20	1584,50
			498w	957w	1376w
SB-UP1	220 €		419,10	515,40	611,90
			240w	462w	664w
SB-UP2	220 €		768,80	951,80	1134,80
			394w	757w	1081w
SB-UP3	220 €		1079,70	1339,50	1599,70
			548w	1053w	1513w

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) (Δt 30K = W x 0,526)

Models up to 300 cm high on request

On request: MAGNETIC KNOBS page282

HOW TO ORDER
State: model (1,2,3 indicate depth)
e.g.: SB-UP2 200-18, REG ø 1/2", BR 0019

STANDARD PRODUCTION
White "sablé" paintwork-White brackets B..
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored brackets B .. +15/25%
Electric version, ask for faseability

STANDARD FITTING REG ø 1/2"
On request EG fittings ø3/8" with brackets B 35mm p=5,5 (SB-UP1)
Special fittings, p.286

TAPPING CENTRES





FIXINGS
Brackets included

Model	a cm
SB-UP ..-8	2
SB-UP ..-18	4
SB-UP ..-28	4

SB-UP1 180-8

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
at the rear (REG tapping centres dimensions)





REMOTE VALVES ASSEMBLY KIT p.281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

META

PRICE FROM 1.07.2022 **+15%**

META is constructed with the columns welded to the section of the manifold with an ES (element step) that can be varied from 30 to 70 mm at 5 mm intervals.

The heating element can be composed using columns of 50 or 70 mm depth.

DIMENSIONS
Width: from 10,5 cm to 6m
Height: from 21 to 220 cm
Depth: M1000: 8,2/10,2 cm
M2000: 12,9/16,9 cm
Depth from wall: M1000: 11,5/13,5 cm
M2000: 15,5/19,5 cm



MODEL M..1000 with single column



MODEL M..2000 with double column



Widths from 3 elements to 6 m
L = (no. of elements - 1) x PE (step) + 45 mm
PE = step between elements:
30 - 35 - 40 - 45 - 50 - 55 - 60 - 65 - 70 mm





STANDARD PRODUCTION
White "sablé" paintwork - White brackets M ..
Tolerance ± 3 mm - Air vent ø 3/8"
MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with M..
colored brackets +15/25%
Special versions, by estimate

STANDARD FITTING
EG ø 1/2"

Special fittings page 286



TAPPING CENTRES

MODEL M..1000 with single column
standard fitting EG ø1/2"





EG vertical standard fittings
▲▽ tapping centrs=
(no. of el - 2) x PE (step)

MODEL M..2000 with double column
standard fittings EG ø1/2"





EG vertical standard fittings
▲▽ tapping centrs=
(no. of el - 2) x PE (step)



FIXINGS

Brackets included



M.. 1000 z=5cm
M5 2000 z=9cm
M7 2000 z=11cm

	a cm
L up to 50cm	PE+2,25
L > 50 cm	2PE+2,25

PE step elements

META M5 1220/50-10 el

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€

REMOTE FITTINGS not available



FIXED FOOT
META feet are built from the heating element's tube and welded to the radiator (H=15cm)

M 1000	Art. P1N	121,70€
M 2000 (in the middle)	Art. P1N	121,70€

META M7 STEP 50
SINGLE COLUMN

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) (Δt 30K = Wx0,526)

M7 MODEL LOW	(n° el)	10 el.	12 el.	14 el.	16 el.	18 el.	20 el.	22 el.	24 el.	26 el.	28 el.	30 el.
	L cm	49,5	59,5	69,5	79,5	89,5	99,5	109,5	119,5	129,5	139,5	149,5
H cm	▲▽	40	50	60	70	80	90	100	110	120	130	140
M7 1050/50	€	256,50	290,10	323,50	357,10	390,50	424,00	457,50	491,10	524,50	558,20	591,60
H 50	w	372w	446w	521w	595w	670w	744w	818w	893w	967w	1042w	1116w
M7 1060/50	€	272,40	307,70	342,90	378,20	413,40	448,70	484,00	519,20	554,50	589,80	625,10
H 60	w	438w	526w	613w	701w	788w	876w	964w	1051w	1139w	1226w	1314w
M7 1075/50	€	301,30	342,50	383,50	424,60	465,60	506,70	547,70	588,80	629,90	670,90	712,10
H 75	w	530w	636w	742w	848w	954w	1060w	1166w	1272w	1378w	1484w	1590w
M7 1090/50	€	322,80	368,00	413,40	458,90	504,10	549,50	594,80	640,20	685,40	730,90	776,30
H 90	w	636w	763w	890w	1018w	1145w	1272w	1399w	1526w	1654w	1781w	1908w



META 1000

M7 MODEL HIGH	(n° el)	5 el.	6 el.	7 el.	8 el.	9 el.	10 el.	11 el.	12 el.	13 el.	14 el.	15 el.
	L cm	24,5	29,5	34,5	39,5	44,5	49,5	54,5	59,5	64,5	69,5	74,5
H cm	▲▽	15	20	25	30	35	40	45	50	55	60	65
M7 1160/50	€	278,80	315,20	351,80	388,20	424,80	461,20	498,00	534,50	571,00	607,50	644,00
H 160	w	535W	642W	749W	856W	964W	1070W	1177W	1284W	1391W	1499W	1605W
M7 1180/50	€	298,10	338,60	379,00	419,60	460,00	500,40	540,80	581,30	621,60	662,10	702,60
H 180	w	602w	722w	843w	963w	1084w	1204w	1324w	1445w	1565w	1686w	1806w
M7 1200/50	€	317,10	361,20	405,40	449,70	494,00	538,30	582,40	626,60	670,80	715,10	759,20
H 200	w	652w	782w	912w	1042w	1173w	1303w	1433w	1564w	1694w	1824w	1955w
M7 1220/50	€	347,90	398,40	448,70	499,10	549,50	599,90	650,30	700,70	751,10	801,40	851,90
H 220	w	715w	857w	1000w	1143w	1286w	1429w	1572w	1715w	1858w	2001w	2144w

Δt different, consult Technical data Brem

All sizes listed on pages 26-27



META 1000

Model META | column depth | single column | H cm | step mm | no. el

M 7 1 200/50- 8 el

META M7 STEP 50
DOUBLE COLUMN

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) (Δt 30K = Wx0,526)

M7 MODEL LOW	(n° el)	10 el.	12 el.	14 el.	16 el.	18 el.	20 el.	22 el.	24 el.	26 el.	28 el.	30 el.
	L cm	49,5	59,5	69,5	79,5	89,5	99,5	109,5	119,5	129,5	139,5	149,5
H cm	▲▽	40	50	60	70	80	90	100	110	120	130	140
M7 2050/50	€	450,10	516,20	582,50	648,80	715,10	781,20	847,50	913,90	980,10	1046,30	1112,60
H 50	w	627w	752w	878w	1003w	1129w	1254w	1379w	1505w	1630w	1756w	1881w
M7 2060/50	€	490,30	564,60	639,00	713,20	787,60	862,00	936,30	1010,60	1084,90	1159,20	1233,60
H 60	w	741w	889w	1037w	1186w	1334w	1482w	1630w	1778w	1927w	2075w	2223w
M7 2075/50	€	548,20	634,30	720,00	806,10	891,90	977,90	1063,70	1149,60	1235,50	1321,50	1407,40
H 75	w	911w	1093w	1275w	1458w	1640w	1822w	2004w	2186w	2369w	2551w	2733w
M7 2090/50	€	608,70	706,80	804,60	902,70	1000,70	1098,70	1196,70	1294,80	1392,70	1490,80	1588,80
H 90	w	1091w	1309w	1527w	1746w	1964w	2182w	2400w	2618w	2837w	3055w	3273w



META 2000

M7 MODEL HIGH	(n° el)	5 el.	6 el.	7 el.	8 el.	9 el.	10 el.	11 el.	12 el.	13 el.	14 el.	15 el.
	L cm	24,5	29,5	34,5	39,5	44,5	49,5	54,5	59,5	64,5	69,5	74,5
H cm	▲▽	15	20	25	30	35	40	45	50	55	60	65
M7 2160/50	€	502,20	579,00	655,60	732,50	809,10	885,90	962,60	1039,40	1116,00	1192,70	1269,40
H 160	w	927W	1112W	1298W	1483W	1668W	1853W	2039W	2224W	2410W	2595W	2780W
M7 2180/50	€	542,00	626,60	711,20	795,90	880,50	965,10	1050,00	1134,60	1219,20	1303,90	1388,50
H 180	w	1043w	1251w	1460w	1668w	1877w	2085w	2294w	2502w	2711w	2919w	3128w
M7 2200/50	€	581,60	674,40	766,80	859,40	952,00	1044,60	1137,00	1229,80	1322,40	1415,00	1507,50
H 200	w	1157w	1388w	1620w	1851w	2083w	2314w	2545w	2777w	3008w	3240w	3471w
M7 2220/50	€	620,60	721,10	821,40	922,00	1022,30	1122,80	1223,00	1323,40	1423,90	1524,20	1624,70
H 220	w	1272w	1526w	1780w	2034w	2289w	2543w	2797w	3052w	3306w	3560w	3815w

Δt different, consult Technical data Brem

All sizes listed on pages 26-27



META 2000

Model column double H step no.
META depth column cm mm el

M 7 2 180/50- 14el

HOW TO ORDER
State: model, column (whether single or double), height in cm, step in mm, number of elements; fitting and color
e.g.: M7 2 200-70 6 el, AC ø 1/2" BR 0033

META 1000

PRICE FROM 1.07.2022 **+15%**

FULL LIST OF THERMAL OUTPUTS AND PRICES

EN 442 Watt Δt 50K (Δt 30K = Wx0,526)

MOD. step PE	..-30		..-35		..-40		..-45		..-50		..-55		..-60		..-65		..-70		PRICE	
column	M5	M7	M5	M7	M5	M7	M5	M7	M5	M7	M5	M7	M5	M7	M5	M7	M5	M7	element	fixed price
H	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	€ x n°el. +	€
M..1030-..	18,6	21,6	19,3	22,4	20,0	23,2	20,9	24,0	21,7	24,8	22,5	25,7	23,3	26,6	24,1	27,4	24,9	28,1	14,5	88,9
M..1035-..	20,9	25,1	21,7	25,9	22,5	26,8	23,4	27,7	24,2	28,5	25,0	29,4	25,8	30,3	26,6	31,1	27,4	31,9	14,9	88,9
M..1040-..	23,0	27,1	23,8	28,1	24,7	29,0	25,6	29,8	26,5	30,5	27,3	31,7	28,2	32,9	29,0	33,9	29,9	34,9	15,4	88,9
M..1045-..	25,7	30,1	26,6	31,0	27,4	32,0	28,2	33,1	29,1	34,2	29,8	35,0	30,6	35,8	31,4	37,2	32,2	38,6	16,0	88,9
M..1050-..	28,0	32,3	28,9	33,6	29,8	34,9	30,7	36,0	31,6	37,2	32,5	38,4	33,3	39,5	34,1	40,6	35,0	41,6	16,8	88,9
M..1055-..	30,9	35,3	31,8	36,6	32,8	37,9	33,7	39,4	34,6	40,8	35,4	41,7	36,2	42,5	37,1	43,9	38,0	45,3	17,0	88,9
M..1060-..	33,0	38,2	34,0	39,5	35,0	40,8	35,9	42,3	36,9	43,8	37,8	45,0	38,6	46,2	39,5	47,2	40,5	48,3	17,6	96,0
M..1065-..	35,3	41,0	36,4	42,4	37,4	43,8	38,5	45,6	39,6	47,5	40,6	48,3	41,6	49,2	42,6	50,6	43,6	52,0	18,6	96,0
M..1070-..	37,3	43,2	38,5	45,0	39,8	46,7	41,0	48,6	42,2	50,4	43,4	51,7	44,5	52,9	45,7	54,3	46,9	55,7	19,5	96,0
M..1075-..	39,6	46,1	40,8	47,9	42,1	49,7	43,4	51,5	44,7	53,3	45,9	54,6	47,0	55,9	48,3	57,3	49,5	58,6	20,5	96,0
M..1080-..	42,3	49,0	43,5	50,8	44,8	52,6	46,0	54,8	47,2	57,0	48,2	58,3	49,3	59,6	50,5	61,0	51,7	62,3	21,5	96,0
M..1090-..	46,8	55,7	48,3	57,4	49,7	59,2	51,2	61,4	52,7	63,6	54,0	64,9	55,3	66,2	56,7	67,6	58,2	69,0	22,7	96,0
M..1100-..	52,6	61,3	54,0	63,2	55,4	65,1	56,7	67,2	58,1	69,4	59,3	71,1	60,4	72,8	61,8	74,3	63,1	75,7	24,4	96,0
M..1110-..	57,6	67,1	59,0	69,0	60,5	70,9	62,0	73,4	63,5	75,9	64,8	77,7	66,0	79,5	67,5	81,3	69,0	83,1	26,7	96,0
M..1120-..	61,9	72,2	63,5	74,5	65,1	76,7	66,7	79,6	68,3	82,4	69,6	84,3	71,0	86,1	72,6	87,9	74,2	89,7	28,5	96,0
M..1150-..	77,7	88,7	79,5	91,4	81,3	94,2	83,1	97,7	84,9	101,1	86,3	103,5	87,8	105,9	89,6	107,8	91,5	109,6	33,4	96,0
M..1160-..	81,2	93,7	83,3	96,8	85,4	99,9	87,6	103,8	89,7	107,6	91,5	110,0	93,2	112,5	95,4	114,7	97,6	117,0	36,5	96,0
M..1175-..	89,2	103,0	91,3	106,2	93,5	109,3	95,6	113,1	97,8	116,9	99,5	119,4	101,2	122,0	103,5	124,3	105,8	126,6	38,4	96,0
M..1180-..	92,1	106,0	94,2	109,1	96,4	112,2	98,6	116,3	100,8	120,4	102,6	123,0	104,3	125,6	106,6	127,9	108,9	130,3	40,4	96,0
M..1190-..	97,1	111,8	99,4	114,8	101,7	117,9	104,1	120,9	106,4	124,0	108,2	128,1	110,0	132,3	112,5	135,8	114,9	139,3	42,5	96,0
M..1200-..	102,2	117,6	104,6	120,8	107,0	124,0	109,5	127,1	111,9	130,3	113,8	134,7	115,7	139,1	118,4	142,9	121,0	146,6	44,2	96,0
M..1210-..	107,2	123,4	109,8	126,7	112,3	130,1	114,9	133,4	117,5	136,6	119,5	141,3	121,5	146,0	124,2	149,9	127,0	153,9	46,4	96,0
M..1220-..	112,2	129,2	114,9	132,7	117,6	136,1	120,3	139,5	123,1	142,9	125,1	147,9	127,2	152,8	130,1	157,0	133,1	161,2	50,4	96,0

The radiator heat output is determined by multiplying the heat output of a single column by the number of elements.

The cost of the column is determined only by its height and does not depend on its depth or step between elements.

The cost of the radiator is determined by multiplying the unit price of one column by the number of elements and then adding this to the fixed price.

Model META | column depth | single column | H cm | step mm | no. el.

M 7 1 200/70- 8 el



META 1000

How to choose the META radiator

Given the number of Watts necessary to heat a room (e.g. 1175 W) with a radiator at a height of 200 cm, find the number of elements by varying the step as required by the space available:

MODEL	el.	L(cm)	W	€
M7 1200/70	8	53,5	1173	449,60
M7 1200/50	9	44,5	1173	493,80
M7 1200/30	10	31,5	1176	502,40

WIDTHS OF RADIATORS

number of elements

element step	5 el	6 el	7 el	8 el	9 el	10 el	11 el	12 el	13 el	14 el	15 el	16 el	17 el	18 el	19 el
M.../30 L cm	16,5	19,5	22,5	25,5	28,5	31,5	34,5	37,5	40,5	43,5	46,5	49,5	52,5	55,5	58,5
M.../35 L cm	18,5	22,0	25,5	29,0	32,5	36,0	39,5	43,0	46,5	50,0	53,5	57,0	60,5	64,0	67,5
M.../40 L cm	20,5	24,5	28,5	32,5	36,5	40,5	44,5	48,5	52,5	56,5	60,5	64,5	68,5	72,5	76,5
M.../45 L cm	22,5	27,0	31,5	36,0	40,5	45,0	49,5	54,0	58,5	63,0	67,5	72,0	76,5	81,0	85,5
M.../50 L cm	24,5	29,5	34,5	39,5	44,5	49,5	54,5	59,5	64,5	69,5	74,5	79,5	84,5	89,5	94,5
M.../55 L cm	26,5	32,0	37,5	43,0	48,5	54,0	59,5	65,0	70,5	76,0	81,5	87,0	92,5	98,0	103,5
M.../60 L cm	28,5	34,5	40,5	46,5	52,5	58,5	64,5	70,5	76,5	82,5	88,5	94,5	101,0	107,0	113,0
M.../65 L cm	30,5	37,0	43,5	50,0	56,5	63,0	69,5	76,0	82,5	89,0	95,5	102,0	108,5	115,0	121,5
M.../70 L cm	32,5	39,5	46,5	53,5	60,5	67,5	74,5	81,5	88,5	95,5	102,5	109,5	116,5	123,5	130,5

META 2000

PRICE FROM 1.07.2022 **+15%**

FULL LIST OF THERMAL OUTPUTS AND PRICES

EN 442 Watt Δt 50K (Δt 30K = W×0,526)

MOD. step PE	..-30		..-35		..-40		..-45		..-50		..-55		..-60		..-65		..-70		PRICE	
column	M5	M7	M5	M7	M5	M7	M5	M7	M5	M7	M5	M7	M5	M7	M5	M7	M5	M7	element	fixed price
H	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	w/el.	€ x n°el.	+ €
M..2030-..	31,0	36,2	32,1	37,3	33,3	38,5	34,5	39,7	35,7	40,9	36,9	42,1	38,0	43,3	39,1	44,3	40,2	45,3	26,5	124,3
M..2035-..	35,6	42,8	36,8	44,0	38,0	45,2	39,1	46,4	40,3	47,5	41,3	48,7	42,3	49,8	43,3	50,8	44,3	51,7	28,7	124,3
M..2040-..	39,4	46,5	40,7	47,9	41,9	49,2	43,2	50,5	44,4	51,8	45,5	53,1	46,5	54,4	47,6	55,5	48,7	56,6	29,2	124,3
M..2045-..	44,4	51,9	45,6	53,3	46,7	54,7	47,8	56,1	49,0	57,5	49,9	58,9	50,9	60,4	51,9	61,5	52,9	62,7	31,4	118,7
M..2050-..	48,4	55,9	49,7	57,6	51,0	59,4	52,3	61,1	53,5	62,7	54,6	64,5	55,7	66,3	56,8	67,8	58,0	69,2	33,1	118,7
M..2055-..	53,7	61,2	55,0	63,0	56,3	64,9	57,5	66,7	58,8	68,4	59,9	70,4	61,0	72,3	62,2	73,9	63,3	75,4	35,1	118,7
M..2060-..	57,5	66,4	58,9	68,3	60,3	70,3	61,7	72,2	63,0	74,1	64,2	76,2	65,4	78,2	66,7	79,9	67,9	81,6	37,2	118,7
M..2065-..	61,6	71,6	63,2	73,8	64,8	75,8	66,4	78,0	68,0	80,1	69,4	82,4	70,7	84,6	72,2	86,5	73,7	88,3	38,9	118,7
M..2070-..	65,3	75,6	67,2	78,1	69,1	80,6	71,0	83,1	72,9	85,5	74,5	88,2	76,1	90,9	77,9	93,1	79,6	95,3	41,2	118,7
M..2075-..	69,4	80,9	71,5	83,5	73,5	86,0	75,5	88,6	77,5	91,1	79,2	93,9	80,9	96,7	82,8	99,1	84,7	101,4	43,0	118,7
M..2080-..	74,6	86,3	76,5	89,1	78,4	91,8	80,2	94,5	82,1	97,2	83,7	100,2	85,3	103,2	87,1	105,8	88,9	108,3	45,1	118,7
M..2090-..	82,7	98,3	85,1	101,0	87,4	103,7	89,8	106,5	92,1	109,1	94,2	112,2	96,2	115,3	98,5	117,9	100,7	120,5	49,0	118,7
M..2100-..	93,2	108,7	95,5	111,6	97,7	114,5	99,9	117,4	102,1	120,3	103,9	123,7	105,8	127,2	107,9	130,0	110,0	132,7	52,9	118,7
M..2110-..	102,3	119,1	104,7	122,4	107,2	125,5	109,7	128,8	112,1	132,0	114,2	135,8	116,2	139,6	118,6	142,9	121,0	146,1	56,9	118,7
M..2120-..	110,6	129,0	113,1	132,5	115,6	135,9	118,1	139,4	120,6	142,7	122,6	146,8	124,5	150,9	126,9	154,3	129,3	157,6	60,8	118,7
M..2150-..	140,7	160,6	143,1	164,3	145,5	168,0	147,8	171,6	150,2	175,2	151,8	179,9	153,4	184,6	155,7	188,3	157,9	192,1	72,7	118,7
M..2160-..	147,9	170,6	150,7	174,6	153,4	178,5	156,1	182,3	158,8	186,0	160,7	191,0	162,6	196,0	165,2	200,0	167,8	203,9	76,7	118,7
M..2175-..	163,4	188,8	166,0	192,4	168,5	195,9	170,9	199,2	173,3	202,5	174,8	207,2	176,3	212,0	178,6	215,6	180,9	219,2	80,7	118,7
M..2180-..	169,8	195,4	172,1	198,9	174,4	202,3	176,6	205,4	178,8	208,5	180,0	213,3	181,2	217,9	183,3	221,4	185,4	224,7	84,7	118,7
M..2190-..	180,2	207,4	182,4	210,8	184,6	214,0	186,8	217,0	188,8	220,0	189,8	224,7	190,8	229,4	192,8	232,8	194,7	236,0	88,7	118,7
M..2200-..	190,7	219,5	192,8	222,7	194,9	225,8	196,9	228,7	198,8	231,4	199,6	236,2	200,3	240,9	202,2	244,1	203,9	247,1	92,6	118,7
M..2210-..	201,3	231,7	203,3	234,8	205,3	237,7	207,1	240,3	208,9	242,8	209,4	247,6	209,8	252,2	211,5	255,3	213,1	258,2	96,5	118,7
M..2220-..	212,0	244,1	213,9	247,0	215,7	249,6	217,4	252,0	218,9	254,3	219,1	258,9	219,3	263,5	220,7	266,4	222,1	269,1	100,4	118,7

Δt different from 50 K: consult Technical data Brem

Model META | column depth | double column | height cm | step mm | n° el

M 7 2 180/70- 20 el



META 2000

How to choose the META radiator

Given the number of Watts necessary to heat a room (e.g. 1620 W) with a radiator at a height of 75 cm, find the number of elements by varying the step as required by the space available:

MODEL	el.	L(cm)	W	€
M7 2075/70	16	109,5	1622	806,70
M7 2075/50	18	89,5	1640	892,70
M7 2075/30	20	61,5	1618	978,70

numbers of elements

Widths with 3 elements only with side fittings

20 el	21 el	22 el	23 el	24 el	25 el	26 el	27 el	28 el	29 el	30 el	31 el	32 el	MOD.	from 33 el. to 6 m
61,5	64,5	67,5	70,5	73,5	76,5	79,5	82,5	85,5	88,5	91,5	94,5	97,5	M.../30	(n°el -1) x 30 + 45
71,0	74,5	78,0	81,5	85,0	88,5	92,0	95,5	99,0	102,5	106,0	109,5	113,0	M.../35	(n°el -1) x 35 + 45
80,5	84,5	88,5	92,5	96,5	100,5	104,5	108,5	112,5	116,5	120,5	124,5	128,5	M.../40	(n°el -1) x 40 + 45
90,0	94,5	99,0	103,5	108,0	112,5	117,0	121,5	126,0	130,5	135,0	139,5	144,0	M.../45	(n°el -1) x 45 + 45
99,5	104,5	109,5	114,5	119,5	124,5	129,5	134,5	139,5	144,5	149,5	154,5	159,5	M.../50	(n°el -1) x 50 + 45
109,0	114,5	120,0	125,5	131,0	136,5	142,0	147,5	153,0	158,5	164,0	169,5	175,0	M.../55	(n°el -1) x 55 + 45
118,5	124,5	130,5	136,5	142,5	148,5	154,5	160,5	166,5	172,5	178,5	184,5	190,5	M.../60	(n°el -1) x 60 + 45
128,0	134,5	141,0	147,5	154,0	160,5	167,0	173,5	180,0	186,5	193,0	199,5	206,0	M.../65	(n°el -1) x 65 + 45
137,5	144,5	151,5	158,5	165,5	172,5	179,5	186,5	193,5	200,5	207,5	214,5	221,5	M.../70	(n°el -1) x 70 + 45

LAMATH

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

Straight, compact, and high thickness fins that cut the uniformity of the wall express a new concept for heated towel rails that enliven and furnish bathroom walls.

The unusual and absolutely unexpected shape is as surprising as good sculpture can be.

DIMENSIONS
Width: 43,0 / 49,5 cm
Height: 190 / 210 cm
Depth: 8 cm
Depth from wall: 9,5 cm



MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H (H1) cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
LAMATH	190-2	599,10	◗	467	243	6	190	43	14,4	6,3	110,80	400	173,10
LAMATH	190-3	710,00	◗	555	289	6	190	43	17,2	7,5	112,70	500	175,00
LAMATH	190-4	821,40	◗	700	364	12	190	49,5	21,7	9,4	114,60	650	176,90
LAMATH	210-2	641,50		525	273	6	210	43	16,3	7,1	112,70	500	175,00
LAMATH	210-3	767,90		642	334	6	210	43	19,9	8,6	114,60	650	176,90
LAMATH	210-4	894,10		807	420	12	210	49,5	25,0	10,9	109,30	800	182,10

◗ Ready Stock

Δt 40K = W Δt 50K x0,755

◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - Brackets B15
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list (with colored brackets B15) +15/25%
Electric version e.Lamath, page 236

STANDARD FITTING
EG ø 1/2"
On request fittings ø 3/8"
Special fittings, page 287

TAPPING CENTRES

LAMATH..-2



LAMATH..-3



LAMATH..-4



MIXED VERSIONS*



Side fittings ø 1/2"
t. c. ▲▽ 5cm

sleeve for
mixed version



FIXINGS
Brackets included

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

REMOTE FITTINGS Art. REM 36,60€
at the rear (EG tapping centres dimensions)





REMOTE VALVES ASSEMBLY KIT p.281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

LAME SLIM

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

Straight, compact and high thickness fins that cut the uniformity of the wall express a new concept for heated towel rails that enliven and furnish bathroom walls.

The unusual and absolutely unexpected shape is as surprising as good sculpture can be.

DIMENSIONS
Widths: 30 / 36 cm
Heights: 190 / 210 cm
Depths: 14,7 cm
Depths from wall: 15,7 cm



LAME SLIM ../2 LAME SLIM ../3 LAME SLIM ../4 LAME SLIM ../5 LAME SLIM 190/.. LAME SLIM 210/..

MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
LAME Slim	190/2	590,60	◗	350	182	6	190	30	10,8	4,7	110,80	400	173,10
LAME Slim	190/3	709,40	◗	496	258	6	190	30	15,4	6,7	112,70	500	175,00
LAME Slim	190/4	828,00	◗	652	339	12	190	30	20,2	8,8	114,60	650	176,90
LAME Slim	190/5	958,30		788	410	18	190	36	24,4	10,6	118,80	800	181,10
LAME Slim	210/2	625,40		389	202	6	210	30	12,0	5,2	110,80	400	173,10
LAME Slim	210/3	760,80		554	288	6	210	30	17,2	7,5	112,70	500	175,00
LAME Slim	210/4	895,80		730	380	12	210	30	22,6	9,9	118,80	800	181,10
LAME Slim	210/5	1042,90		885	460	18	210	36	27,4	11,9	121,90	900	184,20

Additional towel bar to the standard bars
Art. MAL 68,10 €

◗ Ready Stock

Δt 40K = W Δt 50K x0,755

◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - Brackets B15
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored brackets B15 +15/25%
Electric version e.Lame Slim, p.237

STANDARD FITTING
EG ø 1/2"
On request fittings ø 3/8"
Special fittings, page 287

TAPPING CENTRES

LAME SLIM ..-2



LAME SLIM ..- 3



LAME SLIM ..-4



LAME SLIM ..-5



MIXED VERSIONS*



Side fittings ø 1/2"
t. c. ▲▽ 5cm

sleeve for
mixed version



FIXINGS
Brackets included

Mod. n° tubes	a cm	b cm	c cm
2	6	1	9
3	12	1	15
4	18	1	21
5	24	7	21

LAME SLIM 190/3

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

REMOTE FITTINGS Art. REM 36,60€
at the rear (EG tapping centres dimensions)





REMOTE VALVES ASSEMBLY KIT p.281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

HERG'S

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

HERG's is a new towel rails that recalls the simple heated towel rails.

The protagonist is the large rectangular tube arranged in regular rhythms that gives caloric performance for the complete comfort of the bathroom.

DIMENSIONS
Width: 42 / 50 / 58 cm
Height: 64,4 / 92,1 / 119,8 / 147,5 / 175,2 / 202,9 cm
Depth: 12 cm
Depth from wall: 12 cm



HERG'S 65-.. HERG'S 92-.. HERG'S 120-.. HERG'S 148-.. HERG'S 175-... HERG'S 203-...

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H (H1) cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
HERG'S	65-42	442,10	249	131	27	64,4	42	4,6	2,4	108,80	250	171,10
HERG'S	65-50	471,40	268	141	35	64,4	50	4,9	2,5	108,80	250	171,10
HERG'S	92-42	532,00	350	184	27	92,1	42	6,4	3,3	108,80	250	171,10
HERG'S	92-50	561,30 ◗	378	199	35	92,1	50	6,9	3,4	110,80	400	173,10
HERG'S	120-42	621,90	452	238	27	119,8	42	8,3	4,2	110,80	400	173,10
HERG'S	120-50	651,30 ◗	487	256	35	119,8	50	8,9	4,4	112,70	500	175,00
HERG'S	148-42	711,90	553	291	27	147,5	42	10,1	5,2	112,70	500	175,00
HERG'S	148-50	741,20 ◗	597	314	35	147,5	50	10,9	5,4	114,60	650	176,90
HERG'S	148-58	764,20	641	337	43	147,5	58	11,6	5,6	114,60	650	176,90
HERG'S	175-42	801,80	652	343	27	175,2	42	12	6,1	114,60	650	176,90
HERG'S	175-50	831,20 ◗	705	371	35	175,2	50	12,9	6,4	114,60	650	176,90
HERG'S	175-58	854,10	757	398	43	175,2	58	13,7	6,6	118,80	800	181,10
HERG'S	203-50	883,50 ◗	813	428	35	202,9	50	14,9	7,3	118,80	800	181,10
HERG'S	203-58	906,40	873	459	43	202,9	58	15,9	7,7	121,90	900	185,10

◗ Ready Stock Δt 40K = W Δt 50K x0,755 ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list +15/25%
Electric version e.Herg's, p.238

STANDARD FITTING
REG ø 1/2"
On request fittings ø3/8"
Special fittings, page 287

TAPPING CENTRES



Reverse Brem valves



FIXINGS
Brackets included

HERG'S 92-50

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE QUADRA VALVES KIT
page 279 Art. KQR 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€

REMOTE FITTINGS not available

HERG-ÖT

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

Herg-ÖT recalls the iconic shape of the ladder and can be placed perpendicular or slightly inclined. The parallel tubes give comfort and warmth to the bathroom and work as a support for clothing, bathrobes and towels.

DIMENSIONS
Width: 42 / 50 / 58 cm
Height: 184,7 / 212,4 / 240 cm
Depth: 12 cm
Depth from wall: 12 cm



HERG-OT 185-..


HERG-OT 212-..



HERG-OT 240-.. On request

MODEL'21	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H (H1) cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
HERG-ÖT	185-42	824,20 ◗	625	329	27	184	42	11,5	6,0	114,60	650	170,40
HERG-ÖT	185-50	842,50 ◗	669	352	35	184	50	12,3	6,3	114,60	650	170,40
HERG-ÖT	185-58	872,40	713	375	43	184	58	13,0	6,5	114,60	650	170,40
HERG-ÖT	212-42	943,20 ◗	735	387	27	216	42	13,5	7,1	114,60	650	170,40
HERG-ÖT	212-50	963,30 ◗	787	414	35	216	50	14,4	7,3	118,80	800	174,40
HERG-ÖT	212-58	997,20	840	442	43	216	58	15,3	7,6	121,90	900	177,40
HERG-ÖT	240-42	1054,00	845	444	27	248	42	15,6	8,1	118,80	800	174,40
HERG-ÖT	240-50	1075,50	906	476	35	248	50	16,6	8,4	121,90	900	177,40
HERG-ÖT	240-58	1113,10	966	508	43	248	58	17,6	8,7	121,90	900	177,40

On request, ANGLED HERG-ÖT
Art. HOI 90,00€

◗ Ready Stock

Δt 40K = W Δt 50K x0,755

◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork SB9016
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list
(with colored brackets) +15/25%
Electric version e.Herg-öt, p.239

STANDARD FITTING
REG ø 1/2"
On request fittings ø3/8"
Special fittings, page 287

TAPPING CENTRES



REVERSE fittings
as standard Art.REG

*On request:
ANGLED HERG-ÖT
Art. HOI 90,00€

Herg-öt 185:*24 cm
Herg-öt 212:*26 cm
Herg-öt 240:*28 cm

REMOTE FITTINGS



REMOTE fittings
▲ ▽ = L-2 cm
Art REM 36,60€



FIXINGS
Brackets included

HERG-ÖT 212-42

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L-2cm



REMOTE VALVES ASSEMBLY KIT p.281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SBARRA

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

The SBARRA towel heater is ideal when every centimetre must be exploited due to a lack of space. SBARRA is practical, has high heat output and can be placed wherever you want. It can fade into the background or, with the use of colour, made to stand out.

DIMENSIONS
Width: 130 / 160 cm
Height: 8 / 18 / 28 cm
Depth: 5,8/8/14 cm
Depth from wall 9/11,5/17,5 cm



MODEL	H-L cm	White sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Depth P cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
SBARRA-1	8-130	359,70	149	79	4,5	8	130	4,6	3,0	1,7	-	-	-
SBARRA-1	18-130	456,00	286	152	14	18	130	4,6	5,9	3,4	108,80	250	171,10
SBARRA-1	28-130	552,40	412	218	24	28	130	4,6	8,9	5,1	110,80	400	173,10
SBARRA-2	8-130	709,40	245	130	4,5	8	130	8	5,9	3,4	108,80	250	171,10
SBARRA-2	18-130	892,10	470	249	14	18	130	8	11,8	6,8	-	-	-
SBARRA-2	28-130	1075,30	675	358	24	28	130	8	17,7	10,2	114,60	650	177,80
SBARRA-3	8-130	1020,00	340	180	4,5	8	130	14	8,9	5,1	110,80	400	174,00
SBARRA-3	18-130	1280,00	653	346	14	18	130	14	17,7	10,2	114,60	650	176,90
SBARRA-3	28-130	1540,20	939	498	24	28	130	14	26,6	15,3	121,90	900	184,20
SBARRA-1	8-160	374,00	184	98	4,5	8	160	4,6	3,6	2,1	-	-	-
SBARRA-1	18-160	470,50	353	187	14	18	160	4,6	7,3	4,2	110,80	400	173,10
SBARRA-1	28-160	566,80	507	269	24	28	160	4,6	10,9	6,3	112,70	500	175,00
SBARRA-2	8-160	723,70	301	160	4,5	8	160	8	7,3	4,2	108,80	250	171,10
SBARRA-2	18-160	906,60	578	306	14	18	160	8	14,5	8,4	114,60	650	176,90
SBARRA-2	28-160	1089,90	831	440	24	28	160	8	21,8	12,6	118,80	800	181,10
SBARRA-3	8-160	1034,50	419	222	4,5	8	160	14	10,9	6,3	110,80	400	173,10
SBARRA-3	18-160	1294,50	804	426	14	18	160	14	21,8	12,6	118,80	800	181,10
SBARRA-3	28-160	1554,80	1156	613	24	28	160	14	32,7	18,8	129,20	1200	191,50

Δt 40K = W Δt 50K x0,755

◊Radio frequency chronothermostat p.227



MIXED VERSIONS

STANDARD PRODUCTION
White "sablé" paintwork - Brackets B..
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored brackets B.. +15/25%
Electric version e.Sbarra, page 240

STANDARD FITTING
AC ø 1/2"
On request fittings ø3/8"
Special fittings, page 287

TAPPING CENTRES



SBARRA-.. 8-..



SBARRA-.. 18-..



SBARRA-.. 28-..

FIXINGS
Brackets included

Model	a cm
SBARRA H8	2
SBARRA H18	4
SBARRA H28	4



SBARRA-2 18-130

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT page 277
Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
AC tapping centres standard fitting





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

HOOK

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

In narrow rooms where every cm is important, HOOK perfectly fits the place; it also gives you the opportunity to hang and to heat the clothes and the bathrobes. HOOK can be used anywhere in the house and it can also heat the bathroom.

DIMENSIONS
Width: 9 / 19/ 29 cm
Height: 180 / 210 cm
Depth: 5,5/9 cm
Depth from wall: 9,5/13 cm

KNOB: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color of radiator

- in one color of Brem color list different from the radiator extra 31,40€



HOOK ..-10 HOOK ..-20 HOOK ..-30 HOOK 2 ..-20 HOOK 2 ..-30

MODEL'21	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Depth p cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
HOOK	180-10	465,70	197	102	5,5	180	9	6	4,1	2,4	87,90*	250	*150,20
HOOK	180-20	639,20 ◗	378	197	15	180	19	6	8,2	4,7	89,90*	400	*152,20
HOOK	180-30	813,00	543	282	25	180	29	6	12,3	7,1	91,80*	500	*154,10
HOOK	210-10	481,00	230	120	5,5	210	9	6	4,8	2,7	87,90*	250	*150,20
HOOK	210-20	654,80	441	229	15	210	19	6	9,5	5,5	89,90*	400	*152,20
HOOK	210-30	828,40	632	329	25	210	29	6	14,3	8,2	93,70*	650	*156,00
HOOK-2	180-20	804,80 ◗	511	266	15	180	19	10	12,3	7,1	112,70	500	175,00
HOOK-2	180-30	825,40 ◗	650	338	25	180	29	10	20,4	11,8	114,60	650	176,90
HOOK-2	210-20	957,70	595	309	15	210	19	10	14,3	8,2	114,60	650	176,90
HOOK-2	210-30	978,20	850	442	25	210	29	10	23,8	13,7	121,90	900	184,20

◗ Ready Stock Δt 40K = W Δt 50K x0,755 *with TR accessory or mixed valve
◊Cronothermostat radio, p.227t

KNOB, on demand without extra

KNOB model PO

KNOB model ARO

STANDARD PRODUCTION
White "sablé" paintwork - Brackets M..
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list +15/25%
Knobs fixing at different heights without extra
Electric version e.Hook, page 241

STANDARD FITTING
EG ø 1/2"
On request fittings ø3/8"
Special fittings, page 287

TAPPING CENTRES

HOOK ..-10 HOOK ..-20 - HOOK ..-30



EG ø1/2" fittings as standard
On request, FITTINGS AT THE REAR with 9 cm depth.

HOOK 2..-20 - HOOK 2..-30



Fittings at the rear with reverse valves



FIXINGS
Brackets included

Model	a cm	b cm
HOOK ..-10	1,8	4
HOOK ..-20	4	4
HOOK ..-30	4	4
HOOK2..-20	2,2	20
HOOK2..-30	2,2	20

HOOK 180-20

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT page 279
Art. KQS 156,60€

ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

VALVES for fittings at the rear Mod. HOOK2..

MOD.
HOOK-2



REVERSE TON VALVES KIT page 277
Art. KVR 119,20€

REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
at the rear: ▲▽L - 8cm
(mod. HOOK..-10 ▲▽ 4,1 cm)





REMOTE VALVES ASSEMBLY KIT p.281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

KUO

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

KUO is an original take on Japanese formalism and essential lines.

Its pure form is the result of using a flat plate with vertical elements laid down its sides to limit the space and give a sense of slimness and vertical continuity.

DIMENSIONS
Width: 25/35/49 cm
Height: 110/140/180 cm
Depth: 8 cm
Depth from wall: 12 cm



KUO 110-25 KUO 110-35 KUO 140-35 KUO 140-49 KUO 180-25 KUO 180-49

MODEL	H-L cm	Standard white sablé €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
KUO	110-25	489,40	387	204	17	110	25	8,2	3,8	110,80	400	173,10
KUO	110-35	550,50	475	251	27	110	35	10,1	4,5	112,70	500	175,00
KUO	140-25	560,00	501	264	17	140	25	10,6	5,0	112,70	500	175,00
KUO	140-35	642,00	616	325	27	140	35	13,1	5,8	114,60	650	176,90
KUO	140-49	892,30	873	461	41	140	49	18,6	9,1	121,90	900	184,20
KUO	180-25	700,40 ◗	652	344	17	180	25	13,8	6,4	114,60	650	176,90
KUO	180-35	839,20 ◗	801	423	27	180	35	17,0	7,5	121,90	900	184,20
KUO	180-49	1020,10	1135	599	41	180	49	24,2	11,8	129,20	1200	191,50

Made to measure dimensions, ask for faseability

◗ Ready Stock

Δt 40K = W Δt 50K x0,755

◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - Brackets B35
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored brackets B35 +15/25%
Electric version e.Kuo, p.262

STANDARD FITTING
EG ø 1/2"
On request fittings ø3/8"
Special fittings, p. 287

TAPPING CENTRES



MIXED VERSIONS





FIXINGS
Brackets included

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED TON VALVES KIT
page 277 Art. KLS 119,20€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 8cm





REMOTE VALVES ASSEMBLY KIT p.281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CrossFRAME INDEX

RADIATORS WITH FRAMES

RADIATORS COLLECTION

	page
CROSS-Q	44
CROSS-G	46
CROSS-V	50

TOWEL HEATERS COLLECTION

	page
CROSS	52
CROSS DIVIS	54
CROSS-Q	58
CROSS-CROM	60
CROSS-FO/BIC	62/64
CROSS-R/RV	68/70
FREE	72
ESSEN	74
QUAR	76
PIT	78
ASYM	80
ALIS	82
KORE/CROM	84/86
TRAP	88
VISION	90
ZOOM	92

CROSS-Q
WITH OVERLAPPING SQUARES

PRICE FROM 1.07.2022 **+15%**

Large, variously assembled, rectangular tubes are used to produce CROSS-Q.

Innovative radiators thanks to 90° corners and strong geometric shapes (squares and rectangles) sitting on top of each other.

DIMENSIONS
Width: 48/56/64/100/116 cm
Height: 48/56/64/184/208/224/228 cm
Depth: 6 cm
Depth from wall: 9,5 cm



CROSS-Q 48-48
CROSS-Q 56-56
CROSS-Q 64-64



CROSS-QP 48-48
CROSS-QP 56-56
CROSS-QP 64-64



CROSS-Q 184-48
CROSS-Q 208-56
CROSS-Q 224-64



CROSS-Q 184-100
CROSS-Q 208-116



CROSS-Q 228-48



CROSS-Q 228-100



MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H (H1) cm	Width L (L1) cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
CROSS-Q	48-48	312,40	◗	176	95	34	48	48	3,5	2,1	-	-	-
CROSS-QP	48-48	404,00		272	147	34	48	48	5,7	3,2	108,80	250	171,10
CROSS-Q	56-56	343,60	◗	211	114	42	56	56	4,1	2,5	108,80	250	171,10
CROSS-QP	56-56	438,10		326	176	42	56	56	6,9	3,9	110,80	400	173,10
CROSS-Q	64-64	365,20		246	133	50	64	64	4,8	2,9	108,80	250	171,10
CROSS-QP	64-64	458,90		381	206	50	64	64	8,1	4,5	110,80	400	173,10
CROSS-Q	184-48	1085,10	◗	890	470	37	184 (160)	48 (24)	18,7	11,3	121,90	900	177,40
CROSS-Q	184-100	1766,00		1442	761	61	184 (160)	100 (48)	30,2	18,3	138,60	1500	184,20
CROSS-Q	208-56	1138,40		1055	557	37	208 (184)	56 (24)	22,1	13,4	-	-	-
CROSS-Q	208-116	1859,60		1689	892	61	208 (184)	116 (48)	35,4	21,5	138,60	1500	200,90
CROSS-Q	224-64	1192,60		1203	635	37	224 (200)	64 (24)	25,2	15,3	129,20	1200	191,50
CROSS-Q	228-48	1308,00		1119	593	37	228 (204)	48 (24)	24,0	14,6	129,20	1200	191,50
CROSS-Q	228-100	2208,90		1818	964	61	228 (204)	100 (48)	39,1	23,7	-	-	-

◗ Ready Stock Δt 40K = W Δt 50K x 0,755 ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - B.. brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored brackets B.. +15/25%
Electric version e.Cross-Q, p.232

STANDARD FITTING
REG ø 1/2"
On request fitting ø3/8"
Special fittings, page 286



TAPPING CENTRES



TECHNICAL DATA and brackets position p.66

FIXINGS
Brackets included:
B35 for CROSS-Q
B15 for CROSS-QP



CROSS-Q 184-100

RECOMMENDED VALVES
as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€

QUADRA COLORED VALVES page 279



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L[1] - 6cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CROSS-G

PRICE FROM 1.07.2022 **+15%**

CROSS-G radiator, only 2 cm of depth, consists of a large rectangular frame, elegant and protagonist, enriched by vertical tubes and thin steel strips, to obtain high yields. Its particular design makes it suitable to be used in every room.

CGH MODEL with vertical radiating tubes

Heigths: from 51 to 241 cm
Lengths: from 27 to 99 cm
Depth: 2 cm
Depth from wall: 5,5 cn



CGH MODEL



CGV MODEL with horizontal radiating tubes

Heigths: from 27 to 99 cm
Lengths: from 51 to 221 cm
Depth: 2 cm
Depth from wall: 5,5 cn





CGV MODEL



STANDARD PRODUCTION
White "sablé" paintwork - Brackets B35
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B35 brackets +15/25%
Electric version, on request

STANDARD FITTING
EG ø 1/2"
On request fitting ø3/8"
Special fittings, page 286

TAPPING CENTRES

EG vertical fittings as standard
Side fittings on request without extra

CGH MODEL



CGV MODEL





FIXINGS
Brackets included

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE control QUADRA VALVES KIT
page 279 Art. KQL 166,30€
BREM color list extra 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE control TON VALVES KIT
pag.277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 6cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CROSS-CGH

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

MOD. H cm	L cm	27	33	39	45	51	57	63	69	75	81	87	93	99
	▲▽ cm	24	30	36	42	48	54	60	66	72	78	84	90	96
		Lengths/Longueurs												
CGH 51	€	499,70	547,10	594,50	641,90	689,20	736,60	784,00	831,40	878,80	926,10	973,50	1020,90	1068,30
		170w	205w	240w	275w	310w	345w	380w	415w	450w	485w	520w	555w	590w
CGH 71	€	556,00	603,30	650,70	698,10	745,50	792,80	840,20	887,60	935,00	982,40	1029,70	1077,10	1124,50
		234w	281w	329w	376w	424w	471w	518w	566w	613w	661w	708w	755w	803w
CGH 91	€	612,20	659,60	706,90	754,30	801,70	849,10	896,40	943,80	991,20	1038,60	1086,00	1133,30	1180,70
		297w	357w	417w	477w	537w	597w	656w	716w	776w	836w	896w	956w	1016w
CGH 161	€	809,00	856,40	903,70	951,10	998,50	1045,90	1093,20	1140,60	1188,00	1235,40	1282,70	1330,10	1377,50
		519w	623w	726w	830w	933w	1036w	1140w	1243w	1347w	1450w	1554w	1657w	1760w
CGH 181	€	865,20	912,60	960,00	1007,30	1054,70	1102,10	1149,50	1196,80	1244,20	1291,60	1339,00	1386,30	1433,70
		583w	699w	814w	930w	1046w	1162w	1278w	1394w	1510w	1626w	1741w	1857w	1973w
CGH 191	€	893,30	940,70	988,10	1035,40	1082,80	1130,20	1177,60	1224,90	1272,30	1319,70	1367,10	1414,40	1461,80
		614w	736w	859w	981w	1103w	1225w	1347w	1469w	1591w	1713w	1835w	1957w	2080w
CGH 201	€	921,40	968,80	1016,20	1063,60	1110,90	1158,30	1205,70	1253,10	1300,40	1347,80	1395,20	1442,60	1489,90
		646w	774w	903w	1031w	1159w	1288w	1416w	1544w	1673w	1801w	1929w	2058w	2186w
CGH 211	€	949,50	996,90	1044,30	1091,70	1139,00	1186,40	1233,80	1281,20	1328,50	1375,90	1423,30	1470,70	1518,00
		678w	812w	947w	1081w	1216w	1351w	1485w	1620w	1754w	1889w	2023w	2158w	2292w
CGH 221	€	977,60	1025,00	1072,40	1119,80	1167,20	1214,50	1261,90	1309,30	1356,70	1404,00	1451,40	1498,80	1546,20
		710w	850w	991w	1132w	1273w	1413w	1554w	1695w	1836w	1976w	2117w	2258w	2399w
CGH 231	€	1005,80	1053,10	1100,50	1147,90	1195,30	1242,60	1290,00	1337,40	1384,80	1432,10	1479,50	1526,90	1574,30
		741w	888w	1035w	1182w	1329w	1476w	1623w	1770w	1917w	2064w	2211w	2358w	2505w
CGH 241	€	1033,90	1081,20	1128,60	1176,00	1223,40	1270,80	1318,10	1365,50	1412,90	1460,30	1507,60	1555,00	1602,40
		773w	926w	1079w	1233w	1386w	1539w	1692w	1845w	1999w	2152w	2305w	2458w	2611w

Δt different from 50 K: consult Technical data Brem

HOW TO ORDER

State: model, height and width in cm; connection and color if different from standard.
eg.: CGH 181 - 39, EG ø 3/8", SB 5002

Model Cross CG — horizontal manifold — height cm — length cm

CGH 201 - 51

PRODUCTION ON REQUEST

Thermal output and prices can be obtained by interpolation:
- length of manifolds every 3 cm
- height of radiating tubes every 10 cm

Made-to-measure (±3 mm)
Sizes over 3 m: price on request
Height every 5 cm: increased size +10%



CGH

DOUBLE VERSION CGDH

by joining two CGH radiators



Standard EG fitting (delivery and return at front), B15 brackets.
Thermal output CGDH: single radiator x 1,65

PRICE CGDH CGH x 2 + 116,00€

CROSS-CGV

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

Lengths/Longueurs

MOD.	L cm / ▲▽ cm	51 / 48	71 / 68	91 / 88	101 / 98	121 / 118	141 / 138	161 / 158	181 / 178	201 / 198	221 / 218
CGV 27	€	499,70 176w	556,00 241w	612,20 306w	640,30 339w	696,50 404w	752,80 470w	809,00 535w	865,20 600w	921,40 666w	977,60 731w
CGV 33	€	547,10 212w	603,30 290w	659,60 368w	687,70 407w	743,90 485w	800,10 563w	856,40 641w	912,60 720w	968,80 798w	1025,00 876w
CGV 39	€	594,50 248w	650,70 339w	706,90 430w	735,10 475w	791,30 566w	847,50 657w	903,70 748w	960,00 839w	1016,20 930w	1072,40 1021w
CGV 45	€	641,90 284w	698,10 387w	754,30 491w	782,40 543w	838,70 647w	894,90 751w	951,10 854w	1007,30 958w	1063,60 1062w	1119,80 1166w
CGV 51	€	689,20 320w	745,50 436w	801,70 553w	829,80 611w	886,00 728w	942,30 844w	998,50 961w	1054,70 1078w	1110,90 1194w	1167,20 1311w
CGV 57	€	736,60 356w	792,80 485w	849,10 615w	877,20 679w	933,40 809w	989,60 938w	1045,90 1067w	1102,10 1197w	1158,30 1326w	1214,50 1456w
CGV 63	€	784,00 392w	840,20 534w	896,40 676w	924,60 747w	980,80 890w	1037,00 1032w	1093,20 1174w	1149,50 1316w	1205,70 1458w	1261,90 1601w
CGV 69	€	831,40 428w	887,60 583w	943,80 738w	971,90 815w	1028,20 970w	1084,40 1125w	1140,60 1281w	1196,80 1436w	1253,10 1591w	1309,30 1746w
CGV 75	€	878,80 464w	935,00 632w	991,20 799w	1019,30 883w	1075,50 1051w	1131,80 1219w	1188,00 1387w	1244,20 1555w	1300,40 1723w	1356,70 1891w
CGV 81	€	926,10 500w	982,40 680w	1038,60 861w	1066,70 952w	1122,90 1132w	1179,10 1313w	1235,40 1494w	1291,60 1674w	1347,80 1855w	1404,00 2036w
CGV 87	€	973,50 536w	1029,70 729w	1086,00 923w	1114,10 1020w	1170,30 1213w	1226,50 1407w	1282,70 1600w	1339,00 1794w	1395,20 1987w	1451,40 2181w
CGV 93	€	1020,90 572w	1077,10 778w	1133,30 984w	1161,40 1088w	1217,70 1294w	1273,90 1500w	1330,10 1707w	1386,30 1913w	1442,60 2119w	1498,80 2326w
CGV 99	€	1068,30 608w	1124,50 827w	1180,70 1046w	1208,80 1156w	1265,00 1375w	1321,30 1594w	1377,50 1813w	1433,70 2032w	1489,90 2251w	1546,20 2471w

Δt different from 50 K: consult Technical data Brem

Model Cross CG — vertical manifold — height cm — length cm

CGV 51 - 181

PRODUCTION ON REQUEST
Thermal output and prices can be obtained by interpolation:
- height of manifolds every 3 cm
- length of radiating tubes every 10 cm

Made-to-measure (±3 mm)
Sizes over 3 m: price on request
Height every 5 cm: increased size +10%



CGV

DOUBLE VERSION CGDV
by joining two Cross-CGV radiators

Standard EG fitting (delivery and return at front), B15 brackets
Thermal output CGDV: single radiator x1,65

PRICE CGDV CGV x 2 + 116,00€

CROSS-V

PRICE FROM 1.07.2022 **+15%**

Large, variously assembled, rectangular tubes are used to produce an innovative radiator. CROSS-V represents absolute linearity: a simple or a double rectangle to complete and add the variegated CROSS-Q solutions.

DIMENSIONS
Width 24/52/80/104/144 cm
Height 24/52/184/208/224 cm
Depth 2/8 cm
Depth from wall 5,5/11,5 cm

CROSS-V 24-.. CROSS-V 52-..



CROSS-V ..-..
CROSS-2V ..-..



CROSS-V ..-24 CROSS-V ..-52 CROSS-V ..-80

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Depth p cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
CROSS-V	24-104	397,00	246	130	5	24	104	2	6,6	2,9	108,80	250	171,10
CROSS-V	24-144	501,40	334	176	5	24	144	2	9,6	4,0	110,80	400	173,10
CROSS-V	52-104	497,30	493	260	5	52	104	2	13,2	5,8	112,70	500	175,00
CROSS-V	52-144	639,50	669	353	5	52	144	2	9,7	8,0	114,60	650	176,90
CROSS-2V	24-104	756,00	429	226	5	24	104	8	13,1	5,9	110,80	400	173,10
CROSS-2V	24-144	968,50	582	307	5	24	144	8	19,2	8,0	114,60	650	176,90
CROSS-2V	52-104	944,80	857	452	5	52	104	8	26,4	11,6	121,90	900	184,20
CROSS-2V	52-144	1214,90	1164	614	5	52	144	8	8,3	16,0	129,20	1200	191,50
CROSS-V	184-24	481,40 ◗	422	223	5	184	24	2	16,6	5,0	110,80	400	166,60
CROSS-V	184-52	877,20 ◗	845	446	28	184	52	2	24,9	10,1	118,80	800	181,10
CROSS-V	184-80	1213,50	1267	669	56	184	80	2	9,3	15,1	129,20	1200	191,50
CROSS-V	208-24	502,10	475	251	5	208	24	2	18,7	5,7	112,70	500	175,00
CROSS-V	208-52	904,70	950	501	28	208	52	2	28,0	11,3	121,90	900	184,20
CROSS-V	208-80	1252,60	1426	752	56	208	80	2	10,0	17,0	138,60	1500	193,60
CROSS-V	224-24	520,00	510	269	5	224	24	2	20,0	6,1	112,70	500	175,00
CROSS-V	224-52	926,80	1021	539	28	224	52	2	30,0	12,1	121,90	900	184,20
CROSS-V	224-80	1300,30	1531	808	56	224	80	2	16,6	18,3	138,60	1500	200,90
CROSS-2V	184-24	914,80	735	388	5	184	24	8	33,2	10,0	118,80	800	176,90
CROSS-2V	184-52	1666,90	1470	776	28	184	52	8	18,6	20,2	138,60	1500	200,90
CROSS-2V	208-24	954,10	827	436	5	208	24	8	37,4	11,4	118,80	800	181,10
CROSS-2V	208-52	1719,00	1654	873	28	208	52	8	20,0	22,6	138,60	1500	200,90
CROSS-2V	224-24	988,00	888	469	5	224	24	8	40,0	12,2	121,90	900	184,20
CROSS-2V	224-52	1760,90	1776	937	28	224	52	8	40,0	24,2	138,60	1500	200,90

◗ Ready Stock Δt 40K = W Δt 50K x 0,755 ◊Radio frequency chronothermostat p.227

MIXED VERSIONS
Vertical models t. c. ▲▽ L-3 cm



STANDARD PRODUCTION
White "sablé" paintwork - B35 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B35 brackets +15/25%
Electric version e.Cross-V, p.233

STANDARD FITTING
EG ø 1/2"
On request fitting ø 3/8"
Special fittings, page 286

TAPPING CENTRES

Horizontal models



Vertical models



FITTINGS AT THE REAR ø1/2

On request, fittings at the rear with reverse valves:
▲ ▽ L-14cm extra Art. REG 75,50€
Models with L 24cm: ▲ ▽ L-17cm and 2cm protrusion of valves





FIXINGS
Brackets included

CROSS-2V 184-52

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE control QUADRA VALVES KIT
page 279 Art. KQL 166,30€
BREM color list extra 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE CONTROL TON VALVES KIT with right
THERMOSTATIC head Art. KTL 177,10€
Left thermostatic head for length = 24cm Art. KTDL

SIDE CONTROL TON VALVES KIT
pag.277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 6cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CROSS
WITH CROSSED SQUARES

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

Interwoven squares and rectangles to create a radiator with an unusual look.

Can be used as a towel-heater, or simply a decorative feature in any room.

The geometric shapes can be multiplied at will, always resulting in a harmonious whole.

DIMENSIONS
Width: 48/56/64/88/96/120/128/152/168 cm
Height: 48/56/64/88/128/152/168/184 cm
Depth: 11 cm
Depth from wall: 13,5 cm



CROSS 88 -...

CROSS 88-120



CROSS 48-88
CROSS 56-88
CROSS 64-96



CROSS 48-128 / 56-152 / 64-168



CROSS 128-48 CROSS 128-56



CROSS 152/168-..



CROSS 184-48 CROSS 184-..

MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H (H1) cm	Width L (L1) cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
CROSS	48-88	636,20	◗	394	208	74	48 (24)	88	7,9	4,8	110,80	400	173,10
CROSS	48-128	883,20	◗	635	335	114	48 (24)	128	12,8	7,7	114,60	650	176,90
CROSS	56-88	662,40		429	227	74	56 (32)	88	8,6	5,2	110,80	400	173,10
CROSS	56-152	957,40	◗	772	408	138	56 (32)	152	15,6	9,4	118,80	800	181,10
CROSS	64-96	718,50		480	253	82	64 (32)	96	9,7	5,9	112,70	500	175,00
CROSS	64-168	1001,50		892	471	154	64 (32)	168	17,6	10,7	121,90	900	177,40
CROSS	88-48	624,40	◗	394	208	19	88	48 (24)	7,9	4,8	110,80	400	173,10
CROSS	88-56	649,90		429	227	19	88	56 (32)	8,6	5,2	110,80	400	173,10
CROSS	88-120	778,10	◗	617	327	106	88	120 (56)	12,4	7,5	114,60	650	176,90
CROSS	128-48	876,40	◗	623	329	19	128	48 (24)	12,8	7,7	114,60	650	176,90
CROSS	128-56	914,80		656	346	19	128	56 (32)	13,5	8,2	114,60	650	176,90
CROSS	152-48	921,50	◗	673	355	19	152	48 (24)	13,8	8,4	114,60	650	176,90
CROSS	152-56	949,20	◗	757	400	19	152	56 (32)	15,6	9,4	118,80	800	181,10
CROSS	168-64	1014,40		875	462	19	168	64 (32)	18,7	11,3	121,90	900	184,20
CROSS	184-48	1139,30	◗	890	470	19	184	48 (24)	18,7	11,3	121,90	900	184,20
CROSS	184-56	1188,20	◗	956	505	19	184	56 (32)	20,0	12,1	121,90	900	184,20
CROSS	184-64	1238,50		1038	548	19	184	64 (32)	21,8	13,2	121,90	900	184,20

◗ Ready Stock (Δt 40K = W Δt 50K x 0,755) ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - B70 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B70 brackets +15/25%
Electric versions e.Cross, p.242

STANDARD FITTING
REG ø 1/2"
On request fitting ø 3/8"
Special fittings, page 287



TAPPING CENTRES

Horizontal models



Vertical models



TECHNICAL DATA p.57

FIXINGS
Brackets included
position page 57

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€

QUADRA COLORED VALVES page 279



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L[1] - 6cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CROSS DIVIS

PRICE FROM 1.07.2022 **+15%**

CROSS, with the addition of a special central foot and side brackets (left or right, as required), to create a room divider. CROSS DIVIS: a different way to divide rooms and multiply living space.

DIMENSIONS
Width: 48 cm
Height: 164/196 cm
Depth: 11 cm
Depth from wall: 52 cm



C Fittings — D Fittings On request

CROSS DIVIS 164-48



C Fittings — D Fittings On request

CROSS DIVIS 196-48



C Fittings — D Fittings On request

CROSS DIVIS 196-48/4

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H (H1) cm	Width L (L1) cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
C-DIVIS	164-48	1024,90	623	355	5	164	48 (24)	13,8	8,4	114,60	650	176,90
C-DIVIS	196-48	1341,90	890	470	5	196	48 (24)	18,7	11,3	121,90	900	184,20
C-DIVIS	196-48/4	1427,90	901	476	5	196	48 (24)	19,4	11,7	121,90	900	184,20

Heights include 12/15 cm adjustable foot

(Δt 40K = W Δt 50K x 0,755)

◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - B35 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B35 brackets +15/25%
Electric version e.Cross, on request

STANDARD FITTING
C ø 1/2" - D on request
On request fitting ø3/8"
Special fittings, page 287



TAPPING CENTRES



*E.H.E mixed version

On request: VERTICAL fittings
▲▽ 21 cm Art. AS 75,50€



*E.H.E mixed version

C-DIVIS 196 - 48



FIXINGS
Brackets included

Model	a cm	b cm
C-DIVIS 164-10	48	56
C-DIVIS 196-48	36	112
C-DIVIS 196-48/4	32	120

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



STRAIGHT QUADRA VALVE KIT
page 279 Art. KQD 165,20€
BREM color list extra 48,20€

STRAIGHT MINI VALVE KIT page 278
Art. KMD 119,00€



STRAIGHT TON VALVE KIT with
THERMOSTATIC head Art.KTD 176,00€



Standar adjustable foot H 12/15 cm
Other heigths on request Art. PCV..

PRICE FROM 1.07.2022 **+15%**

CROSS 48-128

CROSS 88-120

CROSS 152-56

CROSS 184-56

CROSS TECHNICAL DATA (CROSSED SQUARES)

TAPPING CENTRES AND FITTINGS



CROSS 48-88 CROSS 48-128

▶ M delivery
▷ R return

EHE: Sleeve for Electric Heating Element (on request)



CROSS 88-120



CROSS 56-88 CROSS 56-152



CROSS 64-96 CROSS 64-168



CROSS 88-48 CROSS 88-56



CROSS 128-48 CROSS 128-56



CROSS 152-48 CROSS 152-56



CROSS 168-64

BRACKETS POSITION

HORIZONTAL models



VERTICAL models





TAPPING CENTRES

with REVERSE VALVES



E.H.E.: Electric Heating Element in C

▶ M delivery
▷ R return



E.H.E.: Electric Heating Element in G



CROSS 184-48 CROSS 184-56 CROSS 184-64

CROSS-Q

PRICE FROM 1.07.2022 **+15%**

TOWEL HEATERS WITH OVERLAPPING SQUARES

Cross towel heaters can be provided in CROSS-Q version, with overlapping squares, to obtain a towel heaters 10 cm in depth only. Innovative element thanks to 90° corners and strong geometric shapes. Finishes can be chosen from the rich Brem color list

DIMENSIONS
Width: 48/56/64/88/96/120/128/152/168 cm
Height: 48/56/64/88/128/152/168/184 cm
Depth: 6 cm
Depth from wall: 9,5 cm



CROSS-Q
48-88/
56-88/64-96



CROSS-Q
48-128/56-152/64-168







CROSS-Q 88-...



CROSS-Q 88-120



CROSS-Q 128-48



CROSS-Q 152-48
152-56/168-64



CROSS-Q 184-48



CROSS-Q 184-..

MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H (H1) cm	Width L (L1) cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
CROSS-Q	48-88	605,90	◗	394	208	43	48 (24)	88 (48)	7,9	4,8	110,80	400	173,10
CROSS-Q	48-128	841,10	◗	635	335	99	48 (24)	128 (104)	12,8	7,7	114,60	650	176,90
CROSS-Q	56-88	630,90		429	227	51	56 (32)	88 (56)	8,6	5,2	110,80	400	173,10
CROSS-Q	56-152	911,80		772	408	115	56 (32)	152 (120)	15,6	9,4	118,80	800	181,10
CROSS-Q	64-96	684,20	◗	480	253	59	64 (32)	96 (64)	9,7	5,9	112,70	500	175,00
CROSS-Q	64-168	953,90		892	471	131	64 (32)	168 (136)	17,6	10,7	121,90	900	177,40
CROSS-Q	88-48	594,70	◗	394	208	37	88	48 (24)	7,9	4,8	110,80	400	173,10
CROSS-Q	88-56	619,00		429	227	45	88	56 (32)	8,6	5,2	110,80	400	173,10
CROSS-Q	88-120	740,90	◗	617	326	69	88	120 (56)	12,4	7,5	114,60	650	176,90
CROSS-Q	128-48	834,70	◗	623	329	37	128	48 (24)	12,8	7,7	114,60	650	176,90
CROSS-Q	128-56	871,20		656	346	45	128	56 (32)	13,5	8,2	114,60	650	176,90
CROSS-Q	152-48	877,60		673	355	37	152	48 (24)	13,8	8,4	114,60	650	176,90
CROSS-Q	152-56	904,00	◗	757	400	45	152	56 (32)	15,6	9,4	118,80	800	181,10
CROSS-Q	168-64	966,10		875	462	45	168	64 (32)	18,7	11,3	121,90	900	184,20
CROSS-Q	184-48	1085,10	◗	890	470	37	184	48 (24)	18,7	11,3	121,90	900	184,20
CROSS-Q	184-56	1131,60		956	505	45	184	56 (32)	20,0	12,1	121,90	900	184,20
CROSS-Q	184-64	1179,50		1038	548	45	184	64 (32)	21,8	13,2	121,90	900	184,20

◗ Ready Stock (Δt 40K = W Δt 50K x 0,755) ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - B35 brackets
Tolerance ± 3 mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B35 brackets +15/25%
Electric version e.Cross-Q, page 244

STANDARD FITTING
REG ø 1/2"
On request fitting ø3/8"
Special fittings, page 287



TAPPING CENTRES

Horizontal Models



Vertical Models



TECHNICAL DATA page 66



FIXINGS
Brackets included
position page 66

CROSS -Q 184-48

RECOMMENDED VALVES
as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€

QUADRA COLORED VALVES page 279

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L[1] - 6cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

CROSS CROM
WITH OVERLAPPING SQUARES

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

CROSS CROM is a chrome-plated version, for attractive compositions of no more than three overlapping elements. Can be used as a towel-heater, or simply a decorative feature in any room.

DIMENSIONS
Width: 48/56/64/88/96/120/128/152/168 cm
Height: 48/56/64/88/128/152/168/184 cm
Depth: 6 cm
Depth from wall: 9,5 cm


CROSS CROM
48-88 / 56-88 / 64-96



CROSS CROM
48-128 / 56-152 / 64-168



CROSS CROM 88-... CROSS CROM 88-120


CROSS CROM
128-56



CROSS CROM 128-48/
152-56/168-64


CROSS CROM
184-48



CROSS CROM
184-56

MODEL	H-L cm	chrome-plated standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H (H1) cm	Width L (L1) cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
CROSS CROM	48-88	1482,40	339	339	43	48 (24)	88 (48)	7,9	4,8	108,80	250	171,10
CROSS CROM	48-128	2057,90	533	533	99	48 (24)	128 (104)	12,8	7,7	112,70	500	175,00
CROSS CROM	56-88	1543,40	369	369	51	56 (32)	88 (56)	8,6	5,2	110,80	400	173,10
CROSS CROM	56-152	2230,80	648	648	115	56 (32)	152 (120)	15,6	9,4	114,60	650	176,90
CROSS CROM	64-96	1674,30	413	413	59	64 (32)	96 (64)	9,7	5,9	110,80	400	173,10
CROSS CROM	64-168	2333,20	758	758	131	64 (32)	168 (136)	17,6	10,7	118,80	800	181,10
CROSS CROM	88-48	1454,90	339	339	37	88	48 (24)	7,9	4,8	110,80	400	173,10
CROSS CROM	88-56	1514,40	369	369	45	88	56 (32)	8,6	5,2	110,80	400	173,10
CROSS CROM	88-120	1812,40	531	531	69	88	120 (56)	12,4	7,5	112,70	500	175,00
CROSS CROM	128-48	2041,60	511	511	37	128	48 (24)	12,8	7,7	112,70	500	175,00
CROSS CROM	128-56	2131,60	538	538	45	128	56 (32)	13,5	8,2	112,70	500	175,00
CROSS CROM	152-56	2211,60	621	621	45	152	56 (32)	15,6	9,4	114,60	650	176,90
CROSS CROM	168-64	2307,90	733	733	45	168	64 (32)	18,7	11,3	114,60	650	176,90
CROSS CROM	184-48	2934,80	712	712	37	184	48 (24)	18,7	11,3	114,60	650	176,90
CROSS CROM	184-56	3060,70	880	880	45	184	56 (32)	20,0	12,1	121,90	900	184,20

(Δt 40K = W Δt 50K x 0,755) ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
Chrome-plated B35 brackets and finishing
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Made-to-measure dimensions
B70 brackets for 13 cm depth from wall
Electric version e.Cross Crom, page 243

STANDARD FITTING
REG ø 1/2"
On request fitting ø 3/8"
Special fittings, page 287



TAPPING CENTRES

Horizontal Models



Vertical Models



TECHNICAL DATA p.66



FIXINGS
Brackets included
position page 66

CROSS CROM 88-120

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L[1] - 6cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CROSS GILDED/SILVER LEAF
WITH OVERLAPPING SQUARES

PRICE FROM 1.07.2022 **+15%**

CROSS also comes in a prestigious version with a gilded-leaf or silver-leaf finish for special effects. No more than three overlapping elements.

Can be used as a towel-heater, or simply a decorative feature in any room.

DIMENSIONS
Width: 48/56/64/88/96/120/128/152/168 cm
Height: 48/56/64/88/128/152/168/184 cm
Depth: 6 cm
Depth from wall: 9,5 cm



CROSS-F...
48-88/56-88/64-96

CROSS-F...
48-128/56-152/64-168



CROSS-F... 88-...

CROSS-F.. 88-120



CROSS-F..
128-56



CROSS-F.. 128-48
152-56 / 168-64



CROSS-F...
184-48



CROSS-F...
184-56

MODEL	H-L cm	Gilded/Silver leaf €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H (H1) cm	Width L (L1) cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
CROSS-F...	48-88	1781,50	394	208	43	48 (24)	88 (48)	7,9	4,8	110,80	400	173,10
CROSS-F...	48-128	2472,80	635	335	99	48 (24)	128 (104)	12,8	7,7	114,60	650	176,90
CROSS-F...	56-88	1854,60	429	227	51	56 (32)	88 (56)	8,6	5,2	110,80	400	173,10
CROSS-F...	56-152	2680,70	772	408	115	56 (32)	152 (120)	15,6	9,4	118,80	800	181,10
CROSS-F...	64-96	2011,60	480	253	59	64 (32)	96 (64)	9,7	5,9	112,70	500	175,00
CROSS-F...	64-168	2804,00	892	471	131	64 (32)	168 (136)	17,6	10,7	121,90	900	177,40
CROSS-F...	88-48	1748,20	394	208	37	88	48 (24)	7,9	4,8	110,80	400	173,10
CROSS-F...	88-56	1820,00	429	227	45	88	56 (32)	8,6	5,2	110,80	400	173,10
CROSS-F...	88-120	2178,30	617	327	69	88	120 (56)	12,4	7,5	114,60	650	176,90
CROSS-F...	128-48	2453,70	623	329	37	128	48 (24)	12,8	7,7	114,60	650	176,90
CROSS-F...	128-56	2561,60	656	346	45	128	56 (32)	13,5	8,2	114,60	650	176,90
CROSS-F...	152-56	2657,80	757	400	45	152	56 (32)	15,6	9,4	118,80	800	181,10
CROSS-F...	168-64	2773,20	875	462	45	168	64 (32)	18,7	11,3	121,90	900	184,20
CROSS-F...	184-48	2892,30	890	470	37	184	48 (24)	18,7	11,3	121,90	900	184,20
CROSS-F...	184-56	2965,40	956	505	45	184	56 (32)	20,0	12,1	121,90	900	184,20

CROSS-FO Gilded leaf
CROSS-FA Silver leaf

(Δt 40K = W Δt 50K x 0,755)

◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
Brackets in golden BR0019/silver 0002MS
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Valves/brackets in gilded/silver finish p.275
B70 brackets for 13 cm depth from wall
Electric version, on request

STANDARD FITTING
REG ø 1/2"
On request fitting ø 3/8"
Special fittings page 287



TAPPING CENTRES

Horizontal Models



Vertical Models



TECHNICAL DATA page 66



FIXINGS
Brackets included
position page 66

CROSS FO 128-48

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€

VALVES IN GILDED/SILVER LEAF FINISH
page 275 extra 170,00€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L[1] - 6cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CROSS BICOLOR / TRICOLOR
WITH OVERLAPPING SQUARES

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

CROSS can be supplied in a fascinating color combination version.

No more than four overlapping elements. Painted in glossy, metallic, satin or sablé finishes, it can be used as a towel warmer or simply as a decorative element in any room.

DIMENSIONS
Width: 48/56/64/88/96/120/128/152/168 cm
Height: 48/56/64/88/128/152/168/184 cm
Depth: 6 cm
Depth from wall: 9,5 cm



CROSS BIC 48-88
CROSS BIC 56-88
CROSS BIC 64-96



CROSS ... 48-128
CROSS ... 56-152
CROSS ... 64-168



CROSS BIC 88-...

CROSS BIC 88-120



CROSS 128-48



CROSS 152-56
168-64



CROSS...
184-48



CROSS...
184-56

MODEL	H-L cm	BREM Colours as you like €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H (H1) cm	Width L (L1) cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
CROSS BIC	48-88	922,50	394	208	43	48 (24)	88 (48)	7,9	4,8	110,80	400	173,10
CROSS BIC	48-128	1280,50	635	335	99	48 (24)	128 (104)	12,8	7,7	114,60	650	176,90
CROSS BIC	56-88	960,40	429	227	51	56 (32)	88 (56)	8,6	5,2	110,80	400	173,10
CROSS BIC	56-152	1388,40	772	408	115	56 (32)	152 (120)	15,6	9,4	118,80	800	181,10
CROSS BIC	64-96	1041,90	480	253	59	64 (32)	96 (64)	9,7	5,9	112,70	500	175,00
CROSS BIC	64-168	1452,10	892	471	131	64 (32)	168 (136)	17,6	10,7	121,90	900	184,20
CROSS BIC	88-48	905,30	394	208	37	88	48 (24)	7,9	4,8	110,80	400	173,10
CROSS BIC	88-56	942,60	429	227	45	88	56 (32)	8,6	5,2	110,80	400	173,10
CROSS BIC	88-120	1128,00	617	327	69	88	120 (56)	12,4	7,5	114,60	650	176,90
CROSS BIC	128-48	1270,60	623	329	37	128	48 (24)	12,8	7,7	114,60	650	176,90
CROSS BIC	128-56	1326,60	656	346	45	128	56 (32)	13,5	8,2	114,60	650	176,90
CROSS BIC	152-56	1376,30	757	400	45	152	56 (32)	15,6	9,4	118,80	800	181,10
CROSS BIC	168-64	1552,20	875	462	45	168	64 (32)	18,7	11,3	121,90	900	184,20
CROSS BIC	184-48	1688,10	890	470	37	184	48 (24)	18,7	11,3	121,90	900	184,20
CROSS BIC	184-56	1751,00	956	505	45	184	56 (32)	20,0	12,1	121,90	900	184,20
CROSS TRIC	48-128	1368,90	635	335	99	48 (24)	128 (104)	12,8	7,7	114,60	650	176,90
CROSS TRIC	56-152	1484,00	772	408	115	56 (32)	152 (120)	15,6	9,4	118,80	800	181,10
CROSS TRIC	64-168	1564,50	892	471	131	64 (32)	168 (136)	17,6	10,7	121,90	900	184,20
CROSS TRIC	128-48	1358,30	623	329	37	128	48 (24)	12,8	7,7	114,60	650	176,90
CROSS TRIC	128-56	1418,00	656	346	45	128	56 (32)	13,5	8,2	114,60	650	176,90
CROSS TRIC	152-56	1471,20	757	400	45	152	56 (32)	15,6	9,4	118,80	800	181,10
CROSS TRIC	168-64	1660,80	875	462	45	168	64 (32)	18,7	11,3	121,90	900	184,20
CROSS TRIC	184-48	1806,20	890	470	37	184	48 (24)	18,7	11,3	121,90	900	184,20
CROSS TRIC	184-56	1873,60	956	505	45	184	56 (32)	20,0	12,1	121,90	900	184,20

(Δt 40K = W Δt 50K x 0,755) ◊Radio frequency chronothermostat p.227

CHOICE OF COLORS (see Brem color list)
1 - Rear rectangle (color ...)
2 - Top or left square
3 - Bottom or right square
4 - Central square

E.g. CROSS TRICOLOR 128-56
SB3003 / SB3013 / SB2008

STANDARD PRODUCTION
Paint to Brem color list - B35 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 3 BAR

PRODUCTION ON REQUEST
Paintworks out of Brem color list by estimate
B70 brackets for 13cm depth from wall
Electric version, on request

STANDARD FITTING
REG ø 1/2"
On request fitting ø 3/8"
Special fittings page 287



TAPPING CENTRES

Horizontal Models



Vertical Models



TECHNICAL DATA page 66



FIXINGS
Brackets included
position page 66



CROSS TRIC 152-56

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€

QUADRA COLORED VALVES page 279

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L[1] - 6cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

CROSS-Q TECHNICAL DATA (for overlapping squares)

TAPPING CENTRES AND FIXINGS



CROSS-Q 48-88 CROSS-Q 48-128

EHE: sleeve for Electric Heating Element (on request)



CROSS-Q 88-120



CROSS-Q 56-88 CROSS-Q 56-152



CROSS-Q 64-96 CROSS-Q 64-168



CROSS-Q 88-48 CROSS-Q 88-56



CROSS-Q 128-48 CROSS-Q 128-56



CROSS-Q 152-48 CROSS-Q 152-56



CROSS-Q 168-64

BRACKETS POSITION

HORIZONTAL models



VERTICAL models





CROSS-Q 184-48 CROSS-Q 184-56



CROSS-Q 184-64

TAPPING CENTRES

with REVERSE VALVES



EHE Electric Heating Element in C

▲ M delivery
▽ R return



EHE Electric Heating Element in G

CROSS-R/RV TECHNICAL DATA

TAPPING CENTRES AND FIXINGS



CROSS-R 70-80



CROSS-R/RD 70-144



CROSS-R2 70-168



CROSS-R/RD 70-104



CROSS-R2 83-144



CROSS-R3 70-168



CROSS-R 137-56

CROSS-RD 137-56



CROSS-R 177-64

CROSS-RD 177-64



CROSS-2R 177-64
CROSS-3R 177-64
CROSS-4R 177-64

EHE: sleeve for
Electric Heating
Element (on request)





CROSS-RV
68-104



CROSS-RV
68-144



CROSS-RV ...-48



CROSS-RV...-56



CROSS-RV ...-64

CROSS-R
WITH OVERLAPPING RECTANGLES

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

Rectangles sitting one on top of another to create a truly special radiator. CROSS-R is with side fittings on the rear rectangle, thus hiding the valves and minimizing Its projection from the wall. Can be used as a towel-heater, or simply a decorative feature in any room.

DIMENSIONS
Widths: 60/68/80/104/144/168 cm
Heights: 70/83/137/177 cm
Depths: 6 / 10 cm
Depths from wall: 14 cm




CROSS-R3 70-168



CROSS-R 137-56 CROSS-RD CROSS-R2 177-64 CROSS-R3 CROSS-R4


CROSS-R 70-80/ 70-104


CROSS-R2 70-168


CROSS-R 70-144


CROSS-R2 83-144

MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
CROSS-R	70-80	609,30	◗	379	200	66	71	80	7,3	4,4	110,80	400	173,10
CROSS-R	70-104	687,20	◗	433	229	90	71	104	8,3	5,0	110,80	400	173,10
CROSS-RD	70-104	874,90		610	322	90	71	104	11,8	7,1	114,60	650	176,90
CROSS-R	70-144	816,90	◗	523	276	130	71	144	10,0	6,1	112,70	500	175,00
CROSS-RD	70-144	1001,80		700	370	130	71	144	13,5	8,2	114,60	650	176,90
CROSS-R2	83-144	1152,00		704	372	130	83	144	13,5	8,2	118,80	800	181,10
CROSS-R2	70-168	1195,60		758	400	154	71	168	14,5	8,8	118,80	800	181,10
CROSS-R3	70-168	1324,80		938	495	154	71	168	18,0	10,9	121,90	900	191,50
CROSS-R	137-56	761,30	◗	484	256	19	137,4	56	9,5	5,8	112,70	500	175,00
CROSS-RD	137-56	1030,20		635	335	19	137,4	56	12,8	7,7	114,60	650	176,90
CROSS-R	177-64	983,10	◗	590	312	19	177,4	64	11,6	7,0	114,60	650	176,90
CROSS-RD	177-64	1144,40		755	399	19	177,4	64	15,2	9,2	118,80	800	181,10
CROSS-R2	177-64	1151,90		760	401	19	177,4	64	15,2	9,2	118,80	800	181,10
CROSS-R3	177-64	1350,00		898	474	19	177,4	64	18,8	11,4	121,90	900	191,50
CROSS-R4	177-64	1555,30		1046	552	19	177,4	64	22,5	13,6	121,90	900	191,50
R-CROM	70-104	1630,00		364	193	90	71	104	8,3	5,0	110,80	400	173,10
R-CROM	70-144	1934,90		439	232	130	71	144	10,0	6,1	110,80	400	173,10
R-CROM	137-56	1873,20		387	205	19	137,4	56	9,5	5,8	110,80	400	173,10
R-CROM	177-64	2260,90		472	250	19	177,4	64	11,6	7,0	112,70	500	175,00
RD-CROM	177-64	3010,20		605	320	19	177,4	64	15,2	9,2	114,60	650	176,90

◗ Ready Stock (Δt 40K = W Δt 50K×0,755) ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - B70 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B70 brackets +15/25%
Electric version e.Cross-R, page 245

STANDARD FITTING
REG ø 1/2"
On request fitting ø 3/8"
Special fittings page 287



TAPPING CENTRES

Horizontal Models



Vertical Models



TECHNICAL DATA page 67



FIXINGS
Brackets included
position, page 67

R-CROM 137-56

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€

QUADRA COLORED VALVES page 279

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L[1] - 6cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

CROSS-RV
WITH OVERLAPPING RECTANGLES

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

A regular pattern of rectangles sitting one on top of another to create a most linear heating element.
It can be used as a heated towel rail or a purely decorative radiator to suit different locations of the house.

DIMENSIONS
Widths: 48/56/64/104/144 cm
Heights: 68/104/144/184/224 cm
Depths: 6 cm
Depth from wall: 9,5 cm



CROSS-RV 68-104

CROSS-RV 68-144



CROSS-RV 104-..



CROSS-RV 144-..

CROSS-RV 184-..



CROSS-RV 224-64

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L (L1) cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
CROSS-RV	68-104	898,70	611	321	68	68	104 (72)	12,1	7,3	114,60	650	176,90
CROSS-RV	68-144	1054,50	789	415	107	68	144 (112)	19,4	11,7	118,80	800	181,10
CROSS-RV	104-48	809,60	509	267	37	104	48 (24)	10,4	6,3	112,70	500	175,00
CROSS-RV	104-56	835,90	560	294	45	104	56 (32)	11,4	6,9	112,70	500	175,00
CROSS-RV	144-48	1035,00	729	383	37	144	48 (24)	14,5	8,8	118,80	800	181,10
CROSS-RV	144-56	1067,80	797	419	45	144	56 (32)	15,9	9,6	118,80	800	181,10
CROSS-RV	184-48	1261,60	923	485	37	184	48 (24)	19,4	11,7	121,90	900	184,20
CROSS-RV	184-56	1301,00	1005	528	45	184	56 (32)	21,1	12,8	121,90	900	184,20
CROSS-RV	184-64	1335,00	1071	563	45	184	64 (32)	22,5	13,6	129,20	1200	191,50
CROSS-RV	224-64	1408,20	1293	679	45	224	64 (32)	28,1	16,9	129,20	1200	191,50

OTHER DIMENSIONS on request

(Δt 40K = W Δt 50K x 0,755)

◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - White brackets B35
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B35 brackets +15/25%
Electric version, on request

STANDARD FITTING
REG ø 1/2"
Fittings ø 3/8", on request
Special fittings, page 287



TAPPING CENTRES



TECHNICAL DATA page 67



FIXINGS
Brackets included
position page 67

CROSS-RV 184-56

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€

QUADRA COLORED VALVES page 279

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L[1] - 6cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

FREE

PRICE FROM 1.07.2022 **+15%**

FREE is a rectangular tube heating towel bar that can be fixed at will to the wall.

Free towel heater can be used on its own or combined with models protruding max 6 cm from wall (E.g. Clak, Lamina, S-Platt, Egon, Cross-V, Kuadrum o Form).

DIMENSIONS
Widths: 64/84/104/124/144 cm
Heights: 24 cm
Depths: 12cm





FREE 24-84



FREE 24-124



FREE 24-64



FREE 24-104



FREE 24-144

MODEL												
	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲ ▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable €	W	digital thermostat €
FREE	24-64	340,60 ◗	158	83	10	24	64	3,0	1,9	108,80	250	171,10
FREE	24-84	366,90 ◗	202	106	10	24	84	3,9	2,4	108,80	250	171,10
FREE	24-104	395,80 ◗	246	129	10	24	104	4,7	2,9	108,80	250	171,10
FREE	24-124	442,50 ◗	290	153	10	24	124	5,5	3,5	110,80	400	173,10
FREE	24-144	500,20	334	176	10	24	144	6,4	4,0	110,80	400	173,10

◗ Ready Stock (Δt 40K = W Δt 50K x 0,755) ◊Radio frequency chronothermostat p.227

ELECTRIC/MIXED Version
HEATING ELEMENT POSITION
©Horizontal Heating Element
On request, EHE in D

STANDARD PRODUCTION
White "sablé" paintwork with brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Brem paintwork - colored brackets +15/25%
Other dimensions on request
Electric version e.Free, page 246

STANDARD FITTING
AC ø 1/2"
On request fitting ø 3/8"
Special fittings, page 287

TAPPING CENTRES



FIXINGS
Brackets included



FREE 24-124 / KUADRUM 160-55

RECOMMENDED VALVES
as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



STRAIGHT QUADRA VALVES KIT
page 279 Art. KQD 165,20€
BREM color list extra 46,40€

STRAIGHT MINI VALVES KIT
pag.278 Art. KMD 119,00€



STRAIGHT TON VALVES KIT
Art. KVD 129,80€
STRAIGHT TON VALVES KIT with
THERMOSTATIC head Art. KTD 176,00€

REMOTE FITTINGS Art.REM 36,60€
Remote fittings at the rear: AC▲▽ 10cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

ESSEN

PRICE FROM 1.07.2022 **+15%**

ESSEN: a simple geometry forms a towel heater composed by one single kind of tube, to give an intriguing aesthetics and high performances. A big frame which has a rectangular section takes place of usual manifolds and avoids high heating outputs.

DIMENSIONS
Widths: 40 / 52 / 64 / 70/ 130 cm
Heights: 72 / 104 / 136 / 168 / 200 cm
Depths: 2 cm. Essen Plus 8,5 cm
Depths from wall: 9 cm. Essen Plus 10 cm

ESSEN PLUS with radiating tubes at the rear



ESSEN 72-.. ESSEN 72-130



ESSEN 104-..



ESSEN 136-..



ESSEN 168-..



ESSEN 200-..

MODEL'21	H-L cm	white sablé standard €	Gilded/Silver leaf €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION (EHE cl.II) with: cable €	digital thermostat W	digital thermostat €
ESSEN	72-40	523,50	1099,30	238	125	19	72	40	4,7	2,8	108,80	250	171,10
ESSEN	72-52	544,70 ◗	1143,70	277	146	19	72	52	5,4	3,3	108,80	250	171,10
ESSEN PLUS	72-52	680,70		420	221	19	72	52	8,9	5,5	110,80	400	173,10
ESSEN	72-130	781,20	1640,60	587	309	116	72	130	11,5	7,0	114,60	650	176,90
ESSEN PLUS	72-130	937,40		793	418	116	72	130	16,6	10,2	118,80	800	181,10
ESSEN	104-52	604,90 ◗	1270,30	387	204	19	104	52	7,6	4,6	101,90	400	159,60
ESSEN PLUS	104-40	685,80		519	274	19	104	40	11,1	6,8	103,70	500	161,40
ESSEN PLUS	104-64	837,80		644	339	19	104	64	13,6	8,4	105,50	650	163,20
ESSEN	136-40	652,50	1370,30	431	227	19	136	40	8,5	5,1	110,80	400	173,10
ESSEN	136-52	681,20 ◗	1430,50	497	262	19	136	52	9,8	5,9	112,70	500	175,00
ESSEN PLUS	136-40	885,40		668	352	19	136	40	14,2	8,8	114,60	650	176,90
ESSEN PLUS	136-52	980,10		743	392	19	136	52	15,8	9,7	118,80	800	181,10
ESSEN PLUS	136-64	995,80		819	432	19	136	64	17,3	10,7	118,80	800	181,10
ESSEN	168-40	770,30	1617,70	528	278	19	168	40	10,4	6,3	112,70	500	175,00
ESSEN	168-52	805,30 ◗	1691,10	607	320	19	168	52	11,9	7,2	114,60	650	176,90
ESSEN	168-64	822,30	1726,80	686	362	19	168	64	13,5	8,2	114,60	650	163,20
ESSEN PLUS	168-40	996,00		816	430	19	168	40	17,4	10,7	118,80	800	167,00
ESSEN PLUS	168-52	1087,00 ◗		905	477	19	168	52	19,2	11,8	121,90	900	169,90
ESSEN	200-40	896,40	1882,50	625	329	19	200	40	12,3	7,4	114,60	650	176,90
ESSEN	200-64	933,70	1960,90	810	427	19	200	64	15,9	9,6	118,80	800	181,10
ESSEN PLUS	200-40	1113,80		965	509	19	200	40	20,6	12,7	121,90	900	184,20
ESSEN PLUS	200-64	1243,80		1169	616	19	200	64	24,7	15,2	129,20	1200	191,50
CHROME-PLATED FINISH													
ESSEN CROM	72-52	1198,10		238	125	19	72	52	5,4	3,3	108,80	250	171,10
ESSEN CROM	104-52	1330,30 ◗		333	175	19	104	52	7,6	4,6	108,80	250	171,10
ESSEN CROM	136-52	1597,30 ◗		427	225	19	136	52	9,8	5,9	110,80	400	173,10
ESSEN CROM	168-52	1771,20 ◗		522	275	19	168	52	11,9	7,2	112,70	500	175,00
ESSEN CROM	168-64	1808,90		590	311	19	168	64	13,5	8,2	114,60	650	176,90
ESSEN CROM	200-64	1996,30		736	388	19	200	64	16,8	10,2	118,80	800	181,10

◗ Ready Stock Δt 40K = W Δt 50K x 0,755 ◊Radio frequency chronothermostat p.227

Gilded leaf

Silver leaf

STANDARD PRODUCTION
White "sablé" paintwork - Brackets B..
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B.. brackets +15/25%
Electric version e.Essen, page 247

STANDARD FITTING REG ø 1/2"
On request: ESSEN with depth 5,5 cm and fitting EG ø3/8"
Special fittings page 287

TAPPING CENTRES





FIXINGS
Brackets included:
B70 for ESSEN
B15 for ESSEN PLUS

RECOMMENDED VALVES
as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€

QUADRA COLORED VALVES page 279



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L - 6cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

QUAR

PRICE FROM 1.07.2022 **+15%**

QUAR: an original heated towel rail with a pure geometrical expression.

In QUAR, the tube is square, not round. A large rectangular section frame replaces the usual manifolds while increasing heat output at the same time.

DIMENSIONS
Width: 30,5 / 38,5 / 46,5 / 54,5 / 62,5 / 70,5 cm
Height: 97,5 / 127,5 / 157,5 / 180 cm
Depth: 2 cm / Quar-P 8,5 cm
Depth from wall : 9 cm / Quar-P 10 cm



MODEL'21	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable €	W	digital thermostat €
QUAR	97-46	718,90	◗	364	193	19	97,5	46,5	6,7	3,9	110,80	400	173,10
QUAR	97-54	732,70		403	214	19	97,5	54,5	7,4	4,2	110,80	400	173,10
QUAR	127-38	759,80		415	220	19	127,5	38,5	7,7	4,5	110,80	400	173,10
QUAR	127-46	775,60	◗	463	245	19	127,5	46,5	8,5	4,9	112,70	500	175,00
QUAR	127-54	790,80		510	270	19	127,5	54,5	9,4	5,3	112,70	500	175,00
QUAR	157-38	843,00		506	268	19	157,5	38,5	9,4	5,4	112,70	500	175,00
QUAR	157-46	860,30	◗	561	297	19	157,5	46,5	10,4	5,9	-	-	-
QUAR	157-54	878,50		617	327	19	157,5	54,5	11,3	6,3	114,60	650	176,90
QUAR	157-62	896,90		673	357	19	157,5	62,5	12,3	6,8	114,60	650	176,90
QUAR-P	157-46	1073,30		832	441	19	157,5	46,5	17,0	10,1	118,80	800	181,10
QUAR-P	157-54	1091,60	◗	895	474	19	157,5	54,5	18,1	10,6	121,90	900	184,20
QUAR	180-30	918,70		512	271	19	180	30,5	9,6	5,6	112,70	500	175,00
QUAR	180-38	937,10		575	305	19	180	38,5	10,7	6,1	-	-	-
QUAR	180-46	957,70	◗	637	338	19	180	46,5	11,7	6,6	114,60	650	176,90
QUAR	180-54	977,60		699	370	19	180	54,5	12,8	7,1	114,60	650	176,90
QUAR	180-62	997,60		761	403	19	180	62,5	13,9	7,6	118,80	800	181,10
QUAR	180-70	1036,80		823	436	19	180	70,5	15,0	8,1	118,80	800	181,10
QUAR-P	180-30	1131,80		808	428	19	180	30,5	16,8	10,2	118,80	800	181,10
QUAR-P	180-38	1150,10		877	465	19	180	38,5	18,1	10,8	121,90	900	184,20
QUAR-P	180-46	1170,70	◗	954	506	19	180	46,5	19,4	11,5	121,90	900	184,20
QUAR-P	180-54	1190,70		1022	542	19	180	54,5	20,7	12,1	-	-	-
QUAR-P	180-62	1210,60		1091	578	19	180	62,5	22,0	12,7	129,20	1200	191,50
QUAR-P	180-70	1249,80		1159	614	19	180	70,5	23,2	13,3	129,20	1200	191,50

◗ Ready Stock (Δt 40K = W Δt 50K x 0,755) ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - White brackets B..
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B.. brackets +15/25%
Electric version e.Quar, page 248

STANDARD FITTING REG ø 1/2"
On request:QUAR with depth 5,5 cm and fitting EG ø3/8"
Special fittings page 287

TAPPING CENTRES







FIXINGS
Brackets included:
B70 for QUAR
B15 for QUAR-P

QUAR 127-46

RECOMMENDED VALVES
as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L - 6cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

PIT

PRICE FROM 1.07.2022 **+15%**

design Pietro Facheris

PIT towel heater has an elegant minimalist design, with two or three radiant rectangles, overlapping each other.
Space is optimized by multiplying the heat output and rectangular sections create three different points of support for towels.

DIMENSIONS:
Width: 32/40/48/56/126 cm
Height: 60/72/99/132/176 cm
Depth: 4,1 / 7,3 cm
Depths from wall: 11 cm



MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	Δt 30 K watt	▲ ▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version*(EHE cl.II) with manifold and: cable◊ €	W	digital thermostat €
PIT	60-126	819,30 ◗	588	310	19	60	126	11,7	3,5	183,70	650	241,40
PIT	72-126	1002,00	900	474	19	72	126	17,8	5,5	191,00	900	248,70
PIT	99-40	570,40 ◗	369	194	19	99	40	7,7	2,3	179,90	400	237,60
PIT	99-48	617,20 ◗	403	212	19	99	48	8,3	2,5	179,90	400	237,60
PIT	132-32	812,60 ◗	567	298	19	132	32	12,3	3,7	181,80	500	233,60
PIT	132-40	840,80 ◗	613	323	19	132	40	13,2	4,0	183,70	650	241,40
PIT	132-48	869,10 ◗	660	347	19	132	48	14,0	4,2	183,70	650	241,40
PIT	176-32	938,60	750	395	19	176	32	16,0	4,8	187,90	800	245,60
PIT	176-40	966,90 ◗	796	419	19	176	40	16,9	5,1	187,90	800	245,60
PIT	176-48	995,20 ◗	843	444	19	176	48	17,8	5,3	191,00	900	248,70
PIT	176-56	1026,80	889	468	19	176	56	18,6	5,6	191,00	900	248,70

◗ Ready in stock Δt 40K = W Δt 50K x 0,755 ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - Brackets B..
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B.. brackets +15/25%
Electric version e.Pit, page 250

STANDARD FITTING
REG ø 1/2"
Fittings ø 3/8", on request
Special fittings, page 287

TAPPING CENTRES



*MIXED VERSIONS vertical models
only with EG ▲▽ 5cm fittings and angled valves



#Extra manifold



FIXINGS
Brackets included

Model	a cm	brackets
PIT 60-126	7,7	B70
PIT 72-126	22	B70
PIT 99- ...	7,7	B70
PIT 132- ...	37	B35
PIT 176- ...	47	B35

PIT 176-40

RECOMMENDED VALVES
as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L - 6cm





REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

ASYMM-ASYMP

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

ASYM: the heated towel heater with a simple design using a single tubular section only 10 mm thick. For a light and functional look.

A series of rectangular frames can be either empty or solid, and installed on either side.

DIMENSIONS
Width: 48 / 56 / 64 cm
Height: 105 / 145 / 180 cm
Depth: 4,8 cm
Depth from wall: 7,6 cm



ASYMM 105-... ASYMM 145-... ASYMM 180-... ASYMP 105-... ASYMP 145-... ASYMP 180-...

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION*(EHE cl.II) with: cable◊ €	digital thermostat W	digital thermostat €
ASYM	105-48	575,80	506	266	5	105	48	9,2	3,5	91,80	500	154,10
ASYM	105-56	609,70 ◗	556	292	5	105	56	10,1	3,8	91,80	500	154,10
ASYM	145-48	697,00 ◗	677	356	5	142	48	12,3	4,8	93,70	650	156,00
ASYM	145-56	730,90	744	391	5	142	56	13,5	5,1	97,90	800	160,20
ASYM	145-64	764,80	811	427	5	142	64	14,6	5,5	97,90	800	160,20
ASYM	180-48	797,80 ◗	849	447	5	180	48	15,5	6,0	101,00	900	163,30
ASYM	180-56	836,60	933	491	5	180	56	16,9	6,4	101,00	900	163,30
ASYM	180-64	875,50	1016	534	5	180	64	18,3	6,9	101,00	900	163,30
ASYMP	105-48	688,20	606	319	5	105	48	15,1	4,1	93,70	650	156,00
ASYMP	105-56	722,20 ◗	682	359	5	105	56	17,1	4,5	93,70	650	156,00
ASYMP	145-48	843,00 ◗	811	427	5	142	48	20,2	5,5	97,90	800	160,20
ASYMP	145-56	877,00	911	479	5	142	56	22,8	6,0	101,00	900	163,30
ASYMP	145-64	910,90	1011	532	5	142	64	25,5	6,5	-	-	-
ASYMP	180-48	943,80 ◗	1016	534	5	180	48	25,3	6,9	-	-	-
ASYMP	180-56	977,80 ◗	1142	601	5	180	56	28,6	7,5	108,30	1200	170,60
ASYMP	180-64	903,30	1267	666	5	180	64	31,9	8,2	108,30	1200	170,60

◗ Ready in stock Δt 40K = W Δt 50K x 0,755

◊Radio frequency chronothermostat p.227
*only with mixed SD valve o Art.TR

ASYMP with MIXED SD QUADRA Valve

STANDARD PRODUCTION
White "sablé" paintwork - B35 brackets
Tolerance ± 3mm - Air vent ø 1/2"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored brackets +15/25%
Electric version e.Asym, page 249

STANDARD FITTING
E - G ø1/2"
Fittings on request, page 284
BREM valves page 273



TAPPING CENTRES

ASYM with manifold on the left - E fittings



ASYM with manifold on the right - G fittings



FIXINGS

Brackets included



ASYMM 145-56

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
pag.279 Art. KQS 156,60€
BREM color list extra 46,40€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

ASYMP 105-48

ALIS

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

Its elegant, essential rectangular frame is enriched with horizontal tubes that act as heated towel heaters. Reminiscent of the louvres found in sun blinds, the towel heaters are slightly curved and slant downwards for easier, quicker drying.

DIMENSIONS:
Width: 40/50 /60 cm
Height: 100/126,5/153/179 cm
Depth: 8 cm
Depth from wall: 11,5 cm



ALIS 100-... ALIS 127-... ALIS 155-... ALIS 180-...

MODEL	H-L cm	white sablé standard SB9016 €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M kg	Volume V dm³	MIXED VERSION* (EHE cl.II) with: cable◊ €	W	digital thermostat €
ALIS	100-40	489,40	408	215	5	100	40	8,8	4,5	110,80	400	173,10
ALIS	100-50	536,50	466	246	5	100	50	10,1	5,1	112,70	500	175,00
ALIS	127-40	570,30	506	267	5	126,5	40	11	5,6	112,70	500	175,00
ALIS	127-50	617,30	576	304	5	126,5	50	12,5	6,2	112,70	500	175,00
ALIS	155-40	651,20	604	319	5	153	40	13,1	6,6	114,60	650	176,90
ALIS	155-50	698,20	686	362	5	153	50	15	7,3	114,60	650	176,90
ALIS	180-40	731,90	701	370	5	179	40	15,3	7,6	114,60	650	176,90
ALIS	180-50	815,40	797	421	5	179	50	17,4	8,4	118,80	800	181,10
ALIS	180-60	882,90	893	471	5	179	60	19,4	9,1	121,90	900	184,20

Δt 40K = W Δt 50K x 0,755

*only with EG standard fitting
◊Radio frequency chronothermostat p.227

On request: VALVE COVER (32x6x6 cm)
with reverse valves ▲▽ 19cm Art. CR 101,40€
(not available in mixed versions with thermostat)



STANDARD PRODUCTION
White "sablé" paintwork - B35 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B35 brackets +15/25%
Electric version,on request

STANDARD FITTING
EG ø 1/2"
On request fitting ø3/8"
Special fittings page 287

TAPPING CENTRES





FIXINGS
Brackets included

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 6cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

KORE

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

KORE is a heated towel rail made using the exclusive flat curved Brem tubes as manifolds, with the addition of small radiating tubes applied in an original-looking design, with the aim of obtaining high thermal outputs to satisfy the requirements of the bathroom.

The frames only can be additionally enhanced with the application of gilded leaf on BR0019 color and silver leaf on BR0002 color.

DIMENSIONS
Width 32 / 54 / 64 / 79 cm
Height 54 / 79 / 117 / 153 / 175 cm
Depth 5 cm
Depth from wall 9 cm



KORE 55-... KORE 80-... KORE 120-... KORE 150-... KORE 175-...

MODEL	H-L cm	white sablé standard €	•MODELS with gilded/silver leaf frame KORE..	€	EN 442 Δt 50 K watt	▲▽ t.c. •cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (RE cl.II) with manifolds and: Δt 50 K watt	cable◊ €	digital thermostat W (cl.II)	€
KORE	55-55	457,60	KO/KA	907,50	316	19	54	54	2,5	0,8	413	248,40	400	306,10
KORE	55-80	496,90	KO/KA	974,50	426	19	54	79	3,6	1,1	526	250,30	500	308,00
KORE	80-55	531,10	KO/KA	1008,70	411	19	79	54	3,2	1,0	538	250,30	500	308,00
KORE	80-80	609,10	KO/KA	1108,90	554	19	79	79	4,7	1,4	690	252,20	650	309,90
KORE	120-32	774,50	KO/KA	1296,50	378	19	117	32	3,5	1,1	537	250,30	500	308,00
KORE	120-55	828,20	KO/KA	1372,50	538	19	117	54	5,6	1,7	709	252,20	650	309,90
KORE	150-32	923,20	KO/KA	1478,60	453	19	153	32	5,9	1,5	648	252,20	650	309,90
KORE	150-55	993,70	KO/KA	1571,40	645	19	153	54	7,8	2,4	851	259,50	900	317,20
KORE	175-32	1071,80	KO/KA	1649,50	528	19	175	32	6,3	1,9	749	256,40	800	314,10
KORE	175-55	1159,40	KO/KA	1764,90	752	19	175	54	10,1	3,1	988	259,50	900	317,20
KORE	175-65	1198,70	KO/KA	1840,80	854	19	175	64	11,8	3,6	1096	266,80	1200	324,50
KORE	175-80	1295,70	KO/KA	1986,30	1006	19	175	79	14,5	4,4	1257	266,80	1200	324,50

•Application of the leaf on the frame of Kore:
- KO gilded leaf frame with BR0019 color for tubes and brackets
- KA silver leaf frame with BR0002 color for tubes and brackets

Δt 40K = W Δt 50K x 0,755

◊Radio frequency chronothermostat p.227

MINIMUM OPERATING PRESSURE 1,5 BAR
MAXIMUM OPERATING PRESSURE 3 BAR

STANDARD PRODUCTION
White "sablé" paintwork-white SB 9016
brackets white color mod. M4B
Tolerance ± 3 mm - Air vent ø 1/8"

PRODUCTION ON REQUEST
Paint to Brem color list with
chrome-plated M8C brackets +15/25%
Electric version e.Kore, page 251

STANDARD FITTING
REG ø 1/2"
On request fitting ø 3/8"
Special fittings page 287

TAPPING CENTRES



MIXED VERSION



*Extra manifolds for electric heating element



FIXINGS
Brackets included

Bracket M4

KORE 120-55

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€

VALVES IN GILDED/SILVER LEAF FINISH
page 275 extra 170,00€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L - 6cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

KORE COR - KORE CROM

PRICE FROM 1.07.2022 **+15%**

KORE COR resumes the graphic play expressed in Kore with only one frame, elegant and essential. On request, available with the addition of three radiating tubes for towels. KORE MIRA steps away from the traditional heated towel rail function with the application of mirror inside the frame. An impressive and unusual interior décor effect. KORE COR models available in gold and aluminium color can be additionally enhanced with the application of gilded and silver leaf

DIMENSIONS
Width 32 / 54 / 79 cm
Height 54 / 79 / 117 / 153 / 175 cm
Depth 1,5 cm
Depth from wall 9 cm















K-COR 55 - ...
K-CROM 55 - ...

K-COR 80 - ...
K-CROM 80 - ...

K-COR 120 - ...
K-CROM 120 - ...

K-COR 150 - ...
K-CROM 150 - ...

K-COR 175 - ...
K-CROM 175 - ...

MODEL	H-L cm	white sablé standard €	•Model with gilded/silver leaf frame KORE..	€	EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	KORE MIRA with mirror Art.	extra €
K-COR	55-55	264,90	KO/KA	714,80	160	84	19	54	54	0,29	0,08	KM	182,70
K-COR	55-80	311,70	KO/KA	789,30	202	106	19	54	79	0,37	0,10	KM	190,60
K-COR	80-55	311,70	KO/KA	789,30	202	106	19	79	54	0,37	0,10	KM	230,20
K-COR	80-80	352,80	KO/KA	852,60	245	129	19	79	79	0,45	0,12	KM	238,40
K-COR	120-32	319,90	KO/KA	841,90	219	115	19	117	32	0,42	0,11	KM	293,90
K-COR	120-55	354,90	KO/KA	899,20	254	133	19	117	54	0,49	0,13	KM	301,90
K-COR	150-32	339,40	KO/KA	894,80	278	146	19	153	32	0,52	0,14	KM	341,60
K-COR	150-55	375,00	KO/KA	952,70	312	164	19	153	54	0,59	0,16	KM	349,50
K-COR	175-32	358,70	KO/KA	936,40	314	165	19	175	32	0,61	0,16	KM	389,10
K-COR	175-55	397,30	KO/KA	1002,80	349	183	19	175	54	0,68	0,18	KM	397,10
CHROME-PLATED VERSION													
K-CROM	55-55	964,80			133	70	19	54	54	0,29	0,08	KM	182,70
K-CROM	55-80	1120,40			168	88	19	54	79	0,37	0,10	KM	190,60
K-CROM	80-55	1120,40			168	88	19	79	54	0,37	0,10	KM	230,20
K-CROM	80-80	1276,50			203	107	19	79	79	0,45	0,12	KM	238,40
K-CROM	120-32	1267,10			182	96	19	117	32	0,42	0,11	KM	293,90
K-CROM	120-55	1412,90			211	111	19	117	54	0,49	0,13	KM	301,90
K-CROM	150-32	1499,10			226	119	19	153	32	0,52	0,14	KM	341,60
K-CROM	150-55	1644,90			255	134	19	153	54	0,59	0,16	KM	349,50
K-CROM	175-32	1724,70			261	137	19	175	32	0,61	0,16	KM	389,10
K-CROM	175-55	1870,70			290	153	19	175	54	0,68	0,18	KM	397,10

(Δt 40K = W Δt 50K x 0,755)

•Application of the frame of Kore:
- KO gilded leaf frame with BR0019 color for brackets
- KA silver leaf frame with BR0002 color for brackets

No. 3 radiating tubes (57w) with M4. Version:
white Art. K3V 93,10€
chr.-plated Art. K3C 128,70€



KORE MIRA with mirror

MINIMUM OPERATING PRESSURE 1,5 BAR
MAXIMUM OPERATING PRESSURE 3 BAR

STANDARD PRODUCTION
White "sablé" paintwork, white brackets M8S or chrome-plated finish - chrome-plated brackets
Tolerance ± 3 mm - Air vent ø 1/8"

PRODUCTION ON REQUEST
Paint to Brem color list with chrome-plated M8C brackets +15/25%
Electric version e.Kore, p. 251

STANDARD FITTING
REG ø 1/2"
On request fitting ø 3/8"
Special fittings page 287

TAPPING CENTRES

KORE COR and KORE CROM are designed to be mounted with reverse valves on the back of the radiator.





FIXINGS
Brackets included

KORE CROM 120-32

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€

VALVES IN GILDED/SILVER LEAF FINISH
page 275 extra 170,00€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L[1] - 6cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

TRAP

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TRAP is the solution for those wanting a creative, atypical alternative to enliven the usual lines of a bathroom.
More than just a useful, practical radiator, TRAP is a proper piece of sculpture to furnish and express great personality.

DIMENSIONS
Width 65,2 / 76,3 cm
Height 103 / 168 cm
Depth 4,8 cm
Depth from wall 9 cm





TRAP 105- 65



TRAP 170-75



MODEL		white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
	H-L cm											
TRAP	105-65	851,50	632	329	5	103	65,2	10,0	3,6	114,60	650	176,90
TRAP	170-75	1127,30	921	479	5	168	76,3	14,8	5,4	121,90	900	184,20

Δt 40K = W Δt 50K×0,755

◊Digital Thermostat p.243



Mixed version with Electrical resistance

Mixed version with Digital Thermostat

MINIMUM OPERATING PRESSURE 1,5 BAR
MAXIMUM OPERATING PRESSURE 3 BAR

STANDARD PRODUCTION
White "sablé" paintwork - white M4 brackets
Tolerance ± 3 mm - Air vent ø 1/8"

PRODUCTION ON REQUEST
Paint to Brem color list +15/25%
Electric version e.Trap, page 253

STANDARD FITTING
EG ø 1/2"
Special fittings page 287



TAPPING CENTRES

TRAP 105- 65



TRAP 170-75





FIXINGS
Brackets included

⊠Mod. H 170 cm

Model cm	a	b
TRAP 105-65	28,5	40
TRAP 170-75	31,5	51

TRAP 170-75

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€

REMOTE FITTINGS Art.REM 36,60€
Remote fittings at the rear: ▲▽ 5cm







ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

VISION/VISION-ST

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

Like looking out of a window or down a stairwell. Spaces that get smaller and smaller, forming a 3D frame that both heats and decorates. Spaces that create an absolutely novel radiator that will never go unobserved: only later is it discovered and remarked upon.

DIMENSIONI
Larghezze: 48/56/64/80/96/112 cm
Altezze: 48/56/64/80/96/128/176 cm
Profondità: 14/24 cm
Sporgenza dal muro 17,5/27,5 cm



MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Depth P cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
VISION-1	48-48	594,60	322	172	27	48	48	14	6,4	3,9	110,80	400	173,10
VISION-2	48-48	818,70	462	246	27	48	48	24	9,3	5,7	112,70	500	175,00
VISION-1	56-56	619,10	391	208	35	56	56	14	7,8	4,7	110,80	400	173,10
VISION-2	56-56	885,00	565	301	35	56	56	24	11,4	6,9	112,70	500	175,00
VISION-1	64-64	671,30	461	246	43	64	64	14	9,2	5,6	112,70	500	173,10
VISION-2	64-64	924,70	667	356	43	64	64	24	13,5	8,2	114,60	650	175,00
VISION-1	48-80	681,20	461	246	59	48	80	14	9,2	5,6	112,70	500	173,10
VISION-2	48-80	943,30	667	356	59	48	80	24	13,5	8,2	114,60	650	175,00
VISION-1	56-96	725,90	565	301	75	56	96	14	17,1	10,4	112,70	500	173,10
VISION-2	56-96	1015,40	821	438	75	56	96	24	28,3	17,2	114,60	650	175,00
VISION-1	64-112	783,40	669	357	91	64	112	14	20,2	12,3	114,60	650	175,00
VISION-2	64-112	1084,80	975	520	91	64	112	24	33,5	20,3	121,90	900	184,20
VISION-1ST	80-48	775,20	475	251	27	80	48	14	9,2	5,6	112,70	500	173,10
VISION-2ST	80-48	1086,70	681	360	27	80	48	24	13,5	8,2	114,60	650	175,00
VISION-1ST	128-56	975,70	745	393	35	128	56	14	15,4	9,2	118,80	800	181,10
VISION-2ST	128-56	1317,00	1067	563	35	128	56	24	22,4	13,5	121,90	900	184,20
VISION-1ST	176-48	1132,00	926	489	27	176	48	14	18,3	10,9	121,90	900	184,20
VISION-2ST	176-48	1525,90	1321	703	27	176	48	24	26,7	16,0	129,20	1200	191,50

◗ Ready in stock Δt 40K = W Δt 50K x 0,755 ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - B35 brackets
Tolerance ± 3 mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B35 brackets +15/25%
Electric version e.Vision, page 252

STANDARD FITTING
REG ø 1/2"
On request fitting ø3/8"
Special fittings page 287

TAPPING CENTRES





FIXINGS
Brackets included

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT Art. KVR 119,20€
REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

VISION-1 48-48

VISION-2ST 128-56

ZOOM

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

ZOOM is an overlapping sequence of radiating elements generating a dynamic geometric composition on wall.
Fanciful design and simple shapes for a heated towel rails that decorates and heats in the same time.

DIMENSIONS
Widths: 56/75/90 cm
Heights: 56/75/90 cm
Depths: 8 cm
Depths from wall: 12,5 cm



ZOOM 56-56



ZOOM 75-75



ZOOM 90-90

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with collector et: cable◊ €	W	digital thermostat €
ZOOM	56-56	863,00	420	221	19	56	56	8,7	2,6	179,90	400	237,60
ZOOM	75-75	995,20	643	338	19	75	75	13,6	4,1	183,70	650	241,40
ZOOM	90-90	1108,60	835	439	19	90	90	17,7	5,3	191,00	900	248,70

Δt 40K = W Δt 50K x 0,755

◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - B70 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B70 brackets +15/25%
Electric version e.Zoom, page 253

STANDARD FITTING
REG ø 1/2"
On request fitting ø 3/8"
Special fittings, page 287

TAPPING CENTRES





FIXINGS
Brackets included

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L - 6cm







REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

PANELS INDEX

RADIATORS WITH PANEL AND FLAT TUBES

RADIATORS COLLECTION

	page
LAMINA	98
CLAK	102
SO-FLEX	106
LOGGIA	108
S-PLATT	110
S-PLATT INOX	114
S-PLATT FO/FA	116
S-EVID	118
EGON	120
OPEN	124
SUIT	130
C-Prolux®	136

TOWEL HEATERS COLLECTION

	page
CUBICO	140
FLAG	142
CLARK	144
RAM	146
MANT	148
SO-FLEX	150
SLIDE	152
VELETTA	154
LOGGIA D/T	156
CAMEO	158
PLATT COLOR	160
PLATT INOX	162
PLATT FO/FA	164
UNI PLATT/LAM	166

PANELS

LAMINA: a new smooth and rigorous radiant plate, elegance obtained by hiding behind valves and mainfolds.
The angled edge transforms this plate into a very thin and minimal element of 1,2 cm.

LAMINA



CLAK is the radiant panel with a refined and essential aesthetic and a minimum depth of 2,3 cm (page 102).

S-PLATT is the radiant panel with a flat and smooth surface in colored finishes or in gold / silver leaf, stainless steel with 3,6 cm of depth (page 110).

LAMINA-H

PRICE FROM 1.07.2022 **+15%**

LAMINA: a new very thin and rigorous radiant plate, minimalism and elegance

obtained by hiding valves and air vent, but can be adjustable

The mainfolds are white in order to be fitted to the wall.

Height: from 169 to 229 cm
Width: from 32 to 97 cm
Depth: 4,5/6 cm
Depth from wall: 8 cm



LH Vertical panel and horizontal manifolds
LLH Vertical panel with fins

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MODEL		32	40	47	54	61	68	75	82	90	97
	L cm	32,4	39,5	46,7	53,8	61	68,1	75,3	82,4	89,6	96,7
H cm	t.p. ▲▽cm	15,9	23	30,2	37,3	44,5	51,6	58,8	65,9	73,1	80,2
LH 169	€	760,40	816,50	872,60	928,70	984,80	1040,90	1097,00	1153,20	1209,30	1265,40
		464w	580w	696w	812w	928w	1044w	1160w	1276w	1392w	1508w
LLH 169	€	1014,00	1069,70	1125,40	1181,00	1236,70	1292,30	1347,90	1403,60	1459,20	1514,90
		612w	765w	918w	1071w	1224w	1377w	1530w	1683w	1836w	1989w
LH 189	€	804,80	864,50	924,30	984,00	1043,70	1103,50	1163,20	1222,90	1282,70	1342,40
		520w	650w	780w	910w	1040w	1170w	1300w	1430w	1560w	1690w
LLH 189	€	1059,70	1118,40	1177,00	1235,70	1294,30	1353,00	1411,50	1470,20	1528,80	1587,50
		676w	845w	1014w	1183w	1352w	1521w	1690w	1859w	2028w	2197w
LH 209	€	861,10	923,60	985,90	1048,40	1110,80	1173,30	1235,70	1298,20	1360,60	1423,10
		576w	720w	864w	1008w	1152w	1296w	1440w	1584w	1728w	1872w
LLH 209	€	1108,10	1170,20	1232,20	1294,30	1356,30	1418,40	1480,40	1542,50	1604,50	1666,60
		740w	925w	1110w	1295w	1480w	1665w	1850w	2035w	2220w	2405w
LH 229	€	921,10	985,70	1050,20	1114,80	1179,40	1244,00	1308,50	1373,10	1437,60	1502,30
		632w	790w	948w	1106w	1264w	1422w	1580w	1738w	1896w	2054w
LLH 229	€	1182,50	1246,10	1309,60	1373,20	1436,70	1500,40	1563,90	1627,50	1691,00	1754,60
		804w	1005w	1206w	1407w	1608w	1809w	2010w	2211w	2412w	2613w

HOW TO ORDER

State: model, (L indicates fins), height and width in cm; fitting and color if different from standard
e.g.: LLH 209 - 46, EG ø 1/2", RAL 3005

LAMINA + Fins — vertical H — height cm — width cm

LLH 189 -53

HEIGHTS ON REQUEST

Heights every 10 cm:
- thermal outputs and prices by interpolation

STANDARD PRODUCTION

White "sablé" paintwork - EOS brackets
Air vent ø 1/2" - Tolerance ± 3 mm
Maximum operating pressure 6 bar

PRODUCTION ON REQUEST

Paintwork to Brem list with colored brackets (white back side and manifolds) +15/25%
Back and manifolds same color of radiator 165€

STANDARD FITTINGS

EG ø 1/2"

Special fittings page 286

TAPPING CENTRES

EG standard fittings, use side control valves



Panel with valves in sight H - 7cm, on request



FIXINGS
Brackets included

EOS bracket

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT nickel-plated
chrome-plated handwheel Art. KVLN 91,80€

SIDE CONTROL TON VALVES KIT chrome-plated
page 277 Art. KVL 130,90€

SIDE CONTROL QUADRA VALVES page 279
chrome-plated Art. KQL 166,30€
extra for BREM color list 46,40€



SIDE CONTROL TON VALVES KIT nickel-plated
with THERMOSTATIC head Art. KTLND 135,00€

SIDE CONTROL TON VALVES KIT chrome-plated
with THERMOSTATIC head Art. KTLD177,10€

REMOTE FITTINGS Art. REM 36,60€
tapping centres (Panel H - 7cm): ▲▽ L- 8,5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

LAMINA-V

PRICE FROM 1.07.2022 **+15%**

Horizontal version of LAMINA panel made with the exclusive tapered edge that makes it unique and minimalist.
As standard, it is designed to hide from view the valves used to connect to the heating system.

DIMENSIONS

Heights: from 45 to 95 cm
Lengths: from 53 to 223 cm
Depth: 4,5 /6 cm
Depth from wall: 8 cm





LV Horizontal panel and vertical manifolds

LLV Horizontal panel with fins



EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MODELE		53	63	73	83	93	103	123	143	163	183	203	223
	L cm	53,5	63,5	73,5	83,5	93,5	103,5	123,5	143,5	163,5	183,5	203,5	223,5
	t.p.. ▲▽ cm	37	47	57	67	77	87	107	127	147	167	187	207
LV 45	€	629,30	660,70	691,90	723,30	754,70	785,90	817,30	848,50	879,90	911,20	942,50	973,80
	H 45	196w	235w	274w	313w	352w	391w	469w	547w	626w	704w	782w	860w
LLV 45	€	809,90	848,70	887,50	926,40	965,20	1004,10	1042,80	1081,70	1120,60	1159,40	1198,20	1237,00
		323w	388w	452w	517w	581w	646w	775w	904w	1034w	1163w	1292w	1421w
LV 52	€	656,40	690,60	724,60	758,80	793,00	827,00	861,20	895,20	929,40	963,50	997,60	1031,70
	H 52,1	230w	275w	321w	367w	413w	459w	551w	643w	734w	826w	918w	1010w
LLV 52	€	859,00	901,70	944,50	987,20	1029,80	1072,50	1115,30	1158,00	1200,60	1243,30	1286,10	1328,80
		378w	453w	529w	604w	680w	755w	906w	1057w	1208w	1359w	1510w	1661w
LV 59	€	683,50	720,50	757,30	794,30	831,30	868,10	905,10	941,90	978,90	1015,80	1052,70	1089,60
	H 59,3	264w	316w	369w	422w	474w	527w	632w	738w	843w	949w	1054w	1159w
LLV 59	€	908,30	954,90	1001,40	1048,00	1094,60	1141,10	1187,60	1234,10	1280,70	1327,30	1373,80	1420,40
		431w	517w	603w	689w	775w	861w	1033w	1205w	1378w	1550w	1722w	1894w
LV 66	€	710,60	750,40	790,00	829,80	869,60	909,20	949,00	988,60	1028,40	1068,10	1107,80	1147,60
	H 66,5	298w	358w	417w	477w	536w	596w	715w	834w	954w	1073w	1192w	1311w
LLV 66	€	957,50	1007,90	1058,30	1108,80	1159,20	1209,60	1260,00	1310,40	1360,80	1411,30	1461,70	1512,10
		486w	583w	680w	777w	874w	971w	1165w	1359w	1554w	1748w	1942w	2136w
LV 74	€	737,60	780,20	822,60	865,20	907,80	950,20	992,80	1035,20	1077,80	1120,30	1162,80	1205,30
	H 73,6	333w	399w	466w	532w	599w	665w	798w	931w	1064w	1197w	1330w	1463w
LLV 74	€	1006,80	1061,10	1115,30	1169,60	1223,80	1278,10	1332,40	1386,70	1440,90	1495,20	1549,40	1603,70
		540w	648w	756w	864w	972w	1080w	1296w	1512w	1728w	1944w	2160w	2376w
LV 81	€	764,70	810,10	855,30	900,70	946,10	991,30	1036,70	1081,90	1127,30	1172,60	1217,90	1263,20
	H 80,8	367w	440w	514w	587w	661w	734w	881w	1028w	1174w	1321w	1468w	1615w
LLV 81	€	1055,90	1114,10	1172,20	1230,30	1288,40	1346,60	1404,80	1462,90	1521,10	1579,20	1637,30	1695,50
		595w	713w	832w	951w	1070w	1189w	1427w	1665w	1902w	2140w	2378w	2616w
LV 88	€	791,80	840,00	888,00	936,20	984,40	1032,40	1080,60	1128,60	1176,80	1224,90	1273,00	1321,20
	H 87,9	402w	482w	562w	642w	723w	803w	964w	1124w	1285w	1445w	1606w	1767w
LLV 88	€	1105,20	1167,20	1229,20	1291,10	1353,20	1415,10	1477,20	1539,10	1601,20	1663,10	1725,10	1787,10
		649w	779w	909w	1038w	1168w	1298w	1558w	1817w	2077w	2336w	2596w	2856w
LV 95	€	818,90	869,90	920,80	971,70	1022,70	1073,50	1124,50	1175,30	1226,30	1277,20	1328,10	1379,10
	H 95,1	436w	523w	610w	698w	785w	872w	1046w	1221w	1395w	1570w	1744w	1918w
LLV 95	€	1154,40	1220,20	1286,10	1352,00	1417,80	1483,70	1549,50	1615,40	1681,20	1747,10	1812,90	1878,80
		704w	844w	985w	1126w	1266w	1407w	1688w	1970w	2251w	2533w	2814w	3095w

Δt different from 50 K: consult Technical data Brem

HOW TO ORDER

State: model, (L indicates fins), height and width in cm; fitting and color if different from standard
e.g.: LLV 66 - 123, EG ø 1/2", RAL 3005

LAMINA + fins — horizontal V — height cm — width cm

LLV 74- 103

LENGTHS ON REQUEST

Standard lengths up to 3 m, every 10 cm: prices and thermal outputs by interpolation
Lengths every 1 cm: by estimate

STANDARD PRODUCTION

White "sablé" paintwork - EOS brackets
Air vent ø 1/2" - Tolerance ± 3 mm
Maximum operating pressure 6 bar

PRODUCTION ON REQUEST

Paintwork to Brem list with colored brackets (white back side and manifolds) +15/25%
Back and manifolds same color as radiator 165€

STANDARD FITTINGS

EG ø 1/2"

Special fittings page 286

TAPPING CENTRES

EG standard fittings, use side control valves



Panel with valves in sight H - 7cm, on request

FIXINGS

Brackets included

EOS bracket



LAMINA LV 59-143

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT nickel-plated
chrome-plated handwheel Art. KVLN 91,80€

SIDE CONTROL TON VALVES KIT chrome-plated
page 277 Art. KVL 130,90€

SIDE CONTROL QUADRA VALVES page 279

chrome-plated Art. KQL 166,30€
extra for BREM color list 46,40€



SIDE CONTROL TON VALVES KIT nickel-plated
with THERMOSTATIC head Art. KTLND 135,00€

SIDE CONTROL TON VALVES KIT chrome-plated
with THERMOSTATIC head Art. KTLD 177,10€

REMOTE FITTINGS Art. REM 36,60€

tapping centres (Panel H - 7cm): ▲▽ L-8,5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CLAK-CKH

PRICE FROM 1.07.2022 **+15%**

CLAK is an ultra thin panel with a refined minimalist look, just 2,3 cm thick: the version with tubes at the rear is just 3,7 cm thick. This solution projects no more than 5,2 cm from the wall thanks to BREM ø 3/8" valve.

DIMENSIONS - VERTICAL PANEL
Lengths: from 27 to 90 cm (every 9 cm)
Heights: from 140 to 240 cm (every 20 cm)
Depth: 2,3 cm and 4,3 cm
Depth from wall: from 5,8 cm

CKH MODEL
vertical panel

CKH



CKLH MODEL
vertical panel
with tubes at the rear

CKLH



CKH ... CKLH ...



CKH

CKLH

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

Mod. CLAK'21		L cm	27	36	45	54	63	72	81	90
H cm		▲▽ cm	23	32	41	50	59	68	77	86
CKH 140	€		673,70	740,10	814,50	887,90	957,20	1026,80	1099,60	1170,50
			422w	556w	692w	828w	962w	1098w	1234w	1370w
CKLH 140	€		848,60	938,30	1037,30	1118,40	1211,70	1301,60	1394,30	1482,80
			497w	707w	918w	1129w	1338w	1550w	1761w	1972w
CKH 160	€		719,00	792,00	868,60	946,60	1021,90	1096,00	1173,60	1249,00
			482w	635w	790w	945w	1098w	1253w	1408w	1563w
CKLH 160	€		896,30	989,50	1082,90	1177,00	1272,40	1365,80	1460,90	1554,10
			568w	808w	1050w	1291w	1531w	1773w	2014w	2256w
CKH 180	€		764,20	843,80	922,90	1005,20	1086,50	1165,20	1247,90	1327,60
			541w	713w	887w	1061w	1233w	1407w	1581w	1755w
CKLH 180	€		943,90	1040,70	1128,30	1235,70	1333,10	1430,00	1527,70	1625,20
			639w	909w	1181w	1453w	1723w	1996w	2268w	2540w
CKH 200	€		805,60	889,50	975,10	1055,20	1139,80	1223,40	1306,90	1392,60
			601w	792w	985w	1178w	1369w	1562w	1755w	1948w
CKLH 200	€		1013,20	1119,00	1223,30	1336,40	1433,50	1538,00	1642,80	1746,00
			710w	1011w	1313w	1616w	1916w	2219w	2521w	2824w
CKH 220	€		854,30	942,70	1031,90	1132,50	1213,00	1302,20	1389,40	1480,90
			660w	870w	1082w	1294w	1504w	1716w	1928w	2141w
CKLH 220	€		1053,50	1163,80	1272,20	1389,90	1491,20	1599,50	1708,40	1815,70
			781w	1112w	1445w	1778w	2109w	2441w	2774w	3107w
CKH 240	€		916,00	1012,40	1108,50	1204,70	1300,80	1397,20	1493,20	1592,00
			720w	949w	1180w	1411w	1640w	1871w	2102w	2333w
CKLH 240	€		1094,00	1208,50	1321,20	1443,60	1548,70	1661,00	1774,00	1885,40
			852w	1213w	1577w	1940w	2301w	2664w	3028w	3391w

Δt different from 50 K: consult technical data Brem

Fitting ø 3/8"
STANDARD
(without sleeves)

Fitting ø 1/2"
ON REQUEST
(with sleeves)

HOW TO ORDER
State: model (simple model or with tubes), height, width, fitting and color
e.g.: CKH 180 - 35, EG ø 3/8", SB7035

STANDARD PRODUCTION
White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list +15/25%
Stainless steel finish, by estimate
Electric version e.Clak, pag. 234

STANDARD FITTING
EG ø 3/8"
ø 1/2" with sleeve on request
Special fittings, page 286

TAPPING CENTER EG 3/8" vertical fittings
Side fittings on request Art. AS 75,50€





CKH MODEL



CKLH MODEL



FIXINGS
Brackets included

EOS bracket

CLAK CKH 160-45

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVES KIT
page 279 Art. KQL 166,30€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CLAK-CKV

PRICE FROM 1.07.2022 **+15%**

CLAK is an ultra thin panel with a refined minimalist look, only 2,3 cm thick: the version with tubes at the rear is just 4,3 cm thick. This solution projects no more than 5,8 cm from the wall thanks to BREM ø 3/8"valves and can be laid vertically or horizontally.

DIMENSIONS - HORIZONTAL PANEL
Length: from 50 to 220 cm
Heights: from 36 to 90 cm (every 9 cm)
Depth: 2,3 cm and 4,3 cm
Depth from wall: from 5,8 cm



CKV



CKLV



CKV ... CKLV ... CKV CKLV

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

Mod. CLAK'21	L	50	60	70	80	90	100	110	120	140	160	180	200	220
	▲▽	7	57	67	77	87	97	107	117	137	157	177	197	217
CKV 36	€	664,90	690,60	713,70	736,80	759,20	785,50	809,50	832,70	877,20	920,10	947,60	975,60	1005,00
H 36		203w	242w	281w	320w	360w	399w	438w	477w	556w	635w	713w	792w	870w
CKLV 36	€	826,30	858,00	891,10	926,50	958,50	994,20	1027,70	1059,70	1123,50	1186,90	1224,30	1262,00	1300,30
		250w	301w	352w	402w	453w	504w	554w	605w	707w	808w	909w	1011w	1112w
CKV 45	€	705,70	734,30	756,40	782,10	809,20	836,10	859,40	888,30	939,20	998,60	1026,70	1055,00	1086,40
H 45		253w	302w	351w	399w	448w	497w	546w	595w	692w	790w	887w	985w	1082w
CKLV 45	€	876,60	918,10	954,50	990,60	1030,70	1066,00	1104,80	1144,30	1216,30	1298,50	1339,30	1379,80	1422,10
		325w	391w	457w	523w	588w	654w	720w	786w	918w	1050w	1181w	1313w	1445w
CKV 54	€	742,60	771,80	801,10	830,80	859,90	889,40	919,10	949,30	1008,30	1077,20	1110,40	1143,60	1176,40
H 54		304w	362w	420w	478w	537w	595w	653w	712w	828w	945w	1061w	1178w	1294w
CKLV 54	€	931,00	977,00	1018,20	1060,00	1105,30	1145,60	1189,80	1233,80	1316,70	1409,00	1454,60	1499,70	1546,10
		399w	480w	562w	643w	724w	805w	886w	967w	1129w	1291w	1453w	1616w	1778w
CKV 63	€	787,20	820,60	852,00	884,90	919,60	953,00	986,40	1019,90	1084,60	1156,70	1192,70	1228,50	1263,50
H 63		352w	420w	488w	555w	623w	691w	759w	827w	962w	1098w	1233w	1369w	1504w
CKLV 63	€	985,00	1035,90	1082,00	1129,40	1179,90	1225,20	1274,90	1323,30	1417,20	1519,50	1569,80	1619,70	1670,10
		472w	568w	664w	761w	857w	953w	1050w	1146w	1338w	1531w	1723w	1916w	2109w
CKV 72	€	829,40	868,80	907,20	944,60	983,40	1020,20	1058,80	1096,90	1167,60	1243,90	1282,40	1320,80	1357,80
H 72		403w	480w	557w	635w	712w	789w	866w	944w	1098w	1253w	1407w	1562w	1716w
CKLV 72	€	1029,50	1084,20	1134,40	1187,50	1239,20	1293,80	1347,20	1399,30	1500,00	1605,10	1658,30	1711,20	1763,70
		546w	658w	769w	881w	992w	1104w	1215w	1327w	1550w	1773w	1996w	2219w	2441w
CKV 81	€	904,40	944,70	987,60	1026,90	1070,70	1109,10	1151,80	1194,60	1270,20	1355,40	1396,90	1438,40	1479,70
H 81		453w	540w	627w	714w	800w	887w	974w	1061w	1234w	1408w	1581w	1755w	1928w
CKLV 81	€	1101,00	1156,50	1212,20	1267,70	1324,40	1380,10	1436,70	1492,50	1598,50	1714,50	1770,50	1826,80	1881,90
		621w	747w	874w	1001w	1128w	1254w	1381w	1508w	1761w	2014w	2268w	2521w	2774w
CKV 90	€	965,90	1009,90	1051,50	1095,10	1138,80	1180,40	1225,20	1266,60	1347,80	1439,20	1482,80	1526,70	1570,50
H 90		504w	600w	696w	793w	889w	985w	1081w	1178w	1370w	1563w	1755w	1948w	2141w
CKLV 90	€	1162,70	1222,60	1280,50	1338,20	1395,90	1454,90	1512,20	1570,10	1681,30	1800,70	1858,50	1916,70	1975,30
		695w	837w	979w	1121w	1263w	1405w	1547w	1688w	1972w	2256w	2540w	2824w	3107w

Δt different from 50 K: consult technical data Brem

Fitting ø 3/8"
STANDARD
(without sleeves)

Fitting ø 1/2"
ON REQUEST
(with sleeves)

HOW TO ORDER
State: model (simple model or with tubes), height, width, fitting and color
e.g.: CKLV 72-180, EG ø3/8", SB 7035

STANDARD PRODUCTION
White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list +15/25%
Stainless steel finish, on request
Electric version e.Clak, pag. 234

STANDARD FITTING
EG ø 3/8"
ø 1/2" with sleeve on request
Special fittings, page 286

TAPPING CENTRES EG 3/8" vertical fittings
Side fittings on request Art. AS 75,50€





CKV MODEL

CKLV MODEL

FIXINGS
Brackets included

EOS bracket



CLAK CKV 45-160

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVES KIT
page 279 Art. KQL 166,30€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SO-FLEX

PRICE FROM 1.07.2022 **+15%**

design Gabriella Almagioni

A radiator with an eye-catching shape that's also functional? SO-FLEX!

A radiator that's a designer's dream. You can use the pocket for dried flowers: a truly unique decorative effect for heating elements.

DIMENSIONS
Widths: from 36 to 120 cm
Heights: 72 / 180 / 200 / 220 cm
Depth 11 cm
Depth from wall 14 cm

FXV MODEL
Horizontal panel



FXV 72 - 80/120

FXH MODEL
Vertical panel



FXLH MODEL
Vertical panel
with tubes at the rear





FXH.. 180/220 - ..

EN 442 Watt Δt 50K (Δt 40K = Wx0,755)-(Δt 30K = Wx0,526)

MOD.	H cm		L cm ▲▽ cm	36 32	45 41	54 50	63 59	72 68	80 77	120 117
FXV	72	€		-	-	-	-	-	1064,70 635w	1216,90 944w
FXH	180	€		963,80 713w	1054,80 887w	1149,20 1061w	1242,50 1233w	1333,20 1407w	-	-
FXLH	180	€		1160,80 909w	1260,30 1181w	1379,70 1453w	1489,00 1723w	1598,00 1996w	-	-
FXH	200	€		1009,60 792w	1107,00 985w	1199,20 1178w	1295,80 1369w	1391,40 1562w	-	-
FXLH	200	€		1238,90 1011w	1355,20 1313w	1480,30 1616w	1589,50 1916w	1706,00 2219w	-	-
FXH	220	€		1062,70 870w	1163,90 1082w	1276,50 1294w	1368,90 1504w	1470,20 1716w	-	-
FXLH	220	€		1283,70 1112w	1404,10 1445w	1534,00 1778w	1647,20 2109w	1767,50 2441w	-	-

Δt different from 50 K: consult Technical data Brem

SABLE' COLORS ARE RECOMMENDED
(as they better protect the turn-up edge)

Fitting ø 3/8"
STANDARD
(without sleeves)

Fitting ø 1/2"
ON REQUEST
(with sleeves)

STANDARD PRODUCTION
White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list
with colored brackets +15/25%
Electric version, on request

STANDARD FITTING
EG ø 3/8"
ø 1/2" with sleeve on request
Special fittings, page 286

TAPPING CENTRES EG 3/8" vertical
Side fittings 3/8" on request Art. AS 75,50€



FXH MODEL



FXLH MODEL

MOD. SO-FLEX 72-80/72-120: *L-3 / H-4



FIXINGS
Brackets included

EOS bracket

Mod.	a cm	b cm	c cm
FXV ..	9	9	12
FX..H	9	11	11



SO-FLEX FXH 180-63

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
page 279 Art. KQL 166,30€
COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

LOGGIA

PRICE FROM 1.07.2022 **+15%**

design Davide Diliberto

Undoubtedly one of the most distinctive features of Italian urban design, Brem has chosen the arch for its LOGGIA radiating plate with the express purpose of creating a strong decorative impact that can be easily inserted in a wide variety of interiors and styles.

DIMENSIONS
Length: 54 cm
Heights: from 167 to 237 cm (every 10 cm)
Depths: 2,3 cm and 4,3 cm
Depths from wall: from 5,8 cm

LGH MODEL
Vertical panel

LGLH MODEL
Vertical panel
with tubes at the rear



Δt 40K = W Δt 50K x0,755

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ int.att. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION* (cl.II E.H.E.) with: cable◊ €	digital thermostat W	digital thermostat €
LGH	167-54	1022,30	933	490	50	167	54	26,8	8,0	101,00	900	163,30
LGLH	167-54	1196,60	1233	647	50	167	54	36,3	10,9	108,30	1200	170,60
LGH	177-54	1051,70	991	520	50	177	54	28,4	8,5	101,00	900	163,30
LGLH	177-54	1226,00	1314	690	50	177	54	38,6	11,6	108,30	1200	170,60
LGH	187-54	1081,00	1049	551	50	187	54	30,1	9,0	-	-	-
LGLH	187-54	1311,30	1395	732	50	187	54	41,0	12,3	-	-	-
LGH	197-54	1110,40	1107	581	50	197	54	31,7	9,4	108,30	1200	170,60
LGLH	197-54	1340,80	1476	775	50	197	54	43,4	12,9	117,70	1500	180,00
LGH	207-54	1139,70	1165	612	50	207	54	33,4	9,9	108,30	1200	170,60
LGLH	207-54	1370,10	1557	818	50	207	54	45,7	13,6	117,70	1500	180,00
LGH	217-54	1160,30	1224	643	50	217	54	35,0	10,4	108,30	1200	170,60
LGLH	217-54	1441,40	1638	860	50	217	54	48,1	14,3	117,70	1500	180,00
LGH	227-54	1189,70	1282	673	50	227	54	36,6	10,9	108,30	1200	170,60
LGLH	227-54	1470,80	1720	903	50	227	54	50,4	15,0	-	-	-
LGH	237-54	1219,00	1340	704	50	237	54	38,3	11,3	-	-	-
LGLH	237-54	1500,10	1801	946	50	237	54	52,8	15,7	-	-	-

Δt different from 50 K: consult Technical data Brem

*TR accessory or mixed valve

◊Radio frequency chronothermostat p.227

Fitting ø 3/8"
STANDARD
(without sleeves)

Fitting ø 1/2"
ON REQUEST
(with sleeves)

STANDARD PRODUCTION
White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list with colored brackets +15/25%
Electric version, on request

STANDARD FITTING
EG ø 3/8"
ø 1/2" with sleeve on request
Special fittings, page 286

TAPPING CENTRES





FIXINGS
Brackets included

EOS bracket

LGH 207-54

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
page 279 Art. KQL 166,30€
COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SPH - PLATT

PRICE FROM 1.07.2022 **+15%**

SPH-PLATT is the radiating plate with perfectly flat and smooth surfaces: true simplicity of form is the greatest thing. Laid vertically in the most traditional colors SPH-PLATT jolts pure reason into the irrationality of the unexpected.

DIMENSIONS
Lengths: from 28 to 84 cm
Heigths: from 160 to 240 cm (every 20 cm)
Depths: SPH 3,7 cm, SPLH 6,2 cm
Depths from wall: SPH 6,8 cm, SPLH 7,8 cm

SPH MODEL
Vertical panel



SPH

SPLH MODEL
Vertical panel with radiating fins at the rear



SPLH



SPH ... SPLH ... SPH SPLH

EN 442 Watt Δt 50K (Δt 40K = Wx0,755)-(Δt 30K = Wx0,526)

MOD.	L cm	28	35	42	49	56	63	70	77	84
H cm	▲▽	24	31	38	45	52	59	66	73	80
SPH 160	€	631,30	695,30	762,60	831,00	897,00	962,20	1030,40	1096,60	1163,50
		420w	525w	630w	735w	840w	945w	1050w	1155w	1260w
SPLH 160	€	822,80	908,30	993,80	1080,40	1167,90	1253,50	1341,00	1426,30	1513,20
		629w	786w	943w	1100w	1257w	1414w	1572w	1729w	1886w
SPH 180	€	670,90	740,90	810,20	882,50	953,90	1023,00	1095,50	1165,50	1237,00
		467w	584w	701w	817w	934w	1051w	1168w	1284w	1401w
SPLH 180	€	866,40	955,20	1035,70	1134,20	1223,60	1312,40	1402,00	1491,70	1579,20
		689w	861w	1033w	1205w	1377w	1549w	1721w	1893w	2065w
SPH 200	€	707,30	780,90	855,90	926,40	1000,70	1074,00	1147,40	1222,70	1296,00
		513w	642w	770w	898w	1026w	1155w	1283w	1411w	1540w
SPLH 200	€	929,90	1027,00	1122,70	1226,50	1315,80	1411,60	1507,70	1602,40	1698,30
		742w	928w	1113w	1299w	1484w	1670w	1855w	2041w	2226w
SPH 220	€	750,00	827,60	905,90	994,30	1064,90	1143,20	1219,80	1300,10	1379,40
		557w	697w	836w	976w	1115w	1254w	1394w	1533w	1673w
SPLH 220	€	967,00	1068,10	1167,70	1275,80	1368,70	1468,10	1568,00	1666,50	1766,20
		802w	1003w	1204w	1404w	1605w	1806w	2006w	2207w	2407w
SPH 240	€	804,20	888,70	973,10	1057,60	1142,00	1226,60	1311,00	1397,60	1483,20
		601w	751w	901w	1051w	1201w	1351w	1502w	1652w	1802w

Δt different from 50 K: consult technical data Brem

HOW TO ORDER
State: model (whether simple or with fins), height and width; fittings and color.
e.g.: SPH 180 - 35, AC ø 1/2", BR 0007

STANDARD PRODUCTION
White "sablé" paintwork - White EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list +15/25%
Versions with SUIT measurements on request

STANDARD FITTING
EG ø 1/2"
Fittings AC or BD with extra
Special fittings, page 286

TAPPING CENTRES

EG vertical fittings as standard
Side fittings on request Art. AS 75,50€





FIXINGS
Brackets included

EOS bracket

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
Art. KQL 166,30€
COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SPV - PLATT

PRICE FROM 1.07.2022 **+15%**

SP-PLATT is a perfectly flat, smooth radiating plate. It comes in the simple horizontal version (SPV) or with radiating plates fitted at the back in varying heights (SPLV). S-Platt plates are painted white sablé as standard. Ideal for artistic rendering, as requested



SPV MODEL
horizontal panel

SPV



SPLV MODEL
horizontal panel with radiating fins at rear

SPLV



SPV ... SPLV ... SPV SPLV

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MOD.	L cm	50	60	70	80	90	100	110	120	140	160	180	200	220
H cm	▲▽ cm	46,8	56,8	66,8	76,8	86,8	96,8	106,8	116,8	136,8	156,8	176,8	196,8	216,8
SPV 35	€	583,80	606,30	626,70	646,90	666,50	689,60	710,70	731,20	770,10	807,70	831,90	856,50	882,30
		178w	213w	249w	284w	320w	355w	391w	426w	497w	568w	639w	710w	781w
SPLV 35/35	€	725,40	753,10	782,30	813,40	841,40	872,80	902,30	930,40	986,30	1041,90	1074,90	1107,90	1141,40
		367w	440w	513w	586w	660w	733w	806w	880w	1026w	1173w	1319w	1466w	1613w
SPV 42	€	619,80	644,70	664,10	686,50	710,40	734,10	754,50	779,80	824,50	876,60	901,40	926,20	953,80
		217w	260w	304w	347w	391w	434w	477w	521w	608w	694w	781w	868w	955w
SPLV 42/28	€	759,60	791,10	821,70	851,80	885,20	916,10	947,60	979,90	1041,70	1108,70	1143,60	1178,20	1213,10
		380w	456w	532w	608w	684w	760w	836w	912w	1064w	1216w	1368w	1520w	1672w
SPLV 42/42	€	769,70	806,00	837,90	869,70	904,90	935,80	970,00	1004,70	1067,90	1140,00	1175,70	1211,40	1248,50
		417w	500w	584w	667w	751w	834w	917w	1001w	1168w	1334w	1501w	1668w	1835w
SPV 49	€	651,90	677,60	703,40	729,40	755,00	780,80	806,80	833,50	885,30	945,70	974,80	1003,90	1032,80
		246w	295w	344w	394w	443w	492w	541w	590w	689w	787w	886w	984w	1083w
SPLV 49/28	€	791,50	826,90	861,30	894,80	930,70	965,00	998,60	1034,40	1103,20	1179,80	1217,90	1255,80	1293,20
		412w	494w	576w	658w	741w	823w	905w	988w	1152w	1317w	1481w	1646w	1811w
SPLV 49/49	€	817,30	857,70	893,90	930,60	970,40	1005,70	1044,60	1083,30	1156,20	1237,00	1276,90	1316,80	1357,30
		466w	559w	652w	745w	838w	931w	1024w	1117w	1303w	1490w	1676w	1862w	2048w
SPV 56	€	691,10	720,40	748,00	776,90	807,30	836,70	865,90	895,40	952,30	1015,50	1047,00	1078,50	1109,20
		276w	331w	386w	441w	496w	551w	606w	661w	771w	882w	992w	1102w	1212w
SPLV 56/28	€	829,00	869,60	905,70	944,40	980,30	1017,90	1057,60	1094,40	1168,40	1249,90	1289,10	1328,50	1367,30
		444w	533w	622w	710w	799w	888w	977w	1066w	1243w	1421w	1598w	1776w	1954w
SPLV 56/56	€	864,90	909,40	949,90	991,50	1036,00	1075,60	1119,20	1161,80	1244,20	1334,10	1378,10	1422,00	1466,10
		511w	613w	715w	818w	920w	1022w	1124w	1226w	1431w	1635w	1840w	2044w	2249w
SPV 63	€	728,10	762,70	796,40	829,40	863,20	895,80	929,60	963,10	1025,10	1092,10	1125,90	1159,60	1192,00
		305w	366w	427w	488w	549w	610w	671w	732w	854w	976w	1098w	1220w	1342w
SPLV 63/35	€	869,80	912,20	952,60	995,70	1036,00	1078,90	1120,00	1164,20	1242,20	1327,40	1368,70	1409,70	1450,70
		501w	601w	701w	801w	901w	1001w	1101w	1201w	1401w	1602w	1802w	2002w	2202w
SPLV 63/63	€	903,80	951,80	995,90	1042,50	1087,90	1135,90	1182,60	1228,50	1317,00	1409,20	1455,80	1502,40	1548,40
		557w	668w	779w	890w	1002w	1113w	1224w	1336w	1558w	1781w	2003w	2226w	2449w
SPV 70	€	794,00	829,50	867,10	901,60	940,00	973,80	1011,20	1048,70	1115,10	1190,00	1226,30	1262,80	1299,00
		326w	391w	456w	521w	586w	651w	716w	781w	911w	1042w	1172w	1302w	1432w
SPLV 70/35	€	933,40	977,70	1022,80	1068,60	1113,60	1155,90	1201,00	1245,90	1330,50	1421,80	1467,30	1513,00	1557,30
		532w	638w	744w	850w	957w	1063w	1169w	1276w	1488w	1701w	1913w	2126w	2339w
SPLV 70/70	€	966,60	1015,40	1064,20	1113,00	1162,70	1211,60	1261,40	1310,30	1403,30	1505,10	1554,40	1603,80	1652,20
		598w	718w	837w	957w	1076w	1196w	1316w	1435w	1674w	1914w	2153w	2392w	2631w
SPV 77	€	847,90	886,50	923,10	961,40	999,80	1036,40	1075,60	1112,00	1183,30	1263,50	1301,70	1340,20	1378,80
		365w	437w	510w	583w	656w	729w	802w	875w	1021w	1166w	1312w	1458w	1604w
SPLV 77/35	€	987,90	1034,40	1080,60	1127,70	1172,60	1221,20	1268,70	1314,50	1402,30	1499,60	1545,70	1592,10	1640,30
		562w	674w	787w	899w	1012w	1124w	1236w	1349w	1574w	1798w	2023w	2248w	2473w
SPLV 77/70	€	1020,70	1073,30	1124,10	1174,70	1225,50	1277,20	1327,70	1378,40	1476,20	1581,10	1631,60	1682,70	1734,20
		624w	749w	874w	998w	1123w	1248w	1373w	1498w	1747w	1997w	2246w	2496w	2746w
SPV 84	€	905,50	946,90	987,30	1028,50	1067,80	1108,20	1149,20	1190,80	1269,10	1350,40	1392,60	1434,70	1475,30
		394w	472w	551w	630w	708w	787w	866w	944w	1102w	1259w	1417w	1574w	1732w
SPLV 84/35	€	1045,10	1094,10	1143,70	1192,60	1242,40	1291,30	1339,30	1388,00	1484,10	1584,40	1634,60	1684,60	1734,20
		590w	708w	826w	944w	1062w	1180w	1298w	1416w	1652w	1888w	2124w	2360w	2596w
SPLV 84/70	€	1080,30	1133,80	1187,40	1240,10	1294,20	1348,20	1401,60	1455,10	1560,60	1668,60	1722,50	1776,20	1831,10
		652w	782w	912w	1042w	1173w	1303w	1433w	1564w	1824w	2085w	2345w	2606w	2867w
SPV91	€	948,00	992,90	1037,50	1083,30	1126,10	1170,70	1218,40	1262,10	1347,00	1434,90	1478,60	1522,60	1565,70
		424w	509w	594w	678w	763w	848w	933w	1018w	1187w	1357w	1526w	1696w	1866w

Δt different from 50 K: consult technical data Brem

STANDARD PRODUCTION
White "sablé" paintwork - White EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list +15/25%
Versions with SUIT measurements on request

STANDARD FITTING
EG ø 1/2"
Fittings AC or BD with extra
Special fittings, page 286



TAPPING CENTRES

EG vertical fittings as standard
Side fittings on request Art. AS 75,50€



FIXINGS

Brackets included



HOW TO ORDER

State: model (whether simple or with fins), height and width; fittings and color.
es.: SPLV 49/49-180, EG ø1/2", BR0004

PLATT SPV 35 - 140

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
Art. KQL 166,30€
COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE CONTROL TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽ L - 5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€
REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

S-PLATT INOX

PRICE FROM 1.07.2022 **+15%**

The SP-PLATT radiating plate is available with a satin stainless steel finish: an extremely particular finish that combines technical flair, modern spirit, and essence.

Polished stainless steel radiating plates available on request

DIMENSIONS
Lengths: from 28 to 84 cm
Heights: from 160 to 240 cm (every 20 cm)
Depths: SPXH 3,7 cm, SPLXH 6,2 cm
Depths from wall: SPXH 6,8 cm, SPLXH 7,8 cm



SPXH MODEL
vertical panel



SPLXH MODEL
vertical plate with radiating fins at the rear



SPXH .. SPLXH ..



SPXH



SPLXH

TAPPING CENTRES
EG vertical fittings as standard
Side fittings on request Art. AS 75,50€



Fixings and Valves page 111

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MOD.		L cm	28	35	42	49	56	63	70	77	84
H cm		▲▽ cm	24	31	38	45	52	59	66	73	80
SPXH 160	€		998,20	1099,70	1205,90	1314,30	1418,70	1521,70	1629,70	1734,10	1840,20
			420w	525w	630w	735w	840w	945w	1050w	1155w	1260w
SPLXH 160	€		1301,10	1436,40	1571,70	1708,50	1846,90	1982,10	2120,50	2255,60	2392,90
			629w	786w	943w	1100w	1257w	1414w	1572w	1729w	1886w
SPXH 180	€		1060,90	1171,80	1281,40	1395,90	1508,60	1618,00	1732,30	1843,50	1956,00
			467w	584w	701w	817w	934w	1051w	1168w	1284w	1401w
SPLXH 180	€		1370,20	1510,50	1637,80	1793,70	1935,30	2075,50	2217,40	2359,00	2497,30
			689w	861w	1033w	1205w	1377w	1549w	1721w	1893w	2065w
SPXH 200	€		1118,70	1235,40	1353,50	1465,10	1582,60	1698,60	1814,20	1933,30	2049,60
			513w	642w	770w	898w	1026w	1155w	1283w	1411w	1540w
SPLXH 200	€		1470,50	1624,10	1775,60	1939,80	2080,90	2232,40	2384,30	2534,00	2685,40
			742w	928w	1113w	1299w	1484w	1670w	1855w	2041w	2226w
SPXH 220	€		1186,30	1308,90	1432,40	1572,60	1683,80	1808,10	1928,70	2056,00	2181,50
			557w	697w	836w	976w	1115w	1254w	1394w	1533w	1673w
SPLXH 220	€		1529,20	1689,00	1846,40	2017,30	2164,10	2321,70	2479,80	2635,60	2793,40
			802w	1003w	1204w	1404w	1605w	1806w	2006w	2207w	2407w
SPXH 240	€		1271,70	1405,20	1538,80	1672,50	1806,10	1940,00	2073,20	2210,20	2345,40
			601w	751w	901w	1051w	1201w	1351w	1502w	1652w	1802w

Δt different from 50 K: consult technical data Brem

HOW TO ORDER
State: model (whether simple or with fins), height and width; fittings and color.
e.g.: SPXH 180 - 35, EG ø 1/2

STANDARD PRODUCTION
Satin INOX finish - Grey EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST
Polished stainless steel finish +20%
Versions with SUIT dimensions, on request

STANDARD FITTING
EG ø 1/2"
Fittings AC or BD with extra
Special fittings, page 286

The S-PLATT INOX panel: a minimalist, smooth and flat surface that can even be used horizontally.
Available in the simple horizontal version (SPXV) or the version with radiating fins in various sizes at the rear (SPLXV).

SPXV MODEL
Horizontal panel
L from 50 to 200 cm
H from 35 to 84 cm

SPLXV MODEL
Horizontal panel
with fins at rear


SPXV


SPLXV



TAPPING CENTRES
EG vertical fittings as standard
Side fittings on request
Art. AS 75,50€





EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MOD.		L cm	50	60	70	80	90	100	120	140	160	180	200
H. cm		▲▽cm	46,8	56,8	66,8	76,8	86,8	96,8	116,8	136,8	156,8	176,8	196,8
SPXV 35	€		721,90	761,50	801,10	837,90	876,80	921,30	999,70	1078,50	1154,80	1230,40	1297,00
			178w	213w	249w	284w	320w	355w	426w	497w	568w	639w	710w
SPLXV 35/35	€		924,70	975,40	1026,10	1073,20	1123,10	1180,20	1280,40	1381,30	1479,10	1575,90	1661,20
			367w	440w	513w	586w	660w	733w	880w	1026w	1173w	1319w	1466w
SPXV 42	€		792,20	833,30	876,90	921,50	965,50	1012,50	1092,70	1184,00	1266,30	1345,50	1421,20
			217w	260w	304w	347w	391w	434w	521w	608w	694w	781w	868w
SPLXV 42/28	€		1000,70	1052,70	1107,80	1164,30	1219,80	1279,20	1380,40	1495,70	1599,60	1699,70	1795,40
			380w	456w	532w	608w	684w	760w	912w	1064w	1216w	1368w	1520w
SPLXV 42/42	€		1026,00	1078,90	1135,90	1193,60	1250,40	1311,30	1415,00	1533,40	1640,00	1742,60	1840,60
			417w	500w	584w	667w	751w	834w	1001w	1168w	1334w	1501w	1668w
SPXV 49	€		843,10	894,80	942,90	989,20	1038,10	1086,10	1183,60	1280,10	1380,10	1465,70	1538,30
			246w	295w	344w	394w	443w	492w	590w	689w	787w	886w	984w
SPLXV 49/28	€		1050,60	1114,90	1174,80	1232,70	1293,70	1353,50	1474,90	1595,10	1719,60	1826,40	1916,80
			412w	494w	576w	658w	741w	823w	988w	1152w	1317w	1481w	1646w
SPLXV 49/49	€		1075,70	1141,70	1203,00	1262,20	1324,60	1386,00	1510,20	1633,40	1760,80	1870,10	1962,90
			466w	559w	652w	745w	838w	931w	1117w	1303w	1490w	1676w	1862w
SPXV 56	€		911,10	963,90	1016,80	1069,20	1122,20	1175,30	1274,80	1384,00	1489,70	1586,60	1661,80
			276w	331w	386w	441w	496w	551w	661w	771w	882w	992w	1102w
SPLXV 56/28	€		1118,10	1182,50	1247,50	1312,20	1376,90	1442,10	1564,40	1698,40	1827,80	1943,70	2039,10
			444w	533w	622w	710w	799w	888w	1066w	1243w	1421w	1598w	1776w
SPLXV 56/56	€		1190,40	1259,30	1328,30	1397,10	1466,10	1535,50	1665,70	1808,20	1946,10	2069,60	2171,20
			511w	613w	715w	818w	920w	1022w	1226w	1431w	1635w	1840w	2044w
SPXV 63	€		963,50	1020,10	1074,10	1134,10	1190,20	1251,50	1368,00	1484,30	1597,80	1698,90	1783,40
			305w	366w	427w	488w	549w	610w	732w	854w	976w	1098w	1220w
SPLXV 63/35	€		1167,40	1236,20	1301,70	1374,30	1442,20	1516,40	1657,70	1798,60	1936,20	2058,80	2161,20
			501w	601w	701w	801w	901w	1001w	1201w	1401w	1602w	1802w	2002w
SPLXV 63/63	€		1237,60	1310,50	1380,10	1456,80	1528,80	1607,50	1757,30	1906,60	2052,60	2182,50	2291,10
			557w	668w	779w	890w	1002w	1113w	1336w	1558w	1781w	2003w	2226w
SPXV 70	€		1018,10	1082,10	1140,70	1206,30	1267,60	1329,20	1453,70	1578,70	1711,10	1818,90	1905,00
			326w	391w	456w	521w	586w	651w	781w	911w	1042w	1172w	1302w
SPLXV 70/35	€		1214,80	1291,10	1361,00	1439,20	1512,50	1585,80	1734,40	1883,40	2041,70	2170,00	2272,80
			532w	638w	744w	850w	957w	1063w	1276w	1488w	1701w	1913w	2126w
SPLXV 70/70	€		1281,20	1361,60	1435,40	1518,00	1595,10	1672,50	1829,30	1986,40	2153,30	2288,80	2396,90
			598w	718w	837w	957w	1076w	1196w	1435w	1674w	1914w	2153w	2392w
SPXV 77	€		1090,90	1163,00	1223,40	1293,70	1359,20	1427,50	1557,50	1688,50	1820,80	1935,60	2030,00
			365w	437w	510w	583w	656w	729w	875w	1021w	1166w	1312w	1458w
SPLXV 77/35	€		1292,80	1378,20	1449,70	1533,10	1610,80	1691,70	1845,90	2001,10	2157,90	2293,90	2405,70
			562w	674w	787w	899w	1012w	1124w	1349w	1574w	1798w	2023w	2248w
SPLXV 77/70	€		1360,90	1450,80	1526,30	1613,80	1695,70	1780,80	1943,00	2106,50	2271,60	2414,70	2532,50
			624w	749w	874w	998w	1123w	1248w	1498w	1747w	1997w	2246w	2496w
SPXV 84	€		1145,80	1221,00	1291,60	1358,30	1430,70	1503,70	1647,60	1786,30	1932,30	2053,70	2152,10
			394w	472w	551w	630w	708w	787w	944w	1102w	1259w	1417w	1574w
SPLXV 84/35	€		1340,00	1427,80	1510,50	1588,40	1673,10	1758,50	1926,60	2089,00	2259,70	2401,80	2516,80
			590w	708w	826w	944w	1062w	1180w	1416w	1652w	1888w	2124w	2360w
SPLXV 84/70	€		1409,00	1501,40	1588,30	1670,10	1759,30	1849,10	2026,10	2196,80	2376,10	2525,60	2646,40
			652w	782w	912w	1042w	1173w	1303w	1564w	1824w	2085w	2345w	2606w

e.g.: SPLXV 49/49-180, EG ø1/2"

S-PLATT GILDED/SILVER LEAF

PRICE FROM 1.07.2022
+15%

The SP-PLATT radiating plate is available with other finishes in gilded leaf and silver leaf with precious originality that creates unusual atmosphere.

In the order code, state the letter:
O for gilded / A for silver leaf finish.

DIMENSIONS
Length: from 28 to 84 cm
Heights: from 160 to 240 cm (every 20 cm)
Depths: SP..H 3,7 cm, SPL H 6,2 cm
Depths from wall: SP..H 6,8 cm, SPL H 7,8 cm



SPOH and SPAH
MODEL
vertical panel

SPLOH and SPLAH
MODEL
vertical plate with
radiating fins at the rear





SP..H .. SPL..H .. SP..H SPL..H

TAPPING CENTRES
EG vertical fittings as standard
Side fittings on request Art. AS 75,50€



Fixings and Valves page 111

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.		L cm	28	35	42	49	56	63	70	77	84
H cm		i.a. ▲▽ cm	24	31	38	45	52	59	66	73	80
SP..H 160	€		1441,90	1541,60	1644,20	1747,90	1849,40	1950,20	2053,60	2155,20	2257,80
			420w	525w	630w	735w	840w	945w	1050w	1155w	1260w
SPL..H 160	€		1620,10	1739,70	1859,40	1979,70	2101,30	2221,00	2342,40	2461,90	2582,70
			629w	786w	943w	1100w	1257w	1414w	1572w	1729w	1886w
SP..H 180	€		1478,70	1584,00	1688,50	1795,80	1902,30	2006,60	2114,10	2219,50	2325,70
			467w	584w	701w	817w	934w	1051w	1168w	1284w	1401w
SPL..H 180	€		1660,80	1783,20	1898,30	2030,00	2153,30	2275,80	2399,30	2522,80	2644,30
			689w	861w	1033w	1205w	1377w	1549w	1721w	1893w	2065w
SP..H 200	€		1512,60	1621,20	1731,10	1836,70	1945,90	2054,20	2162,40	2272,40	2380,80
			513w	642w	770w	898w	1026w	1155w	1283w	1411w	1540w
SPL..H 200	€		1719,70	1850,20	1979,20	2115,80	2238,90	2368,20	2497,60	2625,70	2754,80
			742w	928w	1113w	1299w	1484w	1670w	1855w	2041w	2226w
SP..H 220	€		1552,40	1664,50	1777,60	1899,80	2005,40	2118,60	2229,60	2344,60	2458,30
			557w	697w	836w	976w	1115w	1254w	1394w	1533w	1673w
SPL..H 220	€		1754,30	1888,20	2021,00	2161,50	2288,10	2420,70	2553,70	2685,40	2818,30
			802w	1003w	1204w	1404w	1605w	1806w	2006w	2207w	2407w
SP..H 240	€		1602,80	1721,50	1840,00	1958,60	2077,40	2196,10	2314,60	2435,10	2554,90
			601w	751w	901w	1051w	1201w	1351w	1502w	1652w	1802w

O: GILDED leaf
A: SILVER leaf

Δt different from 50 K: consult Technical data Brem

HOW TO ORDER
State: model (simple model or with fins),
height, width and fittings
e.g.: SPLOH 180 - 35 EG 1/2" (gilded leaf)

STANDARD PRODUCTION
Gilded/Silver leaf finish
BR0019 or BR0002 color painted brackets
Tolerance ± 3mm - Air vent ø 1/8"

PRODUCTION ON REQUEST

Gilded/Silver leaf valves, page 275
Versions with SUIT dimensions, on request

STANDARD FITTING
EG ø 1/2"
Fittings AC or BD with extra
Special fittings, page 286

The S–PLATT panel: a minimalist, smooth and flat surface available in the simple horizontal version (SP..V) or in the version with radiating fins at the rear (SPL..V).
In the order code, state the letter:
O for gilded / A for silver leaf finish.

SPXV MODEL
Horizontal panel
L from 50 to 200 cm

SPLXV MODEL
Horizontal panel
with fins at rear



SPOV
SPAV



SPLOV
SPLAV



TAPPING CENTRES
EG vertical fittings as standard
Side fittings on request

Art. AS 75,50€



Fixings and Valves page 113

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.		L cm	50	60	70	80	90	100	120	140	160	180	200	220
H. cm	i.a.	▲▽ cm	46,8	56,8	66,8	76,8	86,8	96,8	116,8	136,8	156,8	176,8	196,8	216,8
SP..V 35	€		1012,00	1067,50	1122,90	1174,50	1228,80	1291,60	1401,00	1511,60	1618,60	1663,20	1702,40	1747,90
			178w	213w	249w	284w	320w	355w	426w	497w	568w	639w	710w	781w
SPL..V 35/35	€		1296,00	1367,00	1438,20	1504,20	1573,90	1654,20	1794,50	1936,10	2073,20	2130,00	2180,30	2238,60
			367w	440w	513w	586w	660w	733w	880w	1026w	1173w	1319w	1466w	1613w
SP..V 42	€		1080,30	1136,10	1195,80	1256,60	1316,30	1380,60	1489,90	1614,30	1726,60	1772,90	1817,60	1866,40
			217w	260w	304w	347w	391w	434w	521w	608w	694w	781w	868w	955w
SPL..V 42/28	€		1364,40	1435,10	1510,80	1587,30	1662,90	1744,10	1882,10	2039,40	2181,00	2239,80	2296,30	2357,90
			380w	456w	532w	608w	684w	760w	912w	1064w	1216w	1368w	1520w	1672w
SPL..V 42/42	€		1398,80	1471,10	1548,60	1627,40	1704,80	1788,00	1929,60	2090,70	2236,00	2296,10	2354,00	2417,10
			417w	500w	584w	667w	751w	834w	1001w	1168w	1334w	1501w	1668w	1835w
SP..V 49	€		1121,30	1190,00	1253,90	1315,50	1380,60	1444,60	1574,00	1702,50	1835,40	1885,50	1928,50	1994,80
			246w	295w	344w	394w	443w	492w	590w	689w	787w	886w	984w	1083w
SPL..V 49/28	€		1397,10	1482,70	1562,40	1639,50	1720,20	1800,00	1961,40	2121,50	2286,90	2349,60	2403,10	2485,80
			380w	456w	532w	608w	684w	760w	912w	1064w	1216w	1368w	1520w	1672w
SPL..V 49/49	€		1430,70	1518,30	1599,90	1678,70	1761,70	1843,20	2008,40	2172,40	2341,80	2406,00	2460,70	2545,50
			466w	559w	652w	745w	838w	931w	1117w	1303w	1490w	1676w	1862w	2048w
SP..V 56	€		1187,80	1256,50	1325,50	1394,00	1463,10	1532,10	1662,00	1804,30	1941,90	1997,50	2043,10	2105,70
			276w	331w	386w	441w	496w	551w	661w	771w	882w	992w	1102w	1212w
SPL..V 56/28	€		1457,50	1541,70	1626,40	1710,40	1795,40	1880,10	2039,40	2213,90	2382,80	2451,10	2507,10	2584,00
			444w	533w	622w	710w	799w	888w	1066w	1243w	1421w	1598w	1776w	1954w
SPL..V 56/56	€		1551,80	1641,60	1731,70	1821,30	1911,70	2001,70	2171,40	2357,30	2536,90	2609,60	2669,50	2751,30
			511w	613w	715w	818w	920w	1022w	1226w	1431w	1635w	1840w	2044w	2249w
SP..V 63	€		1234,70	1307,50	1376,60	1453,30	1525,30	1603,60	1753,20	1902,20	2047,60	2107,10	2156,80	2224,50
			305w	366w	427w	488w	549w	610w	732w	854w	976w	1098w	1220w	1342w
SPL..V 63/35	€		1496,20	1584,30	1668,20	1761,10	1848,30	1943,20	2124,40	2304,90	2481,40	2553,40	2613,50	2695,60
			501w	601w	701w	801w	901w	1001w	1201w	1401w	1602w	1802w	2002w	2202w
SPL..V 63/63	€		1586,20	1679,50	1768,50	1867,00	1959,30	2060,10	2252,10	2443,70	2630,40	2706,70	2770,70	2857,60
			557w	668w	779w	890w	1002w	1113w	1336w	1558w	1781w	2003w	2226w	2449w
SP..V 70	€		1283,00	1363,50	1437,50	1520,30	1597,40	1674,70	1831,80	1989,20	2156,30	2219,80	2270,50	2341,10
			326w	391w	456w	521w	586w	651w	781w	911w	1042w	1172w	1302w	1432w
SPL..V 70/35	€		1530,70	1626,90	1715,10	1813,80	1905,90	1998,30	2185,50	2373,40	2572,60	2648,30	2708,90	2793,30
			532w	638w	744w	850w	957w	1063w	1276w	1488w	1701w	1913w	2126w	2339w
SPL..V 70/70	€		1614,30	1715,90	1809,00	1913,00	2010,10	2107,50	2305,10	2503,10	2713,40	2793,30	2857,00	2945,90
			598w	718w	837w	957w	1076w	1196w	1435w	1674w	1914w	2153w	2392w	2631w
SP..V 77	€		1355,70	1445,30	1520,60	1607,70	1689,20	1774,00	1935,80	2098,40	2262,90	2330,50	2386,00	2461,80
			365w	437w	510w	583w	656w	729w	875w	1021w	1166w	1312w	1458w	1604w
SPL..V 77/35	€		1606,60	1712,80	1801,90	1905,40	2001,80	2102,50	2294,00	2486,90	2681,70	2761,80	2827,60	2917,40
			562w	674w	787w	899w	1012w	1124w	1349w	1574w	1798w	2023w	2248w	2473w
SPL..V 77/70	€		1691,20	1803,10	1896,80	2005,70	2107,50	2213,30	2414,80	2617,80	2823,00	2907,40	2976,60	3071,20
			624w	749w	874w	998w	1123w	1248w	1498w	1747w	1997w	2246w	2496w	2746w
SP..V 84	€		1405,70	1497,80	1584,60	1666,20	1755,30	1844,60	2021,30	2191,70	2370,50	2442,10	2499,80	2581,40
			394w	472w	551w	630w	708w	787w	944w	1102w	1259w	1417w	1574w	1732w
SPL..V 84/35	€		1644,00	1751,70	1853,20	1948,60	2052,70	2157,30	2363,70	2563,10	2772,20	2856,10	2923,40	3018,80
			590w	708w	826w	944w	1062w	1180w	1416w	1652w	1888w	2124w	2360w	2596w
SPL..V 84/70	€		1728,80	1841,80	1948,60	2049,00	2158,50	2268,50	2485,40	2695,20	2914,90	3003,30	3074,10	3174,30
			652w	782w	912w	1042w	1173w	1303w	1564w	1824w	2085w	2345w	2606w	2867w

eg.: SPLOV 49/28-180, EG ø1/2"

Lengths every 10 cm: thermal output and prices obtained by interpolation

S-EVID

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

Vertical coloured slits are cut by hand into the plate's unrelenting geometrical purity.The colors of the plate and the slot blend harmoniously together and give shape to a new decorative element of great charm, emotion and high intensity.

DIMENSIONS
Lengths: from 35 to 70 cm
Heights: 180 /200 / 220 cm
Depth: S-EVID 3,7, SL-EVID 6,2 cm
Depth from wall: S-EVID 6,8, SL-EVID 7,8 cm

S-EVID..MODEL
Vertical panel

SL-EVID.. MODEL
Vertical panel with radiating fins at rear




S-EVID ..- 35


S-EVID .. - 42


S-EVID.. - 49


S-EVID .. - 56


S-EVID .. - 63


S-EVID .. - 70

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.	H cm	L cm	35	42	49	56	63	70
		▲▽ cm	31	38	45	52	59	66
S-EVID	180	€	940,90 584w	1029,00 701w	1120,90 817w	1211,50 934w	1299,40 1051w	1391,10 1168w
SL-EVID	180	€	1212,80 861w	1315,30 1033w	1440,50 1205w	1553,90 1377w	1666,70 1549w	1780,70 1721w
S-EVID	200	€	992,10 642w	1087,10 770w	1176,60 898w	1271,00 1026w	1364,00 1155w	1457,20 1283w
SL-EVID	200	€	1304,40 928w	1426,10 1113w	1557,80 1299w	1671,30 1484w	1792,70 1670w	1914,90 1855w
S-EVID	220	€	1051,10 697w	1150,50 836w	1263,00 976w	1352,40 1115w	1452,00 1254w	1549,00 1394w
SL-EVID	220	€	1356,40 1003w	1482,80 1204w	1620,10 1404w	1737,90 1605w	1864,60 1806w	1991,50 2006w

Δt different from 50 K: consult technical data Brem

HOW TO ORDER
State: model (with or without fins),
height and width in cm, fittings and colors
of the plate/slits.
E.g.: S-EVID 180-42, EG1/2" BR0019/BR0033

STANDARD PRODUCTION
White "sablé" paintwork - White EOS brackets
Slits from Brem color list
MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list +15/25%
Versions with SUIT dimensions, on request

STANDARD FITTING
EG ø 1/2"
Fittings AC or BD with extra
Special fittings, page 286

TAPPING CENTRES
EG vertical fittings as standard
Side fittings on request Art. AS 75,50€





FIXINGS
Brackets included

EOS bracket

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
Art. KQL 166,30€
COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

EGON

PRICE FROM 1.07.2022 **+15%**

The EGON radiator is produced using flattened tubes, curved horizontally or vertically: the imperceptible curvature of the tube, which determines the shape of the EGON radiator is slightly larger than the traditional flattened tube and increases the emission of heat.

EH MODEL
with flat vertical tubes

L = from 1 to 15 el. (every 7,7 cm)
H = from 60 to 300 cm



EH



EGON EH ...

EV MODEL
with flat horizontal tubes
L = from 60 to 300 cm
H = from 1 to 15 elements
(every 7,65 cm)



EV



EGON EV...

HOW TO ORDER
State: model, height in cm, number of elements; fitting and color
E.g.: EH 180 - 5 el - EG ø 1/2"- SB 9010

STANDARD PRODUCTION
White "sablé" paintwork - EOS brackets
Air vent ø 1/2" - Tolerance ± 3 mm - Maximum
Maximum operating pressure, 4 BAR.

PRODUCTION ON REQUEST
Paintwork to Brem color list up to 3 m (ask for feasibility in case of higher values) +15/25%
Feet and fixings page 285

STANDARD FITTINGS
EG ø 1/2"
AC or BD fittings on request
Special fittings, page 286



TAPPING CENTRES EH MODEL
EG vertical fittings as standard
Side fittings on request without extra

EH MODEL



*Coupling protrudes 1 cm

EV MODEL



*Coupling protrudes 1 cm



FIXINGS
Brackets included

EOS bracket

Mod.	a cm	b cm	c cm
EH	8	8	8
EV	8	9	7

□ from H or L 220 cm
⊠ for special fittings

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€
COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

EGON

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MOD.	(n° el)	1 el	2 el	3 el	4 el	5 el	6 el	7 el	8 el	9 el	10 el	11 el	12 el	13 el	14 el	15 el
	L cm	8,0	15,7	23,5	31,2	39,0	46,7	54,5	62,2	70,0	77,7	85,5	93,3	101,0	108,8	116,5
H cm	(n° el)	1 el	2 el	3 el	4 el	5 el	6 el	7 el	8 el	9 el	10 el	11 el	12 el	13 el	14 el	15 el
EH 60	€	136,10	171,60	207,60	242,50	278,30	314,20	347,80	383,90	419,80	454,20	490,40	524,50	560,80	595,70	630,20
		51w	102w	153w	204w	255w	306w	357w	408w	459w	510w	561w	612w	663w	714w	765w
EH 80	€	156,60	197,50	239,30	280,30	321,20	362,40	403,40	443,90	486,20	527,10	566,80	607,80	648,60	689,90	731,60
		68w	136w	204w	272w	340w	408w	476w	544w	612w	680w	748w	816w	884w	952w	1020w
EH 100	€	168,80	213,60	260,10	304,80	349,80	396,10	442,10	488,20	533,50	578,40	624,20	669,20	715,20	760,30	806,40
		83w	166w	249w	332w	415w	498w	581w	664w	747w	830w	913w	996w	1079w	1162w	1245w
EH 120	€	185,40	232,30	280,30	327,40	376,70	423,40	471,60	518,80	566,80	615,00	662,80	710,20	758,00	806,40	854,30
		97w	194w	291w	388w	485w	582w	679w	776w	873w	970w	1067w	1164w	1261w	1358w	1455w
EH 140	€	193,20	244,60	296,90	347,00	398,80	450,40	500,50	552,50	603,50	655,80	705,90	757,10	809,20	859,40	910,90
		112w	224w	336w	448w	560w	672w	784w	896w	1008w	1120w	1232w	1344w	1456w	1568w	1680w
EH 160	€	207,60	266,10	325,20	384,60	443,90	503,30	562,70	622,00	681,30	739,90	799,00	858,50	918,10	975,90	1036,80
		127w	254w	381w	508w	635w	762w	889w	1016w	1143w	1270w	1397w	1524w	1651w	1778w	1905w
EH 180	€	220,90	283,50	345,70	409,20	471,60	534,10	596,60	660,10	722,40	784,90	847,30	909,60	972,00	1035,40	1098,20
		143w	286w	429w	572w	715w	858w	1001w	1144w	1287w	1430w	1573w	1716w	1859w	2002w	2145w
EH 190	€	228,10	291,80	356,00	419,80	482,20	546,60	609,60	674,40	737,50	801,10	865,50	928,90	992,70	1056,90	1120,30
		151w	302w	453w	604w	755w	906w	1057w	1208w	1359w	1510w	1661w	1812w	1963w	2114w	2265w
EH 200	€	234,30	298,90	364,10	429,30	494,50	558,80	624,20	688,50	754,00	818,70	883,90	948,60	1012,90	1078,20	1143,10
		159w	318w	477w	636w	795w	954w	1113w	1272w	1431w	1590w	1749w	1908w	2067w	2226w	2385w
EH 210	€	239,30	307,00	376,70	443,90	512,30	581,30	648,60	717,20	785,60	854,30	922,90	990,20	1058,70	1126,40	1196,00
		167w	334w	501w	668w	835w	1002w	1169w	1336w	1503w	1670w	1837w	2004w	2171w	2338w	2505w
EH 220	€	242,50	315,30	385,50	457,40	530,10	601,70	672,30	744,80	816,40	887,90	960,60	1031,40	1102,90	1175,70	1247,00
		175w	350w	525w	700w	875w	1050w	1225w	1400w	1575w	1750w	1925w	2100w	2275w	2450w	2625w
EH 240	€	258,80	334,70	409,20	484,60	558,80	634,50	709,30	784,90	859,40	935,00	1009,70	1085,60	1160,70	1235,90	1310,60
		192w	384w	576w	768w	960w	1152w	1344w	1536w	1728w	1920w	2112w	2304w	2496w	2688w	2880w
EH 260	€	271,20	349,80	430,60	510,50	589,30	669,20	748,90	829,90	908,40	988,10	1068,30	1147,00	1227,70	1307,50	1387,70
		208w	416w	624w	832w	1040w	1248w	1456w	1664w	1872w	2080w	2288w	2496w	2704w	2912w	3120w
EH 280	€	283,50	367,10	452,30	536,10	621,30	704,70	789,90	874,00	957,40	1042,70	1125,40	1210,50	1294,20	1378,90	1462,90
		224w	448w	672w	896w	1120w	1344w	1568w	1792w	2016w	2240w	2464w	2688w	2912w	3136w	3360w
EH 300	€	301,80	392,70	484,60	575,00	666,20	757,10	849,20	940,10	1030,50	1121,10	1212,40	1304,50	1395,50	1485,60	1576,60
		240w	480w	720w	960w	1200w	1440w	1680w	1920w	2160w	2400w	2640w	2880w	3120w	3360w	3600w

Δt different from 50 K: consult Technical data Brem

Mod. Egon — horizontal manifold — height cm — number elements

EH 200 - 7 EL

PRODUCTION ON REQUEST

Height of plate every 10 cm: thermal output and prices can be obtained by interpolation

Made-to-measure (±3 mm)

Thermal output by interpolation:

Sizes over 15 el. and 3 m: price on request

Height per cm: increased size +20%



EH



DOUBLE VERSIONS EDH

Is obtained by joining two plates EH

EDH price EH x 2 + 111,40€

Standard EG fitting (delivery on left, at front; return on right, at rear).

Thermal output EDH: single radiator x 1,60

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.	L cm	60	80	100	120	140	160	180	200	220	240	260	280	300
H cm	▲▽ cm	57,8	77,8	97,8	117,8	137,8	157,8	177,8	197,8	217,8	237,8	257,8	277,8	297,8
EV 1el.	€	136,10	156,60	168,80	185,40	193,20	207,60	220,90	234,30	242,50	258,80	271,20	283,50	301,80
H 8,0		50w	66w	83w	100w	116w	133w	149w	166w	183w	199w	216w	232w	249w
EV 2el.	€	171,60	197,50	213,60	232,30	244,60	266,10	283,50	299,90	315,30	334,70	349,80	367,10	392,70
H 15,7		100w	133w	166w	199w	232w	266w	299w	332w	365w	398w	432w	465w	498w
EV 3el.	€	207,60	239,30	260,10	280,30	296,90	325,20	345,70	364,10	385,50	409,20	430,60	452,30	484,60
H 23,5		149w	199w	249w	299w	349w	398w	448w	498w	548w	598w	647w	697w	747w
EV 4el.	€	242,50	280,30	304,80	327,40	347,00	384,60	409,20	429,30	457,40	484,60	510,50	536,10	575,00
H 31,2		199w	266w	332w	398w	465w	531w	598w	664w	730w	797w	863w	930w	996w
EV 5el.	€	278,30	321,20	349,80	376,70	398,80	443,90	471,60	494,50	530,10	558,80	589,30	621,30	666,20
H 39,0		249w	332w	415w	498w	581w	664w	747w	830w	913w	996w	1079w	1162w	1245w
EV 6el.	€	314,20	362,40	396,10	423,40	450,40	503,30	534,10	558,80	601,70	634,50	669,20	704,70	757,10
H 46,7		299w	398w	498w	598w	697w	797w	896w	996w	1096w	1195w	1295w	1394w	1494w
EV 7el.	€	347,80	403,40	442,10	471,60	500,50	562,70	596,60	624,20	672,30	709,30	748,90	789,90	849,20
H 54,5		349w	465w	581w	697w	813w	930w	1046w	1162w	1278w	1394w	1511w	1627w	1743w
EV 8el.	€	383,90	443,90	488,20	518,80	552,50	622,00	660,10	688,50	744,80	784,90	829,90	874,00	940,10
H 62,2		398w	531w	664w	797w	930w	1062w	1195w	1328w	1461w	1594w	1726w	1859w	1992w
EV 9el.	€	419,80	486,20	533,50	566,80	603,50	681,30	722,40	754,00	816,40	859,40	908,40	957,40	1030,50
H 70,0		448w	598w	747w	896w	1046w	1195w	1345w	1494w	1643w	1793w	1942w	2092w	2241w
EV 10el.	€	454,20	527,10	578,40	615,00	655,80	739,90	784,90	818,70	887,90	935,00	988,10	1042,70	1121,10
H 77,7		498w	664w	830w	996w	1162w	1328w	1494w	1660w	1826w	1992w	2158w	2324w	2490w
EV 11el.	€	490,40	566,80	624,20	662,80	705,90	799,00	847,30	883,90	960,60	1009,70	1068,30	1125,40	1212,40
H 85,5		548w	730w	913w	1096w	1278w	1461w	1643w	1826w	2009w	2191w	2374w	2556w	2739w
EV 12el.	€	524,50	607,80	669,20	710,20	757,10	858,50	909,60	948,60	1031,40	1085,60	1147,00	1210,50	1304,50
H 93,3		598w	797w	996w	1195w	1394w	1594w	1793w	1992w	2191w	2390w	2590w	2789w	2988w
EV 13el.	€	560,80	648,60	715,20	758,00	809,20	918,10	972,00	1012,90	1102,90	1160,70	1227,70	1294,20	1395,50
H 101,0		647w	863w	1079w	1295w	1511w	1726w	1942w	2158w	2374w	2590w	2805w	3021w	3237w
EV 14el.	€	595,70	689,90	760,30	806,40	859,40	975,90	1035,40	1078,20	1175,70	1235,90	1307,50	1378,90	1485,60
H 108,8		697w	930w	1162w	1394w	1627w	1859w	2092w	2324w	2556w	2789w	3021w	3254w	3486w
EV 15el.	€	630,20	731,60	806,40	854,30	910,90	1036,80	1098,20	1143,10	1247,00	1310,60	1387,70	1462,90	1576,60
H 116,5		747w	996w	1245w	1494w	1743w	1992w	2241w	2490w	2739w	2988w	3237w	3486w	3735w

Δt different from 50 K: consult Technical data Brem

Mod. Egon — vertical manifold — n° el (height) — length cm

EV 5 EL - 220

PRODUCTION ON REQUEST

Height of plate every 10 cm: thermal index and prices can be obtained by interpolation

Made-to-measure (±3 mm)

Thermal output by interpolation

Sizes over 15 elements and 3 m: price on request

Length for cm: increased size +20%



EV



DOUBLE VERSION EDV

Is obtained by joining two plates EV

EDV price EV x 2 + 111,40€

Standard EG fitting (delivery on left, at front; return on right, at rear).

Thermal output EDV: single radiator x1,70

OPEN-H

PRICE FROM 1.07.2022 **+15%**

OPEN is a panel with flattened tubes that are welded to the manifolds placed at the rear to create a perfectly flat radiating surface with radiating tubes providing movement.

OPEN panel can be either horizontal or vertical, single or double and with fins at the rear

Heights: from 60 to 240 cm
Lengths: from 28,9 to 91 cm (n° el. x 7,15 + 0,25)
Depths: 4,3 / 6 / 5,3 cm
Depths from wall: 6,8 / 7,5 cm

OH
Vertical plate and horizontal manifolds

OLH
Vertical plate with fins

OH2
Double vertical plate



OPEN OH.. OH OLH OH2

Open + Fins — vertical plate — height cm — n° elements

OLH 180 - 7 el

HOW TO ORDER

State: model, (L indicates fins), height in cm, n° of elements; fitting and color if different from standard
e.g.: OLH 180 - 7e, EG ø 1/2", RAL 3005

HEIGHTS ON REQUEST

Heights of plate every 10 cm:
- thermal outputs and prices by interpolation

Heights of plate on request every 1 cm:
- thermal outputs by interpolation
- prices: price increased size +20%

Heights: 120, 140, from 240 to 360 cm: contact Brem technical office

TAPPING CENTRES

EG vertical fittings as standard
Side fittings on request without extra



SPECIAL FITTINGS

▲▽ t.c. 5 cm ø1/2"
Art. ACB 118,50 €

Dual tube valves, p. 276





FIXINGS

Brackets included

EOS bracket

STANDARD PRODUCTION

White "sablé" paintwork - EOS brackets
Air vent ø 1/2" - Tolerance ± 3 mm
Maximum Operating pressure 6 bar

PRODUCTION ON REQUEST

Paintwork to Brem color list up to 3 m with colored brackets +15/25%
Made-to measure dimensions, on request

STANDARD FITTINGS EG ø 1/2"

AC or BD Fittings on request
Special fittings page 286

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

MOD.	n°el.	4	5	6	7	8	9	10	11	12	13
H cm	L cm	28,9	36	43,2	50,3	57,5	64,6	71,8	78,9	86,1	93,2
	▲▽ cm	23,9	31	38,2	45,3	52,5	59,6	66,8	73,9	81,1	88,2
OH 60	€	207,50	235,90	264,20	292,40	320,70	349,00	377,30	405,60	433,80	462,20
		184w	230w	276w	322w	368w	414w	460w	506w	552w	598w
OLH 60	€	317,00	346,90	376,50	406,40	436,20	466,00	495,70	525,40	555,40	585,10
		284w	355w	426w	497w	568w	639w	710w	781w	852w	923w
OH2 60	€	499,70	556,40	613,30	670,20	727,10	783,90	840,80	897,60	954,60	1011,20
		268w	335w	402w	469w	536w	603w	670w	737w	804w	871w
OH 80	€	228,10	260,20	292,20	324,20	356,20	388,20	420,20	452,10	484,20	516,20
		240w	300w	360w	420w	480w	540w	600w	660w	720w	780w
OLH 80	€	370,70	406,10	441,40	476,80	512,20	547,50	582,80	618,10	653,40	688,90
		352w	440w	528w	616w	704w	792w	880w	968w	1056w	1144w
OH2 80	€	540,70	605,00	669,30	733,60	798,00	862,30	926,60	990,90	1055,20	1119,40
		348w	435w	522w	609w	696w	783w	870w	957w	1044w	1131w
OH 100	€	248,90	284,60	320,30	355,90	391,60	427,40	463,00	498,70	534,50	570,20
		296w	370w	444w	518w	592w	666w	740w	814w	888w	962w
OLH 100	€	465,60	507,00	548,50	590,00	631,30	672,70	714,20	755,60	797,00	838,50
		420w	525w	630w	735w	840w	945w	1050w	1155w	1260w	1365w
OH2 100	€	582,20	654,00	725,50	797,30	869,00	940,80	1012,60	1084,30	1156,10	1227,90
		428w	535w	642w	749w	856w	963w	1070w	1177w	1284w	1391w
OH 160	€	312,80	359,40	405,80	452,40	499,00	545,40	591,90	638,50	685,00	731,60
		464w	580w	696w	812w	928w	1044w	1160w	1276w	1392w	1508w
OLH 160	€	568,40	623,20	677,70	732,50	787,00	841,70	896,30	951,10	1005,50	1060,30
		612w	765w	918w	1071w	1224w	1377w	1530w	1683w	1836w	1989w
OH2 160	€	706,40	799,80	893,20	986,70	1080,20	1173,60	1267,20	1360,60	1454,10	1547,50
		664w	830w	996w	1162w	1328w	1494w	1660w	1826w	1992w	2158w
OH180	€	332,00	382,00	431,90	482,00	532,00	582,00	631,90	682,00	731,90	782,00
		520w	650w	780w	910w	1040w	1170w	1300w	1430w	1560w	1690w
OLH 180	€	603,10	660,40	717,50	774,80	832,00	889,20	946,50	1003,70	1060,90	1118,20
		676w	845w	1014w	1183w	1352w	1521w	1690w	1859w	2028w	2197w
OH2 180	€	747,70	848,10	948,50	1048,90	1149,30	1249,80	1350,30	1450,60	1551,10	1651,40
		740w	925w	1110w	1295w	1480w	1665w	1850w	2035w	2220w	2405w
OH 200	€	352,50	406,10	459,90	513,40	567,20	620,80	674,60	728,20	782,00	835,60
		576w	720w	864w	1008w	1152w	1296w	1440w	1584w	1728w	1872w
OLH 200	€	689,90	756,60	823,40	890,20	956,80	1023,70	1090,30	1157,10	1223,80	1290,60
		740w	925w	1110w	1295w	1480w	1665w	1850w	2035w	2220w	2405w
OH2 200	€	789,00	896,90	1004,80	1112,50	1220,40	1328,20	1436,10	1543,80	1651,70	1759,50
		820w	1025w	1230w	1435w	1640w	1845w	2050w	2255w	2460w	2665w
OH 220	€	373,20	430,60	488,10	545,30	602,90	660,20	717,50	775,00	832,40	889,70
		632w	790w	948w	1106w	1264w	1422w	1580w	1738w	1896w	2054w
OLH 220	€	746,70	821,00	895,20	969,50	1043,70	1118,10	1192,20	1266,50	1340,60	1415,00
		804w	1005w	1206w	1407w	1608w	1809w	2010w	2211w	2412w	2613w
OH2 220	€	828,60	943,60	1058,60	1173,50	1288,70	1403,60	1518,70	1633,70	1748,50	1863,70
		896w	1120w	1344w	1568w	1792w	2016w	2240w	2464w	2688w	2912w
OH 240	€	394,00	455,10	516,10	577,10	638,40	699,40	760,50	821,50	882,70	943,80
		688w	860w	1032w	1204w	1376w	1548w	1720w	1892w	2064w	2236w
OH2 240	€	868,00	990,30	1112,40	1234,70	1356,80	1479,10	1601,20	1723,50	1845,50	1967,80
		972w	1215w	1458w	1701w	1944w	2187w	2430w	2673w	2916w	3159w

Δt different from 50 K: consult Technical data Brem

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

COLORED QUADRA VALVES page 279



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

OPEN-V

PRICE FROM 1.07.2022 **+15%**

Plate with round vertical manifolds and flat horizontal radiating tubes



OPEN OV..



Heights: from 28,9 to 143,3cm (from 4 to 20 el.)
Lengths: from 50 to 600 cm
Depths: 4,3 / 6 / 5,3 cm
Depths from wall: 6,8 / 7,5 cm

TAPPING CENTRES
EG vertical fittings as standard
Side fittings on request without extra



OLV fins 7 cm high less than the plate

MOD.	▲▽	L cm / cm	50 / 45	60 / 55	70 / 65	80 / 75	90 / 85	100 / 95	120 / 115	140 / 135	160 / 155	180 / 175	200 / 195	220 / 215
OV 4 el	H 28,9	€	213,70	224,40	235,30	246,00	256,70	267,50	288,80	310,60	332,00	353,40	375,00	396,40
			162w	194w	226w	258w	291w	323w	388w	452w	517w	581w	646w	711w
OLV 4 el		€	328,90	349,10	369,30	389,40	409,60	429,60	470,00	510,20	550,50	590,80	631,00	671,30
			268w	322w	375w	429w	482w	536w	643w	750w	858w	965w	1072w	1179w
OV2 4 el		€	513,70	535,00	556,10	577,20	598,50	619,60	661,90	704,10	746,50	788,70	831,00	873,40
			260w	312w	364w	416w	468w	520w	624w	728w	832w	936w	1040w	1144w
OLV2 4 el		€	572,00	598,90	625,60	652,50	679,30	706,30	759,80	813,30	867,10	920,60	974,40	1027,90
			368w	442w	515w	589w	662w	736w	883w	1030w	1178w	1325w	1472w	1619w
OV 5 el	H 36	€	232,80	245,60	257,80	269,80	281,80	294,00	318,10	342,00	366,20	390,30	414,40	438,50
			196w	235w	274w	313w	352w	391w	469w	547w	626w	704w	782w	860w
OLV 5 el		€	340,70	361,80	383,00	404,00	425,00	446,20	488,40	530,70	572,80	615,00	657,20	699,30
			323w	388w	452w	517w	581w	646w	775w	904w	1034w	1163w	1292w	1421w
OV2 5 el		€	553,20	577,00	600,90	624,80	648,60	672,40	720,00	767,90	815,50	863,20	910,90	958,60
			312w	374w	437w	499w	562w	624w	749w	874w	998w	1123w	1248w	1373w
OLV2 5 el		€	609,50	639,00	668,20	697,60	727,00	756,30	814,90	873,50	932,20	990,90	1049,40	1108,20
			424w	509w	594w	678w	763w	848w	1018w	1187w	1357w	1526w	1696w	1866w
OV 6 el	H 43,2	€	256,00	269,20	282,70	296,00	309,20	322,70	349,20	375,80	402,40	429,00	455,60	482,40
			230w	275w	321w	367w	413w	459w	551w	643w	734w	826w	918w	1010w
OLV 6 el		€	375,90	399,70	423,80	447,80	471,60	495,60	543,50	591,40	639,30	687,20	735,10	783,00
			378w	453w	529w	604w	680w	755w	906w	1057w	1208w	1359w	1510w	1661w
OV2 6 el		€	596,70	623,20	649,50	675,90	702,40	728,70	781,50	834,50	887,30	940,00	992,80	1045,50
			364w	436w	509w	582w	654w	727w	872w	1018w	1163w	1309w	1454w	1599w
OLV2 6 el		€	666,20	699,20	732,10	765,20	798,20	831,20	897,10	963,30	1029,20	1095,20	1161,30	1227,30
			480w	576w	672w	768w	864w	960w	1152w	1344w	1536w	1728w	1920w	2112w
OV 7 el	H 50,3	€	280,30	296,10	311,70	327,40	343,20	358,70	390,10	421,30	452,60	484,00	515,30	546,70
			264w	316w	369w	422w	474w	527w	632w	738w	843w	949w	1054w	1159w
OLV 7 el		€	395,70	422,60	449,30	476,30	503,20	530,10	583,70	637,50	691,30	745,00	798,70	852,40
			431w	517w	603w	689w	775w	861w	1033w	1205w	1378w	1550w	1722w	1894w
OV2 7 el		€	645,50	676,40	707,50	738,50	769,40	800,50	862,50	924,40	986,60	1048,70	1110,70	1172,80
			415w	498w	581w	664w	747w	830w	996w	1162w	1328w	1494w	1660w	1826w
OLV2 7 el		€	728,40	766,60	804,70	842,80	881,00	919,20	995,50	1071,70	1148,00	1224,20	1300,50	1376,80
			535w	642w	749w	856w	963w	1070w	1284w	1498w	1712w	1926w	2140w	2354w
OV 8 el	H 57,5	€	304,10	321,30	338,70	355,80	373,10	390,40	424,90	459,50	494,10	528,60	563,10	597,60
			298w	358w	417w	477w	536w	596w	715w	834w	954w	1073w	1192w	1311w
OLV 8 el		€	414,10	442,60	471,20	499,70	528,10	556,60	613,80	670,90	728,00	785,10	842,20	899,40
			486w	583w	680w	777w	874w	971w	1165w	1359w	1554w	1748w	1942w	2136w
OV2 8 el		€	693,10	727,40	761,70	796,00	830,40	864,60	933,20	1001,80	1070,50	1139,00	1207,70	1276,10
			467w	560w	654w	747w	841w	934w	1121w	1308w	1494w	1681w	1868w	2055w
OLV2 8 el		€	788,90	832,70	876,50	920,40	964,20	1008,10	1095,70	1183,40	1271,20	1358,90	1446,60	1534,20
			590w	708w	826w	944w	1062w	1180w	1416w	1652w	1888w	2124w	2360w	2596w
OV 9 el	64,6	€	326,40	345,50	364,70	383,90	403,10	422,40	460,70	499,10	537,50	575,90	614,30	652,60
			333w	399w	466w	532w	599w	665w	798w	931w	1064w	1197w	1330w	1463w
OLV 9 el		€	438,60	469,60	500,80	532,00	563,10	594,40	656,80	719,00	781,30	843,80	906,10	968,50
			540w	648w	756w	864w	972w	1080w	1296w	1512w	1728w	1944w	2160w	2376w
OV2 9 el		€	738,00	775,90	814,20	852,30	890,50	928,60	1004,90	1081,10	1157,40	1233,70	1310,10	1386,30
			519w	623w	727w	830w	934w	1038w	1246w	1453w	1661w	1868w	2076w	2284w
OLV2 9 el		€	839,90	889,30	938,70	988,00	1037,30	1086,70	1185,40	1284,20	1383,00	1481,80	1580,40	1679,20
			645w	774w	903w	1032w	1161w	1290w	1548w	1806w	2064w	2322w	2580w	2838w

OV

Horizontal panel

OLV

Panel with fins

OV2

Double panel

OLV2

Double panel with fins

RECOMMANDED VALVES KIT page 125

FIXINGS
Brackets included

EOS bracket



EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.	▲▽ cm	L cm	50	60	70	80	90	100	120	140	160	180	200	220
		cm	45	55	65	75	85	95	115	135	155	175	195	215
OV 10 el	H 71,8	€	356,90	378,40	399,80	421,30	442,80	464,40	507,40	550,40	593,40	636,40	679,40	722,40
			367w	440w	514w	587w	661w	734w	881w	1028w	1174w	1321w	1468w	1615w
OLV 10 el		€	469,20	502,80	536,00	569,50	603,00	636,50	703,50	770,30	837,10	904,10	971,00	1037,90
			595w	713w	832w	951w	1070w	1189w	1427w	1665w	1902w	2140w	2378w	2616w
OV2 10 el		€	798,70	841,30	884,10	926,80	969,50	1012,30	1097,60	1183,10	1268,50	1354,00	1439,30	1524,80
			571w	685w	799w	914w	1028w	1142w	1370w	1599w	1827w	2056w	2284w	2512w
OLV2 10 el		€	871,40	925,20	979,20	1033,20	1087,10	1141,10	1248,90	1356,80	1464,60	1572,50	1680,30	1788,20
			700w	840w	980w	1120w	1260w	1400w	1680w	1960w	2240w	2520w	2800w	3080w
OV 11 el	H 78,9	€	390,30	413,40	436,60	459,60	482,80	506,00	552,30	598,50	644,70	691,00	737,30	783,60
			402w	482w	562w	642w	723w	803w	964w	1124w	1285w	1445w	1606w	1767w
OLV 11 el		€	503,90	539,10	574,10	609,20	644,30	679,50	749,60	820,10	890,30	960,50	1030,80	1101,00
			649w	779w	909w	1038w	1168w	1298w	1558w	1817w	2077w	2336w	2596w	2856w
OV2 11 el		€	865,60	911,70	957,60	1003,60	1049,60	1095,60	1187,50	1279,40	1371,30	1463,20	1555,10	1647,10
			623w	748w	872w	997w	1121w	1246w	1495w	1744w	1994w	2243w	2492w	2741w
OLV2 11 el		€	918,60	977,10	1035,40	1093,90	1152,30	1210,60	1327,30	1444,10	1560,80	1677,50	1794,40	1911,10
			755w	906w	1057w	1208w	1359w	1510w	1812w	2114w	2416w	2718w	3020w	3322w
OV 12 el	H 86,1	€	415,90	440,80	466,00	491,10	516,10	541,20	591,40	641,40	691,70	741,80	792,00	842,10
			436w	523w	610w	698w	785w	872w	1046w	1221w	1395w	1570w	1744w	1918w
OLV 12 el		€	529,50	566,80	603,90	641,10	678,40	715,50	789,70	864,20	938,40	1012,80	1087,10	1161,40
			704w	844w	985w	1126w	1266w	1407w	1688w	1970w	2251w	2533w	2814w	3095w
OV2 12 el		€	917,30	967,10	1017,00	1066,90	1116,90	1166,80	1266,50	1366,30	1466,00	1565,90	1665,40	1765,20
			675w	810w	945w	1080w	1215w	1350w	1620w	1890w	2160w	2430w	2700w	2970w
OLV2 12 el		€	966,00	1028,70	1091,70	1154,40	1217,20	1280,20	1405,80	1531,40	1656,90	1782,70	1908,30	2033,90
			810w	972w	1134w	1296w	1458w	1620w	1944w	2268w	2592w	2916w	3240w	3564w
OV 13 el	H 93,2	€	441,50	468,50	495,50	522,60	549,60	576,60	630,70	684,50	738,80	792,60	846,70	900,70
			471w	565w	659w	753w	847w	941w	1129w	1317w	1506w	1694w	1882w	2070w
OV2 13 el		€	968,60	1022,30	1076,10	1129,90	1183,60	1237,40	1344,90	1452,40	1559,90	1667,50	1775,00	1882,50
			727w	872w	1018w	1163w	1309w	1454w	1745w	2036w	2326w	2617w	2908w	3199w
OV 14 el	H 100,4	€	467,20	496,00	524,90	554,10	583,00	611,90	669,80	727,80	785,60	843,60	901,40	959,30
			505w	606w	707w	808w	909w	1010w	1212w	1414w	1616w	1818w	2020w	2222w
OV2 14 el		€	1019,90	1077,40	1135,10	1192,80	1250,40	1308,00	1423,30	1538,50	1653,90	1769,20	1884,30	1999,60
			779w	935w	1091w	1246w	1402w	1558w	1870w	2181w	2493w	2804w	3116w	3428w
OV 15 el	H 107,5	€	492,80	523,70	554,60	585,40	616,30	647,20	709,00	770,90	832,60	894,30	956,00	1018,00
			540w	647w	755w	863w	971w	1079w	1295w	1511w	1726w	1942w	2158w	2374w
OV2 15 el		€	1071,20	1132,70	1194,30	1255,60	1317,10	1378,70	1501,80	1624,70	1747,80	1870,70	1993,80	2116,80
			831w	997w	1163w	1330w	1496w	1662w	1994w	2327w	2659w	2992w	3324w	3656w
OV 16 el	H 114,7	€	518,40	551,30	584,20	616,90	649,70	682,50	748,30	814,00	879,50	945,20	1010,80	1076,40
			574w	689w	804w	918w	1033w	1148w	1378w	1607w	1837w	2066w	2296w	2526w
OV2 16 el		€	1122,50	1187,90	1253,20	1318,70	1384,00	1449,40	1580,20	1710,90	1841,60	1972,30	2103,10	2234,00
			883w	1060w	1236w	1413w	1589w	1766w	2119w	2472w	2826w	3179w	3532w	3885w
OV 17 el	H 121,8	€	544,10	578,90	613,60	648,40	683,20	718,00	787,40	856,90	926,50	996,00	1065,50	1135,10
			609w	730w	852w	974w	1095w	1217w	1460w	1704w	1947w	2191w	2434w	2677w
OV2 17 el		€	1173,60	1243,00	1312,30	1381,40	1450,70	1520,10	1658,60	1797,00	1935,60	2074,10	2212,60	2351,10
			935w	1122w	1309w	1496w	1683w	1870w	2244w	2618w	2992w	3366w	3740w	4114w
OV 18 el	H 129	€	569,70	606,50	643,20	679,80	716,50	753,20	826,70	900,00	973,40	1046,80	1120,20	1193,60
			643w	772w	900w	1029w	1157w	1286w	1543w	1800w	2058w	2315w	2572w	2829w
OV2 18 el		€	1225,10	1298,20	1371,30	1444,40	1517,50	1590,70	1736,90	1883,30	2029,20	2175,70	2322,00	2468,40
			987w	1184w	1382w	1579w	1777w	1974w	2369w	2764w	3158w	3553w	3948w	4343w
OV 19 el	H 136,1	€	595,40	634,10	672,70	711,30	750,10	788,60	865,90	943,20	1020,30	1097,60	1174,90	1252,20
			678w	813w	949w	1084w	1220w	1355w	1626w	1897w	2168w	2439w	2710w	2981w
OV2 19 el		€	1276,20	1353,30	1430,40	1507,40	1584,40	1661,40	1815,30	1969,30	2123,40	2277,40	2431,40	2585,50
			1039w	1247w	1455w	1662w	1870w	2078w	2494w	2909w	3325w	3740w	4156w	4572w
OV 20 el	H 143,3	€	620,90	661,60	702,20	742,80	783,30	823,90	905,10	986,30	1067,50	1148,40	1229,50	1310,80
			712w	854w	997w	1139w	1282w	1424w	1709w	1994w	2278w	2563w	2848w	3133w
OV2 20 el		€	1327,60	1408,50	1489,30	1570,20	1651,10	1732,10	1893,80	2055,50	2217,30	2379,10	2540,80	2702,70
			1091w	1309w	1527w	1746w	1964w	2182w	2618w	3055w	3491w	3928w	4364w	4800w

OPEN-H

OPEN-H, vertical panel page124

OPEN-OH
simple panel

OPEN-OLH
single panel with radiating fins at rear

OPEN-OH2
double panel

Heights : from 60 to 240 cm
Length : from 28,9 to 91 cm

OPEN-V

OPEN, horizontal panel page126

OPEN-OV
simple panel

OPEN-OLV
single panel with radiating fins at rear

OPEN-OV2
double panel

Heights : from 28,9 to 143,3 cm
Length : from 50 to 600 cm

SUIT-H

SUIT-H, vertical panel page130

SUIT-H
simple panel

SUIT-HL
simple panel with radiating fins at rear

SUIT-H2
double panel

SUIT-HLH
double panel with radiating fins at rear

Heights: from 60 to 360 cm
Length: from 14 to 140 cm

SUIT-V

SUIT-V, horizontal panel page132

SUIT-V
simple panel

SUIT-VL
simple panel with radiating fins at rear

SUIT-V2
double panel

SUIT-VLV
double panel with radiating fins at rear

SUIT-VL2
double panel with double radiating fins at rear

Heights: from 28 to 140 cm
Length: from 50 to 600 cm

SUIT-H

PRICE FROM 1.07.2022 **+15%**

SUIT-H is created with flattened tubes that merge imperceptibly with the manifolds assembled in such way as to create a completely flat radiating surface cadenced by the union of its various elements. Is available in single or double form and with fins at the rear.

MODEL SUIT-H..
with flattened vertical tubes

H = 60 to 360 cm
(every 20 cm)

L = 14 to 140 cm
(1 to 20 elements)





TAPPING CENTRES
EG vertical fittings as standard
Side fittings on request without extra



Standard **lateral bands** for plates with fins.



FIXINGS
Brackets included

EOS bracket

□ from L 91cm and H 220 cm

SUIT-H + fins — plate at rear — height tubes cm — width cm

HLH 180 - 49

HOW TO ORDER
State: model (L indicates fins) with height and length in cm; fitting and color if different from standard
eg.: HL 180 - 49, AC ø 1/2", RAL 3005

HEIGHTS ON REQUEST
H, HL, H-2, HLH: 120, 140, 150 cm
H, H-2: 300, 320, 340, 360 cm
Heights every 10 cm: thermal output and price by interpolation; see price of increased size.
Heights every 1 cm: thermal output by interpolation; price: increased size + 20%
Lengths up to 1,4m: contact Brem technical office

STANDARD PRODUCTION
White "sablé" paintwork - EOS brackets
Air vent ø 1/2" - Tolerance ± 3 mm
Maximum operating pressure 6 bar.

PRODUCTION ON REQUEST
Paintwork to Brem color list up to 3 m +15/25%
(ask for feasibility in case of higher values)

STANDARD FITTINGS EG ø 1/2"
▲▽ L-4 cm
AC or BD fittings on request
Special fittings, page 286

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.	L cm	14	21	28	35	42	49	56	63	70	77	84	91	98
H cm	(n° el)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
	▲▽	10	17	24	31	38	45	52	59	66	73	80	87	94
H60	€	151,10	182,80	215,50	248,30	279,30	312,80	345,60	377,70	410,00	442,10	474,40	506,60	539,20
		85w	127w	170w	212w	255w	297w	339w	382w	424w	467w	509w	551w	594w
HL60	€	257,60	293,30	328,00	362,80	396,30	431,80	467,60	502,00	536,70	571,50	606,50	641,20	676,00
		138w	207w	276w	345w	415w	484w	553w	622w	691w	760w	829w	898w	967w
H60-2	€	427,50	491,80	556,50	621,20	686,00	750,60	813,10	879,40	944,00	1008,20	1072,80	1137,60	1202,00
		141w	211w	282w	352w	423w	493w	564w	634w	705w	775w	846w	916w	987w
HLH60	€	558,50	618,20	678,40	738,50	799,10	859,90	919,00	980,10	1040,30	1100,50	1160,70	1221,00	1266,40
		197w	296w	394w	493w	591w	690w	788w	887w	986w	1084w	1183w	1281w	1380w
H80	€	176,40	213,60	249,30	288,80	325,80	360,50	398,30	435,80	471,20	508,80	546,10	582,70	619,80
		111w	166w	221w	277w	332w	388w	443w	498w	554w	609w	665w	720w	775w
HL80	€	259,50	296,90	334,50	378,70	421,50	466,60	507,70	550,80	594,00	638,20	680,10	723,10	766,10
		177w	265w	354w	442w	531w	619w	708w	796w	885w	973w	1062w	1150w	1239w
H80-2	€	456,40	528,40	602,40	676,50	750,60	822,90	896,80	970,70	1044,80	1116,50	1191,20	1264,60	1338,40
		179w	269w	359w	448w	538w	628w	717w	807w	897w	986w	1076w	1166w	1255w
HLH80	€	560,70	621,50	686,00	761,60	837,50	913,60	989,50	1065,30	1141,30	1217,00	1292,80	1368,50	1444,50
		246w	368w	491w	614w	737w	859w	982w	1105w	1228w	1350w	1473w	1596w	1719w
H100	€	190,10	231,30	271,80	312,80	354,50	396,30	435,80	476,80	519,00	558,50	601,60	641,60	684,20
		137w	205w	273w	341w	410w	478w	546w	614w	683w	751w	819w	887w	956w
HL100	€	277,20	325,80	372,10	420,00	467,60	515,40	563,10	609,70	657,80	705,30	754,30	803,00	849,60
		214w	320w	427w	534w	641w	747w	854w	961w	1068w	1174w	1281w	1388w	1495w
H100-2	€	486,20	567,80	649,30	730,60	813,10	894,90	976,40	1058,00	1141,30	1222,70	1303,90	1386,60	1468,10
		217w	325w	434w	542w	651w	759w	867w	976w	1084w	1193w	1301w	1410w	1518w
HLH100	€	567,80	651,10	734,60	818,00	900,30	983,70	1067,10	1150,70	1233,90	1316,20	1333,00	1483,30	1566,50
		299w	448w	598w	747w	896w	1046w	1195w	1344w	1494w	1643w	1793w	1942w	2091w
H160	€	237,90	291,30	345,60	396,30	450,00	504,10	556,50	608,30	662,40	714,80	768,20	822,90	873,30
		210w	315w	420w	525w	630w	735w	840w	945w	1050w	1155w	1260w	1365w	1470w
HL160	€	370,00	441,40	513,40	583,70	654,10	725,20	797,20	867,70	939,80	1009,90	1081,10	1151,20	1222,00
		314w	471w	629w	786w	943w	1100w	1257w	1414w	1572w	1729w	1886w	2043w	2200w
H160-2	€	576,90	678,40	782,40	886,50	989,50	1091,70	1194,60	1298,50	1401,60	1503,70	1607,00	1711,00	1813,80
		326w	488w	651w	814w	977w	1139w	1302w	1465w	1628w	1790w	1953w	2116w	2279w
HLH160	€	693,40	814,20	935,80	1056,20	1177,60	1298,50	1420,60	1540,30	1662,90	1784,80	1904,70	2027,50	2147,40
		431w	646w	862w	1077w	1293w	1508w	1724w	1939w	2155w	2370w	2586w	2801w	3017w
H180	€	269,20	330,70	392,20	452,30	511,60	574,10	635,00	694,60	756,70	817,00	878,80	939,80	999,40
		234w	350w	467w	584w	701w	817w	934w	1051w	1168w	1284w	1401w	1518w	1635w
HL180	€	418,20	498,70	575,90	654,40	734,00	813,10	892,40	970,80	1050,30	1129,60	1207,40	1286,80	1365,10
		344w	516w	689w	861w	1033w	1205w	1377w	1549w	1721w	1893w	2065w	2237w	2410w
H180-2	€	627,20	743,90	859,50	975,90	1091,30	1207,90	1323,60	1440,50	1556,10	1672,50	1787,20	1904,80	2019,60
		360w	540w	720w	900w	1079w	1259w	1439w	1619w	1799w	1979w	2159w	2339w	2518w
HLH180	€	783,70	920,50	1059,50	1196,30	1333,60	1443,30	1607,20	1743,80	1882,70	2020,40	2156,90	2293,90	2430,40
		474w	711w	949w	1186w	1423w	1660w	1897w	2134w	2372w	2609w	2846w	3083w	3320w
H200	€	282,60	346,90	410,30	473,50	538,70	599,20	663,30	726,80	790,00	855,50	918,50	983,10	1046,20
		257w	385w	513w	642w	770w	898w	1026w	1155w	1283w	1411w	1540w	1668w	1796w
HL200	€	440,30	524,80	610,30	692,40	778,10	862,30	948,10	1032,00	1116,50	1201,10	1286,80	1372,20	1456,60
		371w	557w	742w	928w	1113w	1299w	1484w	1670w	1855w	2041w	2226w	2412w	2597w
H200-2	€	678,40	807,20	934,60	1063,30	1191,90	1319,90	1448,40	1577,10	1704,80	1833,30	1962,00	2089,70	2218,30
		393w	590w	787w	984w	1180w	1377w	1574w	1770w	1967w	2164w	2361w	2557w	2754w
HLH200	€	815,20	962,20	1108,80	1256,60	1403,50	1549,90	1697,00	1845,30	1992,00	2139,20	2285,70	2432,30	2579,50
		515w	772w	1030w	1287w	1544w	1802w	2059w	2317w	2574w	2832w	3089w	3346w	3604w
H220	€	295,50	365,80	434,30	501,40	569,70	639,10	708,60	776,90	843,50	914,00	983,10	1050,30	1117,90
		279w	418w	557w	697w	836w	976w	1115w	1254w	1394w	1533w	1673w	1812w	1951w
HL220	€	461,40	550,80	639,10	730,10	819,20	907,80	999,40	1088,50	1178,50	1266,50	1356,10	1446,50	1534,70
		401w	602w	802w	1003w	1204w	1404w	1605w	1806w	2006w	2207w	2407w	2608w	2809w
H220-2	€	712,80	849,40	988,00	1126,90	1263,60	1403,50	1542,10	1678,40	1817,30	1955,90	2093,70	2232,50	2371,20
		426w	639w	851w	1064w	1277w	1490w	1703w	1916w	2129w	2342w	2555w	2768w	2980w
HLH220	€	884,60	1045,40	1206,40	1367,00	1529,90	1690,60	1851,50	2012,40	2173,10	2332,70	2493,80	2654,70	2815,20
		555w	832w	1110w	1387w	1665w	1942w	2220w	2497w	2775w	3052w	3330w	3607w	3885w

Δt different from 50 K: consult Technical data Brem

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

COLORED QUADRA VALVES page 279



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SUIT-V

PRICE FROM 1.07.2022 **+15%**

We find the characteristics of the flat tubes assembled also in SUIT-V, where the manifold and flat tubes are perfectly matched together. Here, however, the heating element is positioned horizontally. In single or double version, with fins at the rear.

MODEL SUIT-V.. with flattened horizontal tubes

H = 28 to 168 cm (every 7 cm)

L = 50 to 600 cm (every 10 cm)







TAPPING CENTRES

EG vertical fittings as standard
Side fittings on request without extra



HOW TO ORDER

State: model (L indicates fins) with height, height of fins and length in cm; fitting and color if different from standard
eg.: VL 42/28-180, AC ø 1/2", BR 0002

STANDARD PRODUCTION

White "sablé" paintwork - EOS brackets
Air vent ø 1/2" - Tolerance ± 3 mm
Maximum operating pressure 6 bar.

PRODUCTION ON REQUEST

Paintwork to Brem color list up to 3 m +15/25%
(ask for feasibility in case of higher values)

STANDARD FITTINGS

EG ø 1/2" ▲▽ L-3,2 cm
AC or BD Fittings on request
Special fittings page 286



EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.	L cm ▲▽ / H cm	50 / 46,8	60 / 56,8	70 / 66,8	80 / 76,8	90 / 86,8	100 / 96,8	110 / 106,8	120 / 116,8	140 / 136,8	160 / 156,8	180 / 176,8	200 / 196,8	220 / 216,8	240 / 236,8
V28	€	231,30	243,70	255,90	268,00	279,30	293,30	306,50	316,60	340,90	365,60	387,90	414,20	437,60	463,00
		144w	173w	202w	230w	259w	288w	317w	346w	403w	461w	518w	576w	634w	691w
VL28/28	€	336,40	356,90	379,70	399,10	420,00	440,30	460,90	480,50	523,80	563,90	604,50	647,40	687,80	729,00
		314w	377w	440w	502w	565w	628w	691w	754w	879w	1005w	1130w	1256w	1382w	1507w
V28-2	€	578,10	603,50	627,80	652,30	675,60	700,00	724,20	746,80	797,20	844,10	891,20	941,80	988,10	1037,10
		256w	307w	358w	409w	460w	511w	562w	613w	715w	818w	920w	1022w	1124w	1226w
V35	€	257,00	271,80	286,00	299,20	312,80	328,90	342,80	356,90	384,90	412,30	441,40	469,30	497,30	526,60
		178w	213w	249w	284w	320w	355w	391w	426w	497w	568w	639w	710w	781w	852w
VL35/35	€	362,80	384,90	407,60	430,30	453,60	474,80	497,30	522,00	566,90	609,70	655,90	701,50	746,80	791,70
		367w	440w	513w	586w	660w	733w	806w	880w	1026w	1173w	1319w	1466w	1613w	1759w
V35-2	€	629,70	660,60	687,80	714,80	743,80	772,20	801,10	828,40	885,40	941,80	998,60	1054,90	1112,20	1166,70
		308w	370w	431w	493w	554w	616w	678w	739w	862w	986w	1109w	1232w	1355w	1478w
VLV35/35	€	734,60	771,00	808,60	845,30	882,30	917,20	954,70	991,10	1065,30	1139,30	1213,30	1287,40	1359,50	1433,40
		501w	601w	701w	802w	902w	1002w	1102w	1202w	1403w	1603w	1804w	2004w	2204w	2405w
VL35/35-2	€	839,40	886,50	930,30	976,40	1021,10	1065,30	1111,20	1156,20	1246,20	1336,90	1428,00	1516,90	1607,00	1697,80
		681w	817w	953w	1090w	1226w	1362w	1498w	1634w	1907w	2179w	2452w	2724w	2996w	3269w
V42	€	286,00	300,70	316,60	332,60	348,50	365,60	378,70	394,50	427,50	457,10	489,20	522,00	550,80	583,70
		217w	260w	304w	347w	391w	434w	477w	521w	608w	694w	781w	868w	955w	1042w
VL42/28	€	389,80	414,20	439,40	464,90	487,20	510,70	535,10	558,50	608,30	655,90	704,70	752,40	801,10	848,10
		380w	456w	532w	608w	684w	760w	836w	912w	1064w	1216w	1368w	1520w	1672w	1824w
VL42/42	€	394,50	420,00	446,90	471,20	497,30	525,70	550,80	576,20	627,80	680,40	730,60	783,30	833,80	885,40
		417w	500w	584w	667w	751w	834w	917w	1001w	1168w	1334w	1501w	1668w	1835w	2002w
V42-2	€	687,80	719,50	750,60	781,00	812,30	844,10	876,10	907,00	968,80	1031,50	1094,60	1158,10	1219,80	1281,50
		362w	434w	506w	578w	651w	723w	795w	868w	1012w	1157w	1302w	1446w	1591w	1735w
VLV42/28	€	791,70	831,90	873,30	911,60	952,80	991,10	1031,50	1072,60	1152,40	1232,00	1311,70	1390,30	1472,10	1551,80
		534w	641w	748w	854w	961w	1068w	1175w	1282w	1495w	1709w	1922w	2136w	2350w	2563w
VLV42/42	€	795,50	837,50	881,00	921,00	961,20	1004,40	1046,40	1088,00	1171,30	1253,80	1336,90	1420,60	1503,70	1587,00
		570w	683w	797w	911w	1025w	1139w	1253w	1367w	1595w	1822w	2050w	2278w	2506w	2734w
VL42/28-2	€	898,70	947,10	995,00	1042,80	1091,70	1139,30	1190,00	1237,50	1333,00	1431,80	1528,10	1623,60	1722,10	1817,40
		693w	832w	970w	1109w	1247w	1386w	1525w	1663w	1940w	2218w	2495w	2772w	3049w	3326w
VL42/42-2	€	906,00	958,30	1009,90	1061,50	1113,10	1165,50	1217,00	1268,70	1372,40	1475,60	1579,50	1682,90	1786,70	1889,80
		768w	921w	1075w	1228w	1382W	1535w	1689w	1842w	2149w	2456w	2763w	3070w	3377w	3684w
V49	€	309,00	328,00	345,60	362,80	380,60	398,30	416,00	433,80	469,30	506,00	541,50	578,10	614,00	649,30
		246w	295w	344w	394w	443w	492w	541w	590w	689w	787w	886w	984w	1083w	1181w
VL49/28	€	414,20	439,40	466,60	492,90	519,00	546,40	572,70	597,60	652,30	705,30	758,00	810,40	864,10	916,40
		412w	494w	576w	658w	741w	823w	905w	988w	1152w	1317w	1481w	1646w	1811w	1975w
VL49/49	€	418,10	446,90	473,00	504,10	531,10	558,50	586,50	614,00	671,70	727,10	784,10	840,40	896,80	952,80
		466w	559w	652w	745w	838w	931w	1024w	1117w	1303w	1490w	1676w	1862w	2048w	2234w
V49-2	€	732,70	768,20	805,70	842,40	878,60	913,60	949,10	984,60	1058,70	1128,80	1200,20	1274,30	1344,70	1417,60
		415w	498w	581w	664w	747w	830w	913w	996w	1162w	1328w	1494w	1660w	1826w	1992w
VLV49/28	€	837,50	882,30	926,60	970,70	1015,70	1059,70	1103,00	1146,70	1236,00	1323,80	1412,80	1502,00	1589,10	1677,20
		585w	702w	819w	936w	1053w	1170w	1287w	1404w	1638w	1872w	2106w	2340w	2574w	2808w
VLV49/49	€	841,50	888,30	934,10	978,20	1025,10	1070,90	1116,50	1163,80	1253,80	1346,40	1437,40	1529,10	1621,90	1712,70
		636w	763w	890w	1017w	1144w	1271w	1398w	1525w	1779w	2034w	2288w	2542w	2796w	3050w
VL49/28-2	€	943,40	995,00	1048,30	1103,00	1154,40	1205,90	1259,10	1313,40	1416,60	1524,20	1627,60	1735,10	1838,50	1945,80
		746w	895w	1044w	1194w	1343w	1492w	1641w	1790w	2089w	2387w	2686w	2984w	3283w	3581w
VL49/49-2	€	951,00	1006,30	1063,40	1118,90	1174,00	1232,00	1287,40	1342,70	1455,90	1566,50	1679,00	1790,70	1902,80	2016,20
		849w	1019w	1189w	1358w	1528w	1698w	1868w	2038w	2377w	2717w	3056w	3396w	3736w	4075w

Δt different from 50 K: consult Technical data Brem

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

COLORED QUADRA VALVES page 279



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

REMOTE FITTINGS Art. REM 36,60€

Remote fittings at the rear: ▲▽ L - 5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SUIT-V

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD	L cm	50	60	70	80	90	100	110	120	140	160	180	200	220	240
	▲▽cm	46,8	56,8	66,8	76,8	86,8	96,8	106,8	116,8	136,8	156,8	176,8	196,8	216,8	236,8
V56	€	339,40	358,80	378,70	398,30	418,10	437,60	455,30	474,80	515,40	554,60	594,00	633,10	673,60	713,00
		276w	331w	386w	441w	496w	551w	606w	661w	771w	882w	992w	1102w	1212w	1322w
VL56/28	€	445,10	471,20	499,70	526,60	554,60	585,40	611,90	641,00	695,30	752,40	808,60	866,00	922,10	977,40
		444w	533w	622w	710w	799w	888w	977w	1066w	1243w	1421w	1598w	1776w	1954w	2131w
VL56/56	€	459,30	492,90	525,70	558,50	590,50	624,80	655,90	687,80	752,40	818,90	883,70	949,10	1014,70	1080,50
		511w	613w	715w	818w	920w	1022w	1124w	1226w	1431w	1635w	1840w	2044w	2249w	2453w
V56-2	€	792,50	831,90	871,10	911,00	951,00	990,40	1027,80	1067,10	1146,70	1226,50	1305,20	1385,00	1461,60	1541,10
		469w	563w	657w	750w	844w	938w	1032w	1126w	1313w	1501w	1688w	1876w	2064w	2251w
VLV56/28	€	896,80	945,40	993,10	1040,80	1089,40	1137,60	1183,40	1232,00	1327,50	1424,10	1520,60	1616,30	1711,00	1807,30
		637w	764w	891w	1018w	1146w	1273w	1400w	1528w	1782w	2037w	2291w	2546w	2800w	3055w
VLV56/56	€	911,60	964,90	1017,20	1069,00	1120,80	1174,00	1226,50	1277,90	1383,50	1487,00	1592,10	1695,70	1802,00	1904,70
		697w	836w	975w	1115w	1254w	1394w	1533w	1672w	1951w	2230w	2509w	2788w	3067w	3345w
VL56/28-2	€	1002,50	1058,00	1115,20	1172,90	1228,50	1283,70	1340,80	1398,00	1509,30	1623,60	1735,10	1849,30	1959,90	2075,60
		800w	959w	1119w	1279w	1439w	1599w	1759w	1919w	2239w	2558w	2878w	3198w	3518w	3838w
VL56/56-2	€	1031,50	1098,90	1163,80	1228,50	1292,80	1357,80	1424,10	1488,60	1618,10	1749,10	1879,60	2008,60	2140,00	2162,30
		924w	1109w	1294w	1478w	1663w	1848w	2033w	2218w	2587w	2957w	3326w	3696w	4066w	4435w
V63	€	365,60	387,10	407,60	430,30	451,50	474,80	497,30	519,00	563,10	606,30	652,30	695,30	740,20	784,10
		305w	366w	427w	488w	549w	610w	671w	732w	854w	976w	1098w	1220w	1342w	1464w
VL63/35	€	469,30	499,70	531,10	561,50	591,90	622,90	652,30	684,20	744,90	805,70	867,70	928,60	988,10	1049,30
		501w	601w	701w	801w	901w	1001w	1101w	1201w	1401w	1602w	1802w	2002w	2202w	2402w
VL63/63	€	486,20	522,00	556,50	590,50	626,20	662,40	695,30	730,60	801,10	869,60	941,80	1009,90	1080,50	1151,20
		557w	668w	779w	890w	1002w	1113w	1224w	1336w	1558w	1781w	2003w	2226w	2449w	2671w
V63-2	€	844,10	889,10	933,20	977,40	1022,40	1065,30	1109,50	1155,10	1241,20	1332,40	1420,60	1510,30	1596,30	1686,40
		522w	626w	731w	835w	940w	1044w	1148w	1253w	1462w	1670w	1879w	2088w	2297w	2506w
VLV63/35	€	951,00	1004,40	1056,20	1109,50	1161,90	1214,30	1266,90	1320,10	1426,20	1531,00	1636,80	1741,80	1847,40	1952,40
		710w	851w	993w	1135w	1277w	1419w	1561w	1703w	1987w	2270w	2554w	2838w	3122w	3406w
VLV63/63	€	964,90	1022,40	1080,50	1137,60	1194,60	1251,60	1308,00	1365,20	1479,50	1594,80	1707,30	1821,20	1936,50	2049,20
		757w	908w	1059w	1210w	1362w	1513w	1664w	1816w	2118w	2421w	2723w	3026w	3329w	3631w
VL63/35-2	€	1054,10	1115,20	1175,80	1237,50	1298,50	1361,20	1422,40	1483,30	1605,70	1727,70	1849,30	1971,10	2096,10	2217,90
		894w	1073w	1252w	1430w	1609w	1788w	1967w	2146w	2503w	2861w	3218w	3576w	3934w	4291w
VL63/63-2	€	1088,00	1156,20	1226,50	1296,60	1367,10	1435,40	1506,00	1575,70	1716,50	1855,20	1995,50	2134,50	2274,80	2415,40
		995w	1193w	1392w	1591w	1790w	1989w	2188w	2387w	2785w	3182w	3580w	3978w	4376w	4774w
V70	€	404,90	430,30	453,60	479,70	504,10	528,40	554,60	578,10	627,80	680,40	729,00	779,50	828,40	878,60
		326w	391w	456w	521w	586w	651w	716w	781w	911w	1042w	1172w	1302w	1432w	1562w
VL70/35	€	508,80	543,60	574,40	608,30	642,80	675,60	709,40	743,80	808,60	876,10	942,70	1009,90	1076,70	1143,20
		532w	638w	744w	850w	957w	1063w	1169w	1276w	1488w	1701w	1913w	2126w	2339w	2551w
VL70/70	€	525,70	563,10	601,60	638,20	675,60	713,00	750,60	787,90	864,10	939,80	1014,70	1092,40	1166,70	1241,20
		598w	718w	837w	957w	1076w	1196w	1316w	1435w	1674w	1914w	2153w	2392w	2631w	2870w
V70-2	€	922,70	972,50	1024,00	1074,80	1123,50	1174,00	1222,00	1272,30	1373,80	1473,00	1571,20	1672,40	1771,60	1871,40
		574w	689w	804w	918w	1033w	1148w	1263w	1378w	1607w	1837w	2066w	2296w	2526w	2755w
VLV70/35	€	1030,00	1088,00	1146,70	1203,90	1263,00	1322,20	1379,80	1439,20	1555,30	1672,40	1788,80	1906,80	2023,80	2140,00
		759w	911w	1063w	1214w	1366w	1518w	1670w	1822w	2125w	2429w	2732w	3036w	3340w	3643w
VLV70/70	€	1044,80	1107,70	1170,60	1233,90	1296,60	1359,50	1420,60	1483,30	1608,80	1735,10	1860,80	1987,20	2111,80	2238,40
		812w	974w	1136w	1298w	1461w	1623w	1785w	1948w	2272w	2597w	2921w	3246w	3571w	3895w
VL70/35-2	€	1135,80	1202,00	1268,70	1335,30	1404,30	1468,10	1536,60	1603,20	1736,20	1872,10	2005,10	2138,20	2272,90	2406,00
		942w	1130w	1318w	1506w	1695w	1883w	2071w	2260w	2636w	3013w	3389w	3766w	4143w	4519w
VL70/70-2	€	1165,50	1241,20	1316,20	1392,40	1468,10	1542,40	1618,10	1694,10	1845,80	1997,60	2149,30	2300,90	2449,70	2602,00
		1056w	1267w	1478w	1690w	1901w	2112w	2323w	2534w	2957w	3379w	3802w	4224w	4646w	5069w
V77	€	437,60	466,60	490,90	519,00	545,20	572,70	597,60	624,80	677,50	730,60	784,10	838,70	891,20	944,30
		365w	437w	510w	583w	656w	729w	802w	875w	1021w	1166w	1312w	1458w	1604w	1750w
VL77/35	€	543,60	578,10	614,00	649,30	684,20	719,50	754,30	790,20	861,10	931,50	1001,60	1072,60	1141,30	1213,30
		562w	674w	787w	899w	1012w	1124w	1236w	1349w	1574w	1798w	2023w	2248w	2473w	2698w
VL77/70	€	558,50	597,60	638,20	677,50	716,80	758,00	797,20	836,60	916,40	995,00	1074,80	1153,50	1231,10	1309,80
		624w	749w	874w	998w	1123w	1248w	1373w	1498w	1747w	1997w	2246w	2496w	2746w	2995w
V77-2	€	992,00	1043,50	1098,40	1151,20	1203,90	1258,30	1311,70	1365,20	1473,00	1576,70	1684,80	1791,30	1897,30	2005,10
		626w	751w	876w	1002w	1127w	1252w	1377w	1502w	1753w	2003w	2254w	2504w	2755w	3005w
VLV77/35	€	1098,40	1160,00	1220,50	1283,70	1344,70	1407,30	1468,10	1530,00	1653,90	1777,20	1901,10	2024,60	2147,40	2270,90
		807w	968w	1130w	1291w	1453w	1614w	1775w	1937w	2260w	2582w	2905w	3228w	3551w	3874w
VLV77/70	€	1113,10	1179,50	1245,00	1311,70	1378,40	1444,60	1509,30	1575,70	1708,90	1839,90	1973,20	2104,30	2237,30	2369,40
		865w	1038w	1211w	1384w	1557w	1730w	1903w	2076w	2422w	2768w	3114w	3460w	3806w	4152w
VL77/35-2	€	1202,00	1272,30	1342,70	1412,80	1483,30	1553,30	1625,50	1694,10	1834,30	1975,00	2115,70	2256,20	2398,60	2537,00
		989w	1187w	1385w	1582w	1780w	1978w	2176w	2374w	2769w	3165w	3560w	3956w	4352w	4747w
VL77/70-2	€	1233,90	1313,40	1390,30	1470,00	1549,40	1627,60	1707,20	1786,70	1944,30	2102,20	2259,90	2419,20	2576,70	2733,90
		1104w	1325w	1546w	1766w	1987w	2208w	2429w	2650w	3091w	3533w	3974w	4416w	4858w	5299w

HOW TO ORDER

State: model (L indicates fins) with height, height of fins and length in cm; fitting and color if different from standard

eg.: VL 42/28-180, AC ø 1/2", BR 0002

Mod. VL — height tubes cm — height fins — length cm

VL 77/35 - 220

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.	L cm	50	60	70	80	90	100	110	120	140	160	180	200	220	240
	▲▽cm	46,8	56,8	66,8	76,8	86,8	96,8	106,8	116,8	136,8	156,8	176,8	196,8	216,8	236,8
V84	€	471,20	502,00	531,10	558,50	588,30	618,20	647,40	677,50	734,60	794,50	852,00	911,00	970,70	1027,80
		394w	472w	551w	630w	708w	787w	866w	944w	1102w	1259w	1417w	1574w	1732w	1889w
VL84/35	€	576,20	614,00	652,30	689,60	727,10	764,30	803,00	840,40	916,40	990,40	1065,30	1143,20	1218,90	1293,90
		590w	708w	826w	944w	1062w	1180w	1298w	1416w	1652w	1888w	2124w	2360w	2596w	2832w
VL84/70	€	591,90	633,10	677,50	719,50	761,60	803,80	846,30	887,40	972,50	1056,70	1141,30	1226,50	1309,80	1395,20
		652w	782w	912w	1042w	1173w	1303w	1433w	1564w	1824w	2085w	2345w	2606w	2867w	3127w
V84-2	€	1058,70	1117,60	1175,80	1234,90	1292,10	1352,20	1411,10	1468,10	1585,20	1704,10	1821,20	1936,50	2053,60	2170,80
		678w	813w	949w	1084w	1220w	1355w	1491w	1626w	1897w	2168w	2439w	2710w	2981w	3252w
VLV84/35	€	1165,50	1232,00	1300,30	1367,10	1433,40	1502,00	1568,70	1634,90	1770,00	1902,80	2038,00	2172,70	2305,90	2441,90
		853w	1024w	1194w	1365w	1535w	1706w	1877w	2047w	2388w	2730w	3071w	3412w	3753w	4094w
VLV84/70	€	1179,50	1251,60	1323,80	1394,20	1466,40	1538,30	1608,80	1680,80	1823,20	1965,50	2110,30	2252,30	2395,00	2539,20
		920w	1103w	1287w	1471w	1655w	1839w	2023w	2207w	2575w	2942w	3310w	3678w	4046w	4414w
VL84/35-2	€	1270,40	1346,40	1422,40	1498,10	1574,20	1650,00	1724,00	1799,70	1951,60	2102,20	2254,20	2404,30	2556,10	2707,80
		1034w	1240w	1447w	1654w	1860w	2067w	2274w	2480w	2894w	3307w	3721w	4134w	4547w	4961w
VL84/70-2	€	1302,40	1385,60	1470,00	1553,30	1639,70	1724,00	1807,30	1891,60	2060,10	2228,90	2396,70	2567,30	2735,90	2903,30
		1154w	1384w	1615w	1846w	2076w	2307w	2538w	2768w	3230w	3691w	4153w	4614w	5075w	5537w
V91	€	499,70	531,10	563,10	594,00	626,20	657,80	689,60	722,60	784,10	849,60	913,60	977,40	1040,80	1103,00
		424w	509w	594w	678w	763w	848w	933w	1018w	1187w	1357w	1526w	1696w	1866w	2035w
V91-2	€	1112,20	1175,80	1238,50	1303,20	1368,00	1430,60	1494,60	1557,20	1686,40	1813,70	1942,20	2068,50	2195,20	2324,40
		729w	875w	1021w	1166w	1312w	1458w	1604w	1750w	2041w	2333w	2624w	2916w	3208w	3499w
V98	€	525,70	561,50	594,00	627,80	664,40	697,00	730,60	766,40	833,80	903,10	972,50	1042,00	1109,50	1179,50
		453w	544w	634w	725w	815w	906w	997w	1087w	1268w	1450w	1631w	1812w	1993w	2174w
V98-2	€	1166,70	1236,70	1305,20	1375,50	1441,60	1512,30	1580,50	1651,00	1787,40	1926,20	2063,00	2201,90	2338,80	2477,30
		780w	936w	1092w	1248w	1404w	1560w	1716w	1872w	2184w	2496w	2808w	3120w	3432w	3744w
V105	€	561,50	595,70	631,70	667,20	704,70	742,30	777,50	812,30	883,70	955,60	1027,80	1099,60	1171,30	1244,30
		484w	580w	677w	774w	870w	967w	1064w	1160w	1354w	1547w	1741w	1934w	2128w	2321w
V105-2	€	1236,70	1307,00	1378,40	1453,20	1523,50	1595,70	1666,40	1738,80	1882,40	2027,50	2169,90	2314,40	2456,70	2602,00
		829w	995w	1161w	1326w	1492w	1658w	1824w	1990w	2321w	2653w	2984w	3316w	3648w	3979w
V112	€	591,90	629,70	670,10	707,50	746,80	786,20	823,50	864,10	941,80	1019,40	1096,00	1175,80	1252,80	1330,40
		514w	617w	720w	822w	925w	1028w	1131w	1234w	1439w	1645w	1850w	2056w	2262w	2467w
V112-2	€	1299,40	1377,40	1455,10	1534,00	1611,50	1688,30	1766,20	1842,80	1999,50	2153,00	2309,80	2464,80	2619,70	2776,10
		879w	1055w	1231w	1406w	1582w	1758w	1934w	2110w	2461w	2813w	3164w	3516w	3868w	4219w
V119	€	626,20	667,20	709,40	748,70	790,20	831,90	871,10	913,60	995,00	1076,70	1160,00	1239,80	1320,80	1404,30
		545w	654w	763w	872w	981w	1090w	1199w	1308w	1526w	1744w	1962w	2180w	2398w	2616w
V119-2	€	1370,00	1450,50	1534,00	1615,00	1695,70	1778,20	1860,80	1942,20	2106,40	2269,30	2433,20	2597,30	2760,20	2924,10
		928w	1114w	1299w	1485w	1670w	1856w	2042w	2227w	2598w	2970w	3341w	3712w	4083w	4454w
V126	€	655,90	700,00	743,80	786,20	830,00	873,30	918,10	961,20	1047,50	1135,80	1222,00	1309,80	1396,80	1483,30
		575w	690w	805w	920w	1035w	1150w	1265w	1380w	1610w	1840w	2070w	2300w	2530w	2760w
V126-2	€	1428,80	1516,10	1602,30	1690,30	1776,50	1864,70	1951,60	2038,70	2212,00	2387,30	2561,30	2735,90	2910,00	3084,30
		977w	1172w	1368w	1563w	1759w	1954w	2149w	2345w	2736w	3126w	3517w	3908w	4299w	4690w
V133	€	689,60	734,60	783,30	828,40	876,10	922,10	967,10	1014,70	1107,70	1199,30	1292,10	1385,00	1477,40	1571,20
		606w	727w	848w	970w	1091w	1212w	1333w	1454w	1697w	1939w	2182w	2424w	2666w	2909w
V133-2	€	1496,30	1587,00	1679,70	1773,70	1866,50	1959,90	2050,80	2143,80	2329,00	2514,70	2700,00	2886,50	3071,50	3257,70
		1026w	1231w	1436w	1641w	1846w	2051w	2256w	2461w	2871w	3282w	3692w	4102w	4512w	4922w
V140	€	716,80	766,40	814,20	864,10	911,00	961,20	1009,90	1058,70	1155,10	1252,80	1350,20	1448,30	1546,00	1643,40
		638w	765w	893w	1020w	1148w	1275w	1403w	1530w	1785w	2040w	2295w	2550w	2805w	3060w
V140-2	€	1551,80	1649,10	1745,60	1842,80	1940,50	2038,70	2136,20	2231,70	2427,60	2621,80	2817,10	3011,10	3205,10	3402,20
		1073w	1288w	1502w	1717w	1931w	2146w	2361w	2575w	3004w	3434w	3863w	4292w	4721w	5150w

Δt different from 50 K: consult Technical data Brem

FIXINGS
Brackets included

EOS bracket

▫ from L 220 cm



V horizontal panel

VL panel with fins

V-2 double panel

VLV double panel with fins

VL-2 double panel with double fins



V



VL



V-2



VLV



VL-2

C-Prolux®

PRICE FROM 1.07.2022 **+15%**

Low, very low, attractive, with a flat front with a minimal presence, practical for the most various usages.
The high convective heating power of this model is obtained through the application of fins that increase heat output considerably.



MODEL C..-.. ..

H = 7 - 14 - 21 - 28 cm
L = 50 to 600 cm

MODEL C...
front and rear in radiating tubes



C..- 2



C..- 3



C..- 4

C..- 5

MODEL C... /L
with fins at rear



C..- 2/L



C..- 3/L



C..- 4/L



C..- 5/L

HOW TO ORDER

State: model (L indicates fins at the rear), height in cm, n. of radiating tubes and length in cm; fittings and color if different from standard.
eg.: C14-3L 360 AC ø 1/2" RAL 7015

Mod. C — height tubes cm — n° tubes — length cm

C 14 - 3 360

STANDARD PRODUCTION

White glossy paintwork RAL 9016
Brackets and feet not included page 287
Maximum operating pressure 6 bar

PRODUCTION ON REQUEST

Paintwork to Brem color list up to 3 m or 100kg (ask for feasibility in case of higher values) +15/25%
Special versions page 284

STANDARD FITTINGS

EG ø 1/2"
AC or BD fittings on request
Special fittings, page 286

TAPPING CENTRES

EG vertical fittings as standard
Side fittings on request without extra

Models with tubes at the rear



Models with fins at the rear



Mod. C7 (h 7 cm)



Offset fittings on the same side only for:
C7-3, C7-3/L, C7-4, C7-4/L, C7-5, C7-5/L

Coupling protrusions: 3 mm for ø 1/2"
17mm for ø 3/4"

C-PROLUX FIXINGS

In C-Prolux radiators, the brackets and feet in soundproofed plastic are not included in the packaging.
The number of brackets and feet varies according to the diagrams provided.

FIXINGS ON WALL

Brackets for convectors are provided on request:

galvanised Art.142 41,70€
white Art.142W 55,90€



FEET

Adjustable zinc-plated feet and sound-proofed supports:

galvanised Art.150 49,80€
withe Art.150W 70,60€
colored Art.150V 83,20€

H = 6,5/9 cm
H = 12/18 cm
H = 18/27 cm
H = 27/37 cm



Plastic foot covers (80x80x4mm) are available in white colour only. Art. 156 12,40€

Diagrams for the positions of the feet or brackets for the C-Prolux assembly



L from 50 to 200 cm

L from 210 to 400 cm

L from 410 to 600 cm

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

COLORED QUADRA VALVES page 279





SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

REMOTE FITTINGS not available

C-Prolux®

STANDARD WHITE RAL 9016 PAINTWORK

PRICE FROM 1.07.2022 **+15%**

MOD	L cm	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200
C7-2	€	297,20	308,80	320,20	331,70	343,20	354,70	366,00	377,60	388,90	400,30	411,70	423,20	434,80	446,20	457,60	468,90
		174w	209w	244w	279w	314w	349w	384w	419w	454w	489w	524w	558w	593w	628w	663w	698w
C7-2/L	€	358,50	374,50	390,30	406,10	421,70	437,60	453,50	469,30	485,20	501,00	516,80	532,60	548,50	564,40	580,20	596,10
		202w	243w	284w	324w	365w	405w	446w	486w	527w	567w	608w	648w	689w	729w	770w	810w
C7-3	€	405,00	423,40	441,80	460,40	478,90	497,40	516,00	534,60	553,10	571,40	590,00	608,50	627,00	645,50	664,00	682,50
		296w	356w	415w	474w	534w	593w	652w	712w	771w	830w	890w	949w	1008w	1067w	1127w	1186w
C7-3/L	€	464,60	485,70	507,00	528,20	549,40	570,80	591,80	612,90	634,30	655,40	676,60	697,80	719,00	740,20	761,30	782,80
		321w	385w	449w	514w	578w	642w	706w	770w	835w	899w	963w	1027w	1091w	1156w	1220w	1284w
C7-4	€	513,60	541,50	569,20	597,10	624,70	652,50	680,30	708,10	735,80	763,60	791,40	819,20	846,90	874,70	902,50	930,20
		406w	488w	569w	650w	732w	813w	894w	976w	1057w	1138w	1220w	1301w	1382w	1463w	1545w	1626w
C7-4/L	€	562,60	592,90	623,30	653,40	683,90	714,10	744,40	774,80	804,90	835,40	865,50	896,00	926,20	956,50	986,80	1017,0
		468w	562w	656w	750w	843w	937w	1031w	1124w	1218w	1312w	1406w	1499w	1593w	1687w	1780w	1874w
C7-5	€	622,30	657,10	692,30	727,30	762,40	797,10	832,30	867,30	902,40	937,20	972,40	1007,4	1042,5	1077,3	1112,5	1147,4
		512w	615w	718w	820w	922w	1025w	1128w	1230w	1332w	1435w	1538w	1640w	1743w	1845w	1948w	2050w
C7-5/L	€	752,30	796,10	840,00	883,90	927,80	971,60	1015,5	1059,2	1103,2	1147,0	1190,9	1234,7	1278,5	1322,4	1366,2	1410,1
		582w	698w	814w	930w	1047w	1163w	1279w	1396w	1512w	1628w	1745w	1861w	1977w	2093w	2210w	2326w
C14-2	€	406,80	426,90	447,10	467,50	487,50	507,70	528,00	548,10	568,40	588,40	608,70	629,00	649,00	669,30	689,60	709,70
		272w	326w	380w	434w	489w	543w	597w	652w	706w	760w	814w	869w	923w	977w	1032w	1086w
C14-2/L	€	500,50	533,50	566,60	599,50	632,50	665,50	698,40	731,50	764,30	797,40	830,50	863,30	896,40	929,30	962,50	995,30
		364w	436w	509w	582w	654w	727w	800w	872w	945w	1018w	1091w	1163w	1236w	1309w	1381w	1454w
C14-3	€	557,00	596,20	635,20	674,40	713,20	752,20	791,30	830,40	869,30	908,40	947,40	986,60	1025,5	1064,6	1103,5	1142,6
		439w	527w	615w	702w	790w	878w	966w	1054w	1141w	1229w	1317w	1405w	1493w	1580w	1668w	1756w
C14-3/L	€	619,80	662,10	704,60	747,20	789,30	831,80	874,20	916,70	959,10	1001,5	1043,8	1086,3	1128,7	1171,1	1213,5	1256,0
		538w	646w	754w	862w	969w	1077w	1185w	1292w	1400w	1508w	1616w	1723w	1831w	1939w	2046w	2154w
C14-4	€	716,50	771,20	825,70	880,10	934,80	989,30	1043,7	1098,4	1152,9	1207,4	1262,0	1316,6	1371,0	1425,6	1480,2	1534,7
		592w	711w	830w	948w	1067w	1185w	1304w	1422w	1541w	1659w	1778w	1896w	2015w	2133w	2252w	2370w
C14-4/L	€	764,30	820,60	876,70	933,00	989,30	1045,4	1101,5	1158,1	1214,2	1270,3	1326,6	1382,9	1439,0	1495,1	1551,4	1607,6
		701w	841w	981w	1122w	1262w	1402w	1542w	1682w	1823w	1963w	2103w	2243w	2383w	2524w	2664w	2804w
C14-5	€	896,30	969,70	1043,1	1116,3	1189,9	1263,2	1336,6	1410,0	1483,3	1556,7	1630,0	1703,4	1776,8	1850,1	1923,5	1997,0
		743w	892w	1040w	1189w	1337w	1486w	1635w	1783w	1932w	2080w	2229w	2378w	2526w	2675w	2823w	2972w
C14-5/L	€	1115,0	1210,9	1306,7	1402,6	1498,3	1594,1	1690,0	1785,7	1881,4	1977,2	2073,1	2168,9	2264,8	2360,5	2456,4	2552,1
		847w	1016w	1185w	1354w	1524w	1693w	1862w	2032w	2201w	2370w	2540w	2709w	2878w	3047w	3217w	3386w
C21-2	€	502,90	529,1	555,3	581,6	607,8	634,3	660,4	686,8	712,8	739,1	765,4	791,6	818,0	844,1	870,6	896,7
		346w	415w	484w	553w	622w	691w	760w	829w	898w	967w	1036w	1106w	1175w	1244w	1313w	1382w
C21-2/L	€	578,40	615,40	652,80	690,30	727,70	765,00	802,10	839,60	877,00	914,50	951,80	989,20	1026,4	1063,7	1101,1	1138,5
		488w	586w	684w	782w	879w	977w	1075w	1172w	1270w	1368w	1466w	1563w	1661w	1759w	1856w	1954w
C21-3	€	634,90	679,70	724,50	769,20	814,10	858,90	903,60	948,20	993,00	1037,8	1082,7	1127,3	1172,2	1216,9	1261,6	1306,6
		564w	676w	789w	902w	1014w	1127w	1240w	1352w	1465w	1578w	1690w	1803w	1916w	2029w	2141w	2254w
C21-3/L	€	708,10	758,20	808,40	858,60	908,80	958,80	1008,8	1059,1	1109,2	1159,4	1209,5	1259,8	1310,1	1360,1	1410,3	1460,5
		708w	849w	991w	1132w	1274w	1415w	1557w	1698w	1840w	1981w	2122w	2264w	2406w	2547w	2688w	2830w
C21-4	€	838,70	903,70	968,90	1034,0	1099,2	1164,2	1229,4	1294,6	1359,7	1424,9	1489,9	1555,1	1620,1	1685,4	1750,6	1815,7
		820w	984w	1148w	1312w	1476w	1640w	1804w	1968w	2132w	2296w	2460w	2624w	2788w	2952w	3116w	3280w
C21-4/L	€	905,90	975,90	1045,9	1115,9	1185,9	1255,7	1325,9	1395,9	1465,9	1535,9	1605,7	1676,0	1746,0	1815,9	1886,0	1955,7
		904w	1085w	1266w	1446w	1627w	1808w	1989w	2170w	2350w	2531w	2712w	2893w	3074w	3254w	3435w	3616w
C21-5	€	1045,6	1132,5	1219,5	1306,3	1393,1	1479,9	1566,8	1653,6	1740,5	1827,4	1914,3	2000,9	2087,9	2174,7	2261,7	2348,4
		1046w	1255w	1464w	1674w	1883w	2092w	2301w	2510w	2720w	2929w	3138w	3347w	3556w	3766w	3975w	4184w
C21-5/L	€	1389,9	1497,2	1604,6	1712,0	1819,3	1926,7	2034,1	2141,2	2248,7	2356,0	2463,4	2570,7	2678,1	2785,7	2892,7	3000,1
		1102w	1322w	1542w	1762w	1983w	2203w	2423w	2644w	2864w	3084w	3305w	3525w	3745w	3965w	4186w	4406w
C28-2	€	605,70	639,50	673,00	706,90	740,40	774,30	807,70	841,50	875,20	908,90	942,50	976,10	1010,0	1043,4	1077,2	1110,8
		404w	485w	566w	647w	728w	809w	890w	971w	1052w	1133w	1214w	1294w	1375w	1456w	1537w	1618w
C28-2/L	€	687,70	735,80	783,90	832,20	880,20	928,50	976,40	1024,6	1072,7	1120,9	1168,9	1217,1	1265,2	1313,4	1361,5	1409,7
		577w	692w	808w	923w	1039w	1154w	1269w	1385w	1500w	1616w	1731w	1846w	1962w	2077w	2193w	2308w
C28-3	€	750,0	807,7	865,6	923,6	981,5	1039,5	1097,4	1155,3	1213,2	1270,9	1328,8	1386,7	1444,6	1502,6	1560,5	1618,4
		682w	818w	954w	1090w	1227w	1363w	1499w	1636w	1772w	1908w	2044w	2181w	2317w	2453w	2590w	2726w
C28-3/L	€	829,50	894,20	958,70	1023,3	1088,0	1152,7	1217,2	1282,0	1346,5	1411,1	1475,8	1540,2	1605,0	1669,7	1734,3	1798,9
		840w	1008w	1176w	1344w	1512w	1680w	1848w	2016w	2184w	2352w	2520w	2688w	2856w	3024w	3192w	3360w
C28-4	€	1000,9	1084,9	1168,6	1252,4	1336,3	1420,2	1503,9	1587,7	1671,5	1755,5	1839,3	1922,9	2006,9	2090,7	2174,5	2258,4
		942w	1130w	1319w	1507w	1696w	1884w	2072w	2261w	2449w	2638w	2826w	3014w	3203w	3391w	3580w	3768w
C28-4/L	€	1077,4	1167,4	1257,2	1347,2	1437,0	1526,9	1616,8	1706,7	1796,6	1886,6	1976,4	2066,4	2156,1	2246,2	2336,0	2425,9
		1097w	1316w	1536w	1755w	1975w	2194w	2413w	2633w	2852w	3072w	3291w	3510w	3730w	3949w	4169w	4388w
C28-5	€	1257,5	1370,4	1483,2	1595,8	1708,7	1821,3	1934,2	2046,9	2159,7	2272,4	2385,3	2497,9	2610,8	2723,5	2836,3	2949,1
		1198w	1437w	1676w	1916w	2156w	2395w	2635w	2874w	3114w	3353w	3593w	3832w	4072w	4311w	4551w	4790w
C28-5/L	€	1527,0	1667,3	1807,5	1947,7	2087,9	2227,9	2368,1	2508,4	2648,6	2788,8	2928,9	3069,0	3209,4	3349,5	3489,7	3629,9
		1275w	1529w	1784w	1939w	2294w	2549w	2804w	3059w	3314w	3569w	3824w	4078w	4333w	4588w	4843w	5098w

Mod. C — height tubes cm — n° tubes — length cm

C 14 - 3 360

Assembly in series: maximum lengths 15 m (18 m with fittings on sides)

HOW TO ORDER

State: model (L indicates fins at the rear), height in cm, n. of radiating tubes and length in cm; fittings and color if different from standard.
eg.: C14-3L 360 AC ø 1/2" RAL 7015

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

220	240	260	280	300	*320	*340	*360	*380	*400	*420	*440	*460	*480	*500	*600
491,90 768w	514,90 838w	537,70 907w	560,80 977w	583,60 1047w	606,50 1117w	629,30 1187w	652,30 1256w	675,10 1326w	698,10 1396w	720,90 1466w	743,80 1536w	766,80 1605w	789,60 1675w	812,60 1745w	926,90 2094w
627,80 891w	659,30 972w	691,00 1053w	722,70 1134w	754,40 1215w	786,10 1296w	817,70 1377w	849,40 1458w	881,10 1539w	912,70 1620w	944,40 1701w	976,10 1782w	1007,8 1863w	1039,6 1944w	1071,2 2025w	1229,4 2430w
719,50 1305w	756,40 1423w	793,40 1542w	830,60 1660w	867,40 1779w	904,50 1898w	941,50 2016w	978,40 2135w	1015,5 2253w	1052,5 2372w	1089,4 2491w	1126,5 2609w	1163,6 2728w	1200,5 2846w	1237,5 2965w	1422,6 3558w
824,90 1412w	867,40 1541w	909,70 1669w	952,20 1798w	994,70 1926w	1037,0 2054w	1079,5 2183w	1121,8 2311w	1164,2 2440w	1206,6 2568w	1249,0 2696w	1291,4 2825w	1333,8 2953w	1376,3 3082w	1418,6 3210w	1630,6 3852w
985,60 1789w	1041,3 1951w	1096,8 2114w	1152,4 2276w	1207,9 2439w	1263,4 2602w	1319,0 2764w	1374,6 2927w	1430,1 3089w	1485,6 3252w	1541,0 3415w	1596,6 3577w	1652,1 3740w	1707,7 3902w	1763,3 4065w	2040,8 4878w
1077,6 2061w	1138,3 2249w	1198,8 2436w	1259,6 2624w	1320,0 2811w	1380,6 2998w	1441,2 3186w	1501,9 3373w	1562,5 3561w	1623,0 3748w	1683,5 3935w	1744,1 4123w	1804,7 4310w	1865,2 4498w	1926,0 4685w	2228,9 5622w
1217,4 2255w	1287,6 2460w	1357,6 2665w	1427,7 2870w	1497,6 3075w	1567,7 3280w	1637,8 3485w	1707,8 3690w	1778,0 3895w	1847,9 4100w	1918,0 4305w	1987,9 4510w	2058,1 4715w	2128,0 4920w	2198,1 5125w	2548,2 6150w
1497,6 2559w	1585,2 2791w	1673,1 3024w	1760,9 3256w	1848,6 3489w	1936,3 3722w	2023,8 3954w	2111,5 4187w	2199,2 4419w	2287,0 4652w	2374,8 4885w	2462,4 5117w	2550,1 5350w	2637,8 5582w	2725,5 5815w	3164,0 6978w
750,30 1195w	790,50 1303w	830,90 1412w	871,20 1520w	911,80 1629w	952,10 1738w	992,40 1846w	1032,9 1955w	1073,3 2063w	1113,6 2172w	1154,0 2281w	1194,6 2389w	1234,9 2498w	1275,2 2606w	1315,7 2715w	1517,7 3258w
1061,2 1599w	1127,3 1745w	1193,2 1890w	1259,2 2036w	1325,2 2181w	1391,3 2326w	1457,1 2472w	1523,2 2617w	1589,2 2763w	1655,1 2908w	1721,1 3053w	1787,2 3199w	1852,8 3344w	1919,0 3490w	1985,0 3635w	2314,9 4362w
1220,7 1932w	1298,9 2107w	1376,7 2283w	1454,9 2458w	1533,1 2634w	1611,0 2810w	1689,1 2985w	1767,1 3161w	1845,3 3336w	1923,3 3512w	2001,3 3688w	2079,4 3863w	2157,7 4039w	2235,6 4214w	2313,8 4390w	2704,0 5268w
1340,6 2369w	1425,5 2585w	1510,3 2800w	1595,1 3016w	1680,0 3231w	1764,7 3446w	1849,5 3662w	1934,4 3877w	2019,0 4093w	2103,8 4308w	2188,8 4523w	2273,6 4739w	2358,5 4954w	2443,3 5170w	2528,0 5385w	2952,1 6462w
1643,6 2607w	1752,9 2844w	1862,0 3081w	1971,0 3318w	2080,1 3555w	2189,3 3792w	2298,4 4029w	2407,4 4266w	2516,4 4503w	2625,7 4740w	2734,6 4977w	2843,8 5214w	2952,8 5451w	3061,9 5688w	3171,1 5925w	3716,4 7110w
1720,1 3084w	1832,4 3365w	1944,9 3645w	2057,4 3926w	2169,8 4206w	2282,3 4486w	2394,6 4767w	2507,1 5047w	2619,6 5328w	2731,9 5608w	2844,4 5888w	2956,8 6169w	3069,1 6449w	3181,8 6730w	3294,0 7010w	3856,3 8412w
2143,6 3269w	2290,5 3566w	2437,0 3864w	2584,0 4161w	2730,7 4458w	2877,5 4755w	3024,0 5052w	3170,9 5350w	3317,7 5647w	3464,4 5944w	3611,1 6241w	3758,0 6538w	3904,7 6836w	4051,3 7133w	4198,1 7430w	4931,9 8916w
2743,7 3725w	2935,4 4063w	3127,0 4402w	3318,6 4740w	3510,2 5079w	3701,8 5418w	3893,5 5756w	4085,0 6095w	4276,8 6433w	4468,2 6772w	4660,0 7111w	4851,6 7449w	5043,1 7788w	5234,9 8126w	5426,4 8465w	
949,20 1520w	1002,0 1658w	1054,5 1797w	1106,8 1935w	1159,3 2073w	1211,8 2211w	1264,4 2349w	1316,9 2488w	1369,4 2626w	1422,0 2764w	1474,5 2902w	1527,0 3040w	1579,5 3179w	1632,1 3317w	1684,7 3455w	1947,3 4146w
1213,3 2149w	1287,9 2345w	1362,7 2540w	1437,4 2736w	1512,1 2931w	1586,9 3126w	1661,4 3322w	1736,1 3517w	1811,0 3713w	1885,7 3908w	1960,3 4103w	2035,2 4299w	2110,0 4494w	2184,6 4690w	2259,3 4885w	2632,8 5862w
1396,0 2479w	1485,6 2705w	1574,9 2930w	1664,5 3156w	1754,0 3381w	1843,6 3606w	1933,1 3832w	2022,8 4057w	2112,1 4283w	2201,7 4508w	2291,2 4733w	2380,8 4959w	2470,4 5184w	2559,9 5410w	2649,6 5635w	3097,0 6762w
1560,8 3113w	1661,0 3396w	1761,4 3679w	1861,8 3962w	1962,2 4245w	2062,6 4528w	2162,8 4811w	2263,2 5094w	2363,4 5377w	2463,8 5660w	2564,1 5943w	2664,5 6226w	2764,6 6509w	2865,1 6792w	2965,4 7075w	3467,2 8490w
1946,0 3608w	2076,3 3936w	2206,5 4264w	2336,5 4592w	2467,0 4920w	2597,3 5248w	2727,6 5576w	2857,8 5904w	2988,2 6232w	3118,5 6560w	3248,7 6888w	3378,9 7216w	3509,4 7544w	3639,7 7872w	3769,9 8200w	
2095,9 3978w	2235,7 4339w	2375,9 4701w	2515,9 5062w	2655,7 5424w	2795,9 5786w	2935,7 6147w	3075,9 6509w	3215,7 6870w	3355,7 7232w	3495,7 7594w	3635,7 7955w	3775,9 8317w			
2522,1 4602w	2695,8 5021w	2869,6 5439w	3043,2 5858w	3216,9 6276w	3390,7 6694w	3564,3 7113w	3738,1 7531w	3911,7 7950w	4085,4 8368w	4259,2 8786w	4432,7 9205w				
3214,8 4847w	3429,6 5287w	3644,1 5728w	3859,0 6168w	4073,7 6609w	4288,4 7050w	4503,0 7490w									
1178,2 1780w	1245,6 1942w	1312,9 2103w	1380,3 2265w	1447,6 2427w	1514,9 2589w	1582,2 2751w	1649,8 2912w	1716,8 3074w	1784,2 3236w	1851,7 3398w	1919,0 3560w	1986,3 3721w	2053,6 3883w	2120,9 4045w	2457,8 4854w
1506,0 2539w	1602,3 2770w	1698,5 3000w	1794,6 3231w	1891,0 3462w	1987,2 3693w	2083,6 3924w	2179,7 4154w	2276,0 4385w	2372,4 4616w	2468,6 4847w	2564,9 5078w	2661,0 5308w	2757,2 5539w	2853,8 5770w	3335,0 6924w
1734,3 2999w	1849,9 3271w	1965,8 3544w	2081,6 3816w	2197,4 4089w	2313,0 4362w	2428,9 4634w	2544,8 4907w	2660,7 5179w	2776,4 5452w	2892,2 5725w	3008,0 5997w	3123,9 6270w	3239,7 6542w	3355,4 6815w	3934,4 8178w
1928,1 3696w	2057,4 4032w	2186,7 4368w	2315,7 4704w	2445,0 5040w	2574,4 5376w	2703,6 5712w	2832,8 6048w	2962,2 6384w	3091,4 6720w	3220,4 7056w	3349,8 7392w	3479,2 7728w	3608,3 8064w		
2425,9 4145w	2593,6 4522w	2761,1 4898w	2928,7 5275w	3096,5 5652w	3264,1 6029w	3431,6 6406w	3599,5 6782w	3767,0 7159w	3934,6 7536w	4102,3 7913w					
2605,8 4827w	2785,7 5266w	2965,2 5704w	3145,0 6143w	3324,8 6582w	3504,7 7021w	3684,4 7460w									
3174,5 5269w	3400,1 5748w	3625,7 6227w	3851,2 6706w	4076,6 7185w	4302,3 7664w										
3910,3 5608w															

*Lengths over 3 meters,
TRANSPORT ON DEMAND
or ex work.

Lengths every 20cm between 5 and 6 m: interpolate heat outputs and prices

Δt different from 50 K: consult Technical data Brem



CUBICO

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

Essential, light, and eclectic in design, CUBICO is the Brem towel warmer where the minimalism and elegance of the radiating plate are enhanced by the playful and versatile insertion of a cubic or parallelepiped shaped support.

DIMENSIONS
Length: 53,5 cm
Heights: 88 / 95 / 124 / 145 / 167 cm
Depth: 10,5 cm
Depth from wall: 14 cm



CUBICO 88-53 CUBICO 95-53 CUBICO 124-53 CUBICO 145-53 CUBICO-2 145-53 CUBICO-2 167-53

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version*(EHE cl.II): cable◊ €	digital thermostat W	digital thermostat €
CUBICO	88-53	743,10	408	210	37	88	53,5	11,9	4,2	110,80	400	152,20
CUBICO	95-53	808,20 ◗	490	252	37	95	53,5	13	4,6	112,70	500	154,10
CUBICO	124-53	879,40 ◗	653	336	37	123,5	53,5	17,3	6,1	114,60	650	156,00
CUBICO	145-53	953,60 ◗	775	398	37	145	53,5	20,6	7,3	118,80	800	160,20
CUBICO-2	145-53	981,60 ◗	775	398	37	145	53,5	21,5	7,3	118,80	800	160,20
CUBICO	167-53	1043,70	897	461	37	166,5	53,5	24,7	8,4	121,90	900	163,30

◗ Ready in stock Δt 40K = W Δt 50K x 0,755 ◊Radio frequency chronothermostat p.227

TOWEL BAR MANT: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 35,80€

MIXED VERSION*
with valves in sight
height = H-7cm
t.c. = ▲▽5 cm



STANDARD PRODUCTION
White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø 1/2"
MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST
Paintwork to Brem list with colored brackets (white back side and manifolds) +15/25%
Back and manifolds same color as radiator 132€

STANDARD FITTING
EG ø 1/2"
Electrical version, e.Cubico p. 254
BREM valves, page 273

TAPPING CENTRES





FIXINGS
Brackets included

EOS bracket

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT nickel-plated
chrome-plated handwheel Art. KVLN 91,80€

SIDE CONTROL TON VALVES KIT chrome-plated
page 277 Art. KVL 130,90€

SIDE CONTROL QUADRA VALVES page 279
chrome-plated Art. KQL 166,30€
extra for BREM color list 46,40€



SIDE CONTROL TON VALVES KIT nickel-plated
with THERMOSTATIC head Art. KTLND 135,00€

SIDE CONTROL TON VALVES KIT chrome-plated
with THERMOSTATIC head Art. KTLD 177,10€

REMOTE FITTINGS Art. REM 36,60€
tapping centres (Panel H - 7cm): ▲▽ L-8,5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

FLAG

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

Built with a sober and smooth new radiating plate, FLAG also features a special towel warmer with rails in the shape of the flags that distinguish its design.

The towel rail can be personalized with exclusive finishes in the Brem color range.

DIMENSIONS
Length: 53,5 cm
Heights: 88 / 95 / 124 / 145 / 167 cm
Depth: 10,5 cm
Depth from wall: 14 cm



FLAG 88-53 FLAG 95-53 FLAG 124-53 FLAG 145-53 FLAG 167-53

MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version*(EHE cl.II): cable◊ €	digital thermostat W	digital thermostat €
FLAG	88-53	709,50		408	210	37	88	53,5	11,9	4,2	110,80	400	152,20
FLAG	95-53	774,60	◗	490	252	37	95	53,5	13	4,6	112,70	500	154,10
FLAG	124-53	896,20	◗	653	336	37	123,5	53,5	17,3	6,1	114,60	650	156,00
FLAG	145-53	970,40	◗	775	398	37	145	53,5	20,6	7,3	118,80	800	160,20
FLAG	167-53	1032,50	◗	897	461	37	166,5	53,5	23,8	8,4	121,90	900	163,30

◗ Ready in stock Δt 40K = W Δt 50K x 0,755 Radio frequency chronothermostat p.227

TOWEL BAR FLAG: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 31,40€

MIXED VERSION*
with valves in sight
height = H-7cm
t.c. = ▲▽5 cm



STANDARD PRODUCTION
White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø 1/2"
MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST
Paintwork to Brem list with colored brackets (white back side and manifolds) +15/25%
Back and manifolds same color as radiator 132€

STANDARD FITTING
EG ø 1/2"
BREM valves, page 273
Electric version e.Flag, page 255

TAPPING CENTRES





FIXINGS
Brackets included

EOS bracket

RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT nickel-plated
chrome-plated handwheel Art. KVLN 91,80€

SIDE CONTROL TON VALVES KIT chrome-plated
page 277 Art. KVL 130,90€

SIDE CONTROL QUADRA VALVES page 279
chrome-plated Art. KQL 166,30€
extra for BREM color list 46,40€



SIDE CONTROL TON VALVES KIT nickel-plated
with THERMOSTATIC head Art. KTLND 135,00€

SIDE CONTROL TON VALVES KIT chrome-plated
with THERMOSTATIC head Art. KTLD177,10€

REMOTE FITTINGS Art. REM 36,60€
tapping centres (Panel H - 7cm): ▲▽ L·8,5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CLARK

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

Clark is an ultra-thin steel plate, just 2.3 cm thick, that has been cross cut asymmetrically and set in a rectangular framework of steel tubes of similar thickness. The two elements (standard colour: white) can be painted in any of the shades in the Brem colour list.

DIMENSIONS
L: Widths of the panel: 36 / 45 / 54 cm
L[1]: Widths of the towel bar: 64/84/104/124 cm
Heights: 80 / 130 / 180 cm
Depth: 9 cm
Depth: from wall 12 cm



CLARK 80-... / CLARK 130-.../ CLARK 180-36/... CLARK 180-45/... CLARK 180-54/...

MODEL'21	H-L/L[1] cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION* (cl.II E.H.E.) with: cable◊ €	digital thermostat W	digital thermostat €
CLARK	80-36/64	912,90	479	252	32	80	36/64	12,2	5,2	91,80	500	154,10
CLARK	80-36/84	938,20	523	275	32	80	36/84	13,1	5,7	91,80	500	154,10
CLARK	80-45/64	995,20	557	293	41	80	45/64	14,3	5,7	91,80	500	154,10
CLARK	80-45/84	1021,20	601	316	41	80	45/84	15,2	6,2	93,70	650	156,00
CLARK	130-36/64	1021,10	676	356	32	130	36/64	17,8	7,1	93,70	650	156,00
CLARK	130-36/84	1046,50	720	379	32	130	36/84	18,7	7,6	93,70	650	156,00
CLARK	130-36/104	1075,10	764	402	32	130	36/104	19,5	8,1	93,70	650	156,00
CLARK	130-45/64	1129,90	801	421	41	130	45/64	21,2	7,9	97,90	800	160,20
CLARK	130-45/84	1156,20	845	444	41	130	45/84	22,1	8,4	97,90	800	160,20
CLARK	130-45/104	1185,60	889	468	41	130	45/104	22,9	8,9	101,00	900	163,30
CLARK	180-36/64	1185,50	872	459	32	180	36/64	23,4	8,9	101,00	900	163,30
CLARK	180-36/84	1211,80	916	482	32	180	36/84	24,3	9,4	101,00	900	163,30
CLARK	180-36/104	1241,40	960	505	32	180	36/104	25,1	9,9	101,00	900	163,30
CLARK	180-36/124	1281,40	1004	528	32	180	36/124	25,9	10,5	101,00	900	163,30
CLARK	180-45/64	1264,70	1045	550	41	180	45/64	28,1	10,0	101,00	900	163,30
CLARK	180-45/84	1291,10	1089	573	41	180	45/84	29,0	10,5	108,30	1200	170,60
CLARK	180-45/104	1320,70	1133	596	41	180	45/104	29,8	11,0	108,30	1200	170,60
CLARK	180-45/124	1360,60	1177	619	41	180	45/124	30,6	11,6	108,30	1200	170,60
CLARK	180-54/84	1373,60	1263	664	50	180	54/84	33,9	11,6	108,30	1200	170,60
CLARK	180-54/104	1403,10	1307	687	50	180	54/104	34,7	12,1	108,30	1200	170,60
CLARK	180-54/124	1443,10	1351	711	50	180	54/124	35,5	12,7	117,70	1500	180,00

Extra for towel bar in different color from panel
Art. CMC 61,60€

Δt 40K = W Δt 50K x 0,755

*TR accessory or mixed valve
◊Cronothermostat radio, p.227

Mod. Clark — height cm — length panel — length tawel bar
CLARK 130-45/84

Fitting ø 3/8"
STANDARD
(without sleeves)

Fitting ø 1/2"
ON REQUEST
(with sleeves)

STANDARD PRODUCTION
White "sablé" paintwork -white EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list with colored brackets +15/25%
Version with protrusion of the bar on the left

STANDARD FITTING
EG ø 3/8"
BREM valves, page 273
Electric version e.Clark, page 256

TAPPING CENTRES

EG vertical fittings as standard
Side fittings on request Art. AS 75,50€



CLARK 180-45/104



FIXINGS
Brackets included

B35 bracket

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
page 279 Art. KQL 166,30€

COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ L-5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

RAM-CLAK

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

RAM, presented on CLAK plate, offers the freedom to simply and quickly accessorize any BREM radiating plate. This innovative magnetic accessory, composed of an extremely slender tubular structure can be applied to any flat metal surface. Towel rack elements can be shifted into the composition required to personalize the radiating plate for the function desired.

DIMENSIONS
Width 36 / 45 / 54 / 110 / 120 cm
Heights 54 / 63 / 80 / 130 / 180 cm
Depth 9,3 / 11,3 cm
Depth from wall 12,3 cm



RAM-CK 54-110 / 63-120

RAM-CK 80-45 | RAM-CK 80-54 | RAM-CK 130-45/54 | RAM-CK 180-36/45 | RAM-CK 180-54

Additional magnetic knob and RAM tower-rail page 283

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED Version* (cl.II E.H.E.) with: cable◊ €	digital thermostat W	digital thermostat €
RAM-CK	54-110	1070,30	653	343	107	54	110	18,6	5,9	93,70	650	156,00
RAM-CK	63-120	1171,10	827	435	117	63	120	23,5	7,1	97,90	800	160,20
RAM-CK	80-45	804,00 ◗	399	210	41	80	45	11,3	3,8	89,90	400	152,20
RAM-CK	80-54	868,40 ◗	478	251	50	80	54	13,5	4,4	91,80	500	154,10
RAM-CK	130-45	939,10 ◗	643	338	41	130	45	18,2	6,0	93,70	650	156,00
RAM-CK	130-54	1012,50 ◗	770	405	50	130	54	21,8	6,8	97,90	800	160,20
RAM-CK	180-36	995,00	714	376	32	180	36	20,3	7,0	93,70	650	156,00
RAM-CK	180-45	1074,10 ◗	887	466	41	180	45	25,1	8,1	101,00	900	163,30
RAM-CK	180-54	1156,40	1061	558	50	180	54	30,0	9,2	-	-	-
RAM-CKL	180-45	1279,50	1181	621	41	180	45	34,4	8,1	108,30	1200	170,60

RAM tower-rail included ◗ Ready in stock Δt 40K = W Δt 50K x 0,755

*TR accessory or mixed valve ø1/2"
◊Cronothermostat radio, p.227

TOWEL BAR magnetic RAM: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 35,80€

Fitting ø 3/8"
STANDARD
(without sleeves)

Fitting ø 1/2"
ON REQUEST
(with sleeves)

STANDARD PRODUCTION
White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list with colored brackets +15/25%
Electric version e.Ram-CK, pag. 235

STANDARD FITTING
EG ø 3/8"
On request EG 1/2" (with sleeves)
Side and special fittings, p. 287

TAPPING CENTRES EG 3/8" vertical

Side fittings on request Art. AS 75,50€



MOD. RAM-CK 54-110/63-120*L-3 / H-4

MAGNETIC TOWEL HOLDER RAM
(additional) Standard colors Art. RAM150,00€
Paintwork to BREM color list +15/25%





FIXINGS
Brackets included

B35 bracket



RAM-CLAK

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
page 279 Art. KQL 166,30€
COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ L-5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

MANT

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

A striking heated radiator, from the essential lines with a thin panel (just 2.3 cm thick) with a practical double towel rails open on three sides.

On request, the towel rails can be painted in a BREM different colour from the plate.

DIMENSIONS
Widths: 36 / 45 / 54 cm
Heights: 80 / 130 / 180 cm
Depth: 9,5 cm
Depth: from wall 12,8 cm



MANT 80-... MANT 130-... MANT 180-36 MANT 180-45 MANT 180-54

MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED Version* (cl.II E.H.E.) with: cable◊ €	digital thermostat W	digital thermostat €
MANT	80-45	714,40	◗	399	210	41	80	45	11,3	3,8	89,90	400	152,20
MANT	80-54	778,80	◗	478	251	50	80	54	13,5	4,4	91,80	500	154,10
MANT	130-45	855,10	◗	643	338	41	130	45	18,2	6,0	93,70	650	156,00
MANT	130-54	928,50	◗	770	405	50	130	54	21,8	6,8	97,90	800	160,20
MANT	180-36	911,00		714	376	32	180	36	20,3	7,0	93,70	650	156,00
MANT	180-45	995,70	◗	887	466	41	180	45	25,1	8,1	101,00	900	163,30
MANT	180-54	1078,00		1061	558	50	180	54	30,0	9,2	101,00	900	163,30
MANT-L	180-45	1201,10		1181	621	41	180	45	34,4	8,1	108,30	1200	170,60

On requeste the bar on the right ◗ Ready in stock Δt 40K = W Δt 50K x 0,755

*TR accessory or mixed valve
◊Radio frequency chronothermostat p.227

TOWEL BAR MANT: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 35,80€

Fitting ø 3/8"
STANDARD
(without sleeves)

Fitting ø 1/2"
ON REQUEST
(with sleeves)

STANDARD PRODUCTION
White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list with colored brackets +15/25%
Electric version e.Mant, page 235

STANDARD FITTING
EG ø 3/8"
Fittings ø 1/2" on request
Special fittings, page 287

TAPPING CENTRES
EG vertical fittings as standard
Side fittings on request Art. AS 75,50€



TOWEL BAR MANT
L: 30,5 - 39,5 - 48,5 cm



FIXINGS
Brackets included

B35 bracket

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
page 279 Art. KQL 166,30€
COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ L-5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SO-FLEX
HEATED TOWEL RAILS

PRICE FROM 1.07.2022 **+15%**

design Gabriella Almagioni

SO-FLEX goes beyond the basic idea of a towel heater (order and folding) and introduces a new concept: practical disorder, careless gestures and the fun of not having to fold everything, but simply chuck a used towel into a warm shell.

DIMENSIONS
Width 44/53/62/80/120 cm
Height 63/70/130/180 cm
Depth 11 cm
Depth from wall 14 cm



SO-FLEX 72-80



SO-FLEX 63-120



SO-FLEX 130-..



SO-FLEX 180-..

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION* (cl.II E.H.E.) with: cable◊ €	digital thermostat W	digital thermostat €
SO-FLEX	72-80	1064,70	635	334	77	72	80	17,9	5,6	93,70	650	156,00
SO-FLEX	63-120	1171,10	827	435	117	63	120	23,5	7,1	97,90	800	160,20
SO-FLEX	130-45	955,80	643	338	41	130	45	18,2	6,0	93,70	650	156,00
SO-FLEX	130-54	1017,20	770	405	50	130	54	21,8	6,8	97,90	800	160,20
SO-FLEX	180-45	1054,80	887	466	41	180	45	25,1	8,1	101,00	900	163,30
SO-FLEX	180-54	1149,20	1061	558	50	180	54	30,0	9,2	-	-	-
SO-FLEX	180-63	1242,50	1233	648	59	180	63	34,9	10,3	108,30	1200	170,60

Δt 40K = W Δt 50K x 0,755

*TR accessory or mixed valve
◊Radio frequency chronothermostat p.227

SABLE' COLORS ARE RECOMMENDED
(as they make the fold softer to the touch)

Fitting ø 3/8"
STANDARD
(without sleeves)

Fitting ø 1/2"
ON REQUEST
(with sleeves)

STANDARD PRODUCTION
White "sablé" paintwork-white B35 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list
with colored brackets +15/25%
Electric version, on request

STANDARD FITTING
EG ø 3/8"
1/2" fittings on request
Special fittings, page 287

TAPPING CENTRES
EG vertical fittings as standard
Side fittings on request Art. AS 75,50€



MOD. SO-FLEX 72-80/63-120: *L-3 / H-4



FIXINGS
Brackets included

B35 bracket

SO-FLEX 130-54

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
page 279 Art. KQL 166,30€
COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ L-5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SLIDE

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

The project starts from the decomposition of a flat surface, creating dynamic volumes.

The sculptural forms of the heating element has great impact in the domestic atmosphere.

SLIDE has a high heating output, 600 to 900 watt, and different color finishes.

DIMENSIONS
Width: 46/123/163 cm
Height: 53/131/171 cm
Depth: 10 cm
Depth: from wall 13,5 cm



SLIDE 53 - 123
SLIDE 53 - 163



SLIDE 131 - 46



SLIDE 171 - 46

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version*(EHE cl.II) with sleeve and: cable◊ €	W	digital thermostat €
SLIDE	53-123	1150,60	682	359	106	53(35-27)	120 (80)	19,50	7,2	114,60	650	176,90
SLIDE	53-163	1306,60	881	463	146	53(35-27)	160 (100)	22,20	9,2	121,90	900	184,20
SLIDE	131-46	1104,90	622	327	30	131(101-61)	46(44-35)	19,20	6,9	114,60	650	176,90
SLIDE	171-46	1272,90	916	482	30	171(131-81)	46(44-35)	26,00	9,0	121,90	900	184,20

Δt 40K = W Δt 50K x 0,755

◊Cronothermostat radio, p.227

STANDARD PRODUCTION
White "sablé" paintwork - white B35 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list
with colored brackets +15/25%
Electric version, on request

STANDARD FITTING
REG ø 3/8"
1/2" fittings on request
Special fittings, page 287

TAPPING CENTRES







FIXINGS
Brackets included

MOD.	a
SLIDE 53-123	19
SLIDE 53-163	19
SLIDE 131-46	85
SLIDE 171-46	115

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ L-5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

VELETTA

PRICE FROM 1.07.2022 **+15%**

design Davide Diliberto

VELETTA for Brem was designed to hide bathrobes and towels without the use of sliding walls or doors.

The radiating plate is split in half by a fold that creates a separate wing from the wall for a practical, simple solution.

Two magnetic knobs on the back let you hang bathrobes wherever desired.

DIMENSIONS
Widths: 42 / 50 cm
Heights: 135 / 175 cm
Depths: 15 / 19 / 21 cm
Depths from wall: 18,5 / 22,5 cm



VELETTA 135-42.. VELETTA 135-50 VELETTA-SX .. VELETTA 175-42.. VELETTA 175-50

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version*(EHE cl.II) with mixed valve: cable◊ €	W	digital thermostat €
VELETTA	135-42	948,90	669	352	15	135	42	19,7	5,8	114,60	650	156,00
VELETTA	135-50	1022,30	800	421	15	135	50	23,2	6,6	118,80	800	160,20
VELETTA	175-42	1004,40	865	455	15	175	42	25,2	7,5	121,90	900	163,30
VELETTA	175-50	1082,60	1033	543	15	175	50	29,7	8,5	121,90	900	163,30
VELETTA-L	175-50	1301,60	1191	627	15	175	50	35,7	10,3	129,20	1200	170,60

VERSION-SX, on request without extra

Δt 40K = W Δt 50K x 0,755

◊Radio frequency chronothermostat p.227
*use angled valves

Towel bar VEL and KNOBS: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 31,40€

Additional VEL towel bar Art. MVEL 44,80€

MAGNETIC KNOBS
NOT INCLUDED
page 283

Art. ARC / POC / HKC
each 84,00€



STANDARD PRODUCTION
White "sablé" paintwork - n. 4 EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list with colored brackets +15/25%
Electric version e.Veletta page 257

STANDARD FITTING
EG ø 3/8"
1/2" fittings on request
Special fittings, page 287



TAPPING CENTRES





*Model ..L with tubes at the rear
ON REQUESTE: E.H.E. sleeves for STONE thermostat; use angled valves.

Fitting ø 3/8"
STANDARD
(without sleeves)

Fitting ø 1/2"
ON REQUEST
(with sleeves)



FIXINGS
Brackets included

B35 bracket

VELETTA 175-50

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
page 279 Art. KQL 166,30€

COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ EG





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

LOGGIA
DESIGN - TIMELESS

PRICE FROM 1.07.2022 **+15%**

design Davide Diliberto

Towel warmer panel with the exclusive semicircle shape produced in the LOGGIA

DESIGN version with the towel bar in square tube of 15 mm and in the LOGGIA

TIMELESS version with the flat drawn handle with shaped ends.

DIMENSIONS
Length: 54 cm
Heights: 97 / 117 / 137 / 167 cm
Depth: LOGGIA-D 8,1 cm LOGGIA-T 7,3 cm
Depth from wall: LOGGIA-D 11,6 cm LOGGIA-T 10,8 cm



LOGGIA-.. 97-54 LOGGIA-.. 117-54 LOGGIA-.. 137-54 LOGGIA-..167-54

LOGGIA-D (DESIGN)

LOGGIA-T (TIMELESS)

MODEL	H-L cm	white sablé di serie €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION*(cl.II E.H.E.) with: cable◊ €	digital thermostat W	digital thermostat €
LOGGIA-D	97-54	867,30	524	275	50	97	54	15,0	5,0	91,80	500	154,10
LOGGIA-D	117-54	921,10	641	337	50	117	54	19,0	6,0	93,70	650	156,00
LOGGIA-D	137-54	984,70	758	398	50	137	54	22,0	7,0	97,90	800	160,20
LOGGIA-D	167-54	1072,70	933	490	50	167	54	27,0	8,0	101,00	900	163,30
LOGGIA-DL	167-54	1247,00	1233	647	50	167	54	36,5	8,7	108,30	1200	170,60
LOGGIA-T	97-54	884,10	524	275	50	97	54	15,0	5,0	91,80	500	154,10
LOGGIA-T	117-54	937,90	641	337	50	117	54	19,0	6,0	93,70	650	156,00
LOGGIA-T	137-54	1001,50	758	398	50	137	54	22,0	7,0	97,90	800	160,20
LOGGIA-T	167-54	1089,50	933	490	50	167	54	27,0	8,0	101,00	900	163,30
LOGGIA-TL	167-54	1263,80	1233	647	50	167	54	36,5	8,7	108,30	1200	170,60

Δt 40K = W Δt 50K x 0,755

*TR accessory or mixed valve
◊Radio frequency chronothermostat p.227

TOWEL BAR LOGGIA: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 31,40€

ADDITIONAL TOWEL BAR
Design towel bar Art. MLD 50,40€
Timeless towel bar Art. MLT 67,20€

Fitting ø 3/8"
STANDARD
(without sleeves)

Fitting ø 1/2"
ON REQUEST
(with sleeves)

STANDARD PRODUCTION
White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list
with colored brackets +15/25%
Electric version e.Loggia, page 258

STANDARD FITTING
EG ø 3/8"
fittings 1/2" on request
Special fittings, page 287

TAPPING CENTRES



LOGGIA Design



LOGGIA Timeless

*Model ..L with tubes at the rear



FIXINGS
Brackets included

B35 bracket

LOGGIA 167-54

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
page 279 Art. KQL 166,30€

COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ L-5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CAMEO

PRICE FROM 1.07.2022 **+15%**

design Davide Diliberto

A basic shape that's also highly decorative and versatile. Fits into a variety of different settings. An extra tool for architects, letting them add a romantic, friendly or modern twist to their projects, depending on the choice of colour and finish.

DIMENSIONS
Width: 54 cm
Height: 104/134/184 /214 cm
Depth: 8,3 cm
Depth: from wall 11,8 cm



CAMEO 104-54



CAMEO 134-54



CAMEO .. 184-54



CAMEO.. 214-54



MODEL	H-L cm	white sablé di serie €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version*(EHE cl.II) with: cable◊ €	digital thermostat W	digital thermostat €
CAMEO	104-54	869,00	500	263	14	104	54	15,8	6,9	91,80	500	154,10
CAMEO	134-54	969,10	672	353	14	134	54	21,1	9,2	93,70	650	156,00
CAMEO	184-54	1111,70	958	504	14	184	54	30,0	13,2	101,00	900	163,30
CAMEO-L	184-54	1313,30	1300	684	14	184	54	40,8	16,5	108,30	1200	170,60
CAMEO	214-54	1195,00	1129	594	14	214	54	35,4	15,5	108,30	1200	170,60
CAMEO-L	214-54	1559,90	1585	834	14	214	54	49,8	19,8	117,70	1500	180,00

Towel bar on the right side, on request without extra

Δt 40K = W Δt 50K x 0,755

*TR accessory or mixed valveø1/2"
◊Radio frequency chronothermostat p.227

TOWEL BAR CAMEO: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 31,40€

Additional towel bar CAMEO
Art. MCA 50,40€

STANDARD PRODUCTION
White "sablé" paintwork-white EOS brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list with colored brackets +15/25%
Electric version e.Cameo, page 259

STANDARD FITTING
EG ø 1/2"

Special fittings, page 287

TAPPING CENTRES



*Model CAMEO-L with tubes at the rear



FIXINGS
Brackets included

B35 bracket

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
page 279 Art. KQL 166,30€
COLORED QUADRA VALVES page 279

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTLD177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ 14 cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

PLATT COLOR

PRICE FROM 1.07.2022 **+15%**

The essence of the radiating plate, the lightweight and the practicality of square section chrome-plated handles, play a starring role distinguish the PLATT COLOR heated towel rails. Can also be provided with gilded or silver leaf finish for even greater scenic effect.

DIMENSIONS
Width 38 / 52 / 53 / 59 / 63 / 66 cm
Height 80 / 84 / 130 / 133 / 140 / 180 cm
Depth 11,5 cm
Depth from wall 14 cm



PLATT COLOR 80 - ..
PLATT COLOR 84 - 50



PLATT COLOR 130 - ...
PLATT COLOR 133 - 50 140-60



PLATT COLOR 180 - ...

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version*(EHE cl.II) with: cable◊ €	digital thermostat W	€
PLATT COLOR	80-49	683,80 ◗	388	199	45	80	52	12,1	3,4	-	-	-
PLATT COLOR	80-56	735,00	443	227	52	80	59	13,9	3,9	-	-	-
PLATT COLOR	130-49	896,10 ◗	610	314	45	130	52	18,6	5,2	-	-	-
PLATT COLOR	130-56	965,10	697	359	52	130	59	21,3	6,5	-	-	-
PLATT COLOR	130-63	1034,00	784	403	59	130	66	23,8	6,8	-	-	-
PLATT COLOR	180-35	986,70 ◗	584	300	31	180	38	18,2	5,0	-	-	-
PLATT COLOR	180-49	1097,90 ◗	817	420	45	180	52	25,4	7,0	-	-	-
PLATT COLOR	180-56	1180,90	934	480	52	180	59	29,1	8,0	-	-	-
PLATT COLOR	180-63	1263,90	1051	540	59	180	66	32,7	9,0	-	-	-
											E.H.E. into G	
PLATT COLOR	84-50	742,10 ◗	427	219	46,8	84	53	12,5	3,8	91,80	400	152,20
PLATT COLOR	133-50	1003,60 ◗	645	331	46,8	133	53	19,9	5,9	93,70	650	156,00
PLATT COLOR	140-60	1136,30 ◗	810	316	56,8	140	63	25,1	7,5	97,90	800	160,20

Chrome-plated towel bar as standard for Platt Color ◗ Ready in stock Δt 40K = Watt Δt 50K x 0,755

*TR accessory or mixed valve
◊Radio frequency chronothermostat p.227

TOWEL BAR PLATT: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra (each) Art. MPL 31,40€

MAXIMUM OPERATING PRESSURE 6 BAR

STANDARD PRODUCTION
White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø1/8"

PRODUCTION ON REQUEST
Paintwork to BREM color list
with colored brackets +15/25%

STANDARD FITTING EG ø1/2"
Fittings on request, page 287
Electric version e.Platt, page 260

TAPPING CENTRES



Vertical fittings ▲▽= L-4 cm

On request side fittings ▲▽ = H-3,2 cm
Art. AS 75,50€

PLATT COLOR 130-49



FIXINGS
Brackets included

EOS brackets

Platt Color Hcm	a cm	b cm	c cm
80, 130, 180	7	8	11
84, 133, 140	6	6,5	5

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVES KIT
page 279 Art. KQL 166,30€
BREM color list extra 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ L-5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

PLATT INOX

PRICE FROM 1.07.2022 **+15%**

Pure high-tech enhanced by stainless steel metallic finish. This heating element in brushed stainless steel comes complete with square stainless steel handles for rarefied aesthetics. This heated towel rail offers practicality, essence, and beauty.

DIMENSIONS
Width 38 / 52 / 53 / 59 / 63 / 66 cm
Height 80 / 84 / 130 / 133 / 140 / 180 cm
Depth 11,5 cm
Depth from wall 14 cm



PLATT INOX 80 - 49
PLATT INOX 84 - 50



PLATT INOX 130 -...
PLATT INOX 133-50 / 140-60



PLATT INOX 180 -...

MODEL	H-L cm	brushed STAINLESS STEEL €	EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION* (EHE cl.II) with: cable◊ €	digital thermostat W	€
PLATT INOX	80-49	1012,20	388	199	45	80	52	12,1	3,4	-	-	-
PLATT INOX	130-49	1326,20	610	314	45	130	52	18,6	5,2	-	-	-
PLATT INOX	130-56	1428,30	697	359	52	130	59	21,3	6,5	-	-	-
PLATT INOX	130-63	1530,40	784	403	59	130	66	23,8	6,8	-	-	-
PLATT INOX	180-35	1460,50	584	300	31	180	38	18,2	5,0	-	-	-
PLATT INOX	180-49	1624,90	817	420	45	180	52	25,4	7,0	-	-	-
PLATT INOX	180-56	1747,70	934	480	52	180	59	29,1	8,0	-	-	-
PLATT INOX	180-63	1870,50	1051	540	59	180	66	32,7	9,0	-	-	-
										E.H.E. into G		
PLATT INOX	84-50	1084,70	427	219	46,8	84	53	12,5	3,8	89,90	400	152,20
PLATT INOX	133-50	1422,50	645	331	46,8	133	53	19,9	5,9	93,70	650	156,00
PLATT INOX	140-60	1508,40	810	416	56,8	140	63	25,1	7,5	97,90	800	160,20

Stainless steel towel bar as standard for Platt Inox

Δt 40K = Watt Δt 50K x 0,755

*TR accessory or mixed valve
Radio frequency chronothermostat p.227

MAXIMUM OPERATING PRESSURE 6 BAR

STANDARD PRODUCTION
Brushed stainless steel surfaces
Tolerance ± 3mm - Air vent ø1/8"

PRODUCTION ON REQUEST
Polished stainless steel version +20%
Electric version e.Platt, page 260

STANDARD FITTING
EG ø1/2"
Fittings on request, page 287

TAPPING CENTRES



Vertical fittings ▲▽= L-4 cm

On request side fittings ▲▽ = H-3,2 cm
Art. AS 75,50€



FIXINGS
Brackets included

EOS brackets

Platt Inox H cm	a cm	b cm	c cm
80, 130, 180	7	8	11
84, 133, 140	6	6,5	5

PLATT INOX 180-35

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVE KIT
page 279 Art. KQL 166,30€
CHROME-PLATED SATIN FINISH page 275

ANGLED MINI VALVES KIT page 278
chrome-plated Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€
SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ L-5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€
REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

PLATT
GILDED/SILVER LEAF

PRICE FROM 1.07.2022 **+15%**

Light aesthetics in minimalist form, intense colours never of marginal importance in the room. And more! PLATT heated towel rails can also be provided with gilded (FO) or (FA) silver leaf finish on request for even greater scenic effect.

DIMENSIONS
Width 38 / 52 / 53 / 59 / 63 / 66 cm
Height 80 / 84 / 130 / 133 / 140 / 180 cm
Depth 11,5 cm
Depth from wall 14 cm



PLATT FO/FA 80 - 49
PLATT FO/FA 84 - 50



PLATT FO/FA 130 -...
PLATT FO/FA 133-50 / 140-60



PLATT FO/FA 180 -...

MODEL	H-L cm	VERSIONS Leaf Golded / Silver €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION*(EHE cl.II) with: cable◊ €	digital thermostat W	digital thermostat €
PLATT FO/FA	80-49	1344,00	388	199	45	80	52	12,1	3,4	-	-	-
PLATT FO/FA	80-56	1427,70	443	227	52	80	59	13,9	3,9	-	-	-
PLATT FO/FA	130-49	1732,00	610	314	45	130	52	18,6	5,2	-	-	-
PLATT FO/FA	130-56	1835,80	697	359	52	130	59	21,3	6,5	-	-	-
PLATT FO/FA	130-63	1939,20	784	403	59	130	66	23,8	6,8	-	-	-
PLATT FO/FA	180-35	1996,80	584	300	31	180	38	18,2	5,0	-	-	-
PLATT FO/FA	180-49	2198,20	817	420	45	180	52	25,4	7,0	-	-	-
PLATT FO/FA	180-56	2326,50	934	480	52	180	59	29,1	8,0	-	-	-
PLATT FO/FA	180-63	2454,50	1051	540	59	180	66	32,7	9,0	-	-	-
											E.H.E. into G	
PLATT FO/FA	84-50	1402,60	427	219	46,8	84	53	12,5	3,8	89,90	400	152,20
PLATT FO/FA	133-50	1852,80	645	331	46,8	133	53	19,9	5,9	93,70	650	156,00
PLATT FO/FA	140-60	2102,30	810	316	56,8	140	63	25,1	7,5	97,90	800	160,20

Towel bar in BR0019 color for gilded leaf,
in BR0002 color for silver leaf as standard.
Gilded/silver leaf towel bar extra (each) 131,20

Δt 40K = Watt Δt 50K x 0,755

*TR accessory or mixed valve
◊Radio frequency chronothermostat p.227

MAXIMUM OPERATING PRESSURE 6 BAR

STANDARD PRODUCTION
FO gilded - FA silver leaf finis.
Painted towel bars - Air vent ø1/8"

PRODUCTION ON REQUEST
Gilded/Silver leaf finish valves page 275
Towel bar in gilded leaf /silver leaf

STANDARD FITTING
EG ø1/2"
Electric version e.Platt, page 260



TAPPING CENTRES



Vertical fittings ▲▽= L-4 cm

On request side fittings ▲▽ = H-3,2 cm
Art. AS 75,50€



FIXINGS
Brackets included

EOS brackets

Platt FO/FA H cm	a cm	b cm	c cm
80, 130, 180	7	8	11
84, 133, 140	6	6,5	5

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVES KIT
page 279 Art. KQL 166,30€
BREM color list extra 46,40€

VALVES IN GILDED/SILVER LEAF FINISH
page 275 extra 170,00€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ L-5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

UNI-PLATT / UNI-LAM PRICE FROM 1.07.2022 +15%

design Francesca Mocchi

The simplicity of UNI-PLATT plate, in one color from Brem colors list, the usefull upper handle complete with hooks for bathrobes, painted in the same color of the towel rail. On request, the handles are painted in a color different from the plate or chrome-plated

DIMENSIONS
Width 43,5 / 50,5 / 51,5 / 57,5/ 61,5 cm
Height 77 / 80 / 126 / 130 / 140 / 180 cm
Depth 11 cm
Depth from wall 14 cm



UNI-PLATT 80-49
UNI-PLATT 77-50



UNI-PLATT 126-50/130-...
UNI-PLATT 140-60



UNI-PLATT 180-...

MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version*(EHE cl.II) with : cable◊ €	digital thermostat W	digital thermostat €
UNI-PLATT	80-49	591,10	◗	388	199	45	80	50,5	12,1	3,4	-	-	-
UNI-PLATT	130-49	778,90	◗	610	314	45	130	50,5	18,6	5,2	-	-	-
UNI-PLATT	130-56	839,50		697	358	52	130	57,5	21,3	5,9	-	-	-
UNI-PLATT	180-42	878,30	◗	701	360	38	180	43,5	21,8	6,0	-	-	-
UNI-PLATT	180-49	942,30	◗	817	420	45	180	50,5	25,4	7,0	-	-	-
UNI-PLATT	180-56	1015,10		934	480	52	180	57,5	29,1	8,0	-	-	-
UNI-PLATT	77-50	617,10	◗	395	208	46,8	77	51,5	11,5	3,4	89,90	400	152,20
UNI-PLATT	126-50	845,80	◗	614	323	46,8	126	51,5	18,9	5,6	93,70	650	156,00
UNI-PLATT	140-60	974,60		810	416	56,8	140	61,5	25,1	6,7	97,90	800	160,20
UNI-LAM	80-49	593,50	◗	619	318	45	80	50,5	19,1	3,4	-	-	-
UNI-LAM	120-49	787,30	◗	863	444	45	120	50,5	29,2	4,9	-	-	-

◗ Ready in stock Δt 40K = Watt Δt 50Kx0,755

*TR accessory or mixed valve
◊Radio frequency chronothermostat p.227

Standard towel bar UNI: - standard white SB9016
- grey sablé SB 7039 - sablé black SB9005
- same color ordered with the radiator

Additional towel bar UNI white (each) 61,60€
Towel bar UNI in different Brem colour from plate extra (each) 31,40€

Chrome-plated towel bar extra (each) 73,10€
Additional Chrome-plated towel bar (each) 134,7€

STANDARD PRODUCTION
White "sablé" BREM paintwork - Air vent ø1/8"
Maximum operating pressure 6 bar

PRODUCTION ON REQUEST
Paint to Brem color list with colored brackets +15/25%

STANDARD FITTING
EG ø1/2"
Electric version e.Uni-Platt p. 261

TAPPING CENTRES



Vertical fittings ▲▽= L-4 cm

On request side fittings ▲▽ = H-3,2 cm
Art. AS 75,50€

UNI-LAM

Towel rails similar to Uni-Platt, but with simple towel bar UL and fins at rear.



UNI-LAM 80-49



UNI-LAM 120-49



FIXINGS
Brackets included

Uni-Platt/Lam H cm	a cm	b cm	c cm
80, 130, 180	7	8	11
77, 126, 140	6	6,5	5

UNI-PLATT 130-49

UNI-LAM 120-49

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE CONTROL QUADRA VALVES KIT
page 279 Art. KQL 166,30€
BREM color list extra 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear ▲▽ L-5cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

INDEX TubesDESIGN

RADIATORS WITH TUBES

RADIATORS COLLECTION

	page
RAW	170
FORM	172
GRATA	182
WIND	186
KUADRUM	190

TOWEL-HEATER COLLECTION

	page
RAW	194
CANNUCCIA	196
CLIP	198
ALCOVA	200
EYE	202
MAHN	204
PLUS 12	206
START	208
SHAR	212
PLUS 20	214
GUGLIA	216
KUAD	218
PLANK	220
DIVIS	222

RAW

PRICE FROM 1.07.2022 **+15%**

design Davide Diliberto

RAW a particularly iconic product, its curved 25 mm diameter tubes have been assembled and welded to form box shapes with an attractive diagonal cross in the centre. Form without form, three dimensional and yet empty, a framework.

DIMENSIONS
Width : 50/60/77/92/104 cm
Height : 157/183/187/210/218/250 cm
Depth : 10 cm
Depth from wall : 13,5 cm

A'DESIGN AWARD
WINNER 2019
GOLD

RAW2



RAW2 157-50A 187-60A | RAW2 157-50B 187-60B | RAW2 183-50 218-60 | RAW2 210-50 250-60

RAW3



RAW3 157-50 187-60 | RAW3 157-77 187-92 | RAW3 183-50 218-60 | RAW3 210-50A | RAW3 210-50B 250-60

RAW4



RAW4 210-50 250-60 | RAW4 210-77 250-92

VERTICAL MODELS	H-L cm	white sablé standard SB9016 €		EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M kg	Volume V dm³	MIXED Version*(EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
MODELS 50													
RAW2	157-50A	978,40	◗	712	379	42	156,5	50,5	11,1	5,5	118,80	800	181,10
RAW2	157-50B	978,40	◗	717	381	42	156,5	50,5	11,1	5,4	118,80	800	181,10
RAW2	183-50	1007,60	◗	782	416	42	183	50,5	12,3	6,0	118,80	800	181,10
RAW2	210-50	1048,30		846	450	42	209,5	50,5	13,5	6,6	121,90	900	184,20
RAW3	157-50	1223,00		868	462	42	156,5	50,5	13,2	6,4	121,90	900	184,20
RAW3	157-77	1281,30		1077	573	68,5	156,5	77	16,6	8,2	129,20	1200	191,50
RAW3	183-50	1246,30	◗	938	499	42	183	50,5	14,3	7,0	121,90	900	184,20
RAW3	210-50A	1258,00		1003	534	42	209,5	50,5	15,5	7,6	-	-	-
RAW3	210-50B	1258,00		1007	536	42	209,5	50,5	15,5	7,6	-	-	-
RAW4	210-50	1572,50		1159	617	42	209,5	50,5	17,6	8,6	129,20	1200	191,50
RAW4	210-77	1654,00		1437	765	68,5	209,5	77	22,2	10,9	138,60	1500	200,90
MODELS 60													
RAW2	187-60A	1096,00		850	452	52	186,5	60,5	16,6	6,1	121,90	900	184,20
RAW2	187-60B	1096,00		850	452	52	186,5	60,5	16,6	6,1	121,90	900	184,20
RAW2	218-60	1128,70		932	496	52	218	60,5	18,4	6,7	121,90	900	184,20
RAW2	250-60	1174,10		1009	537	52	249,5	60,5	20,1	7,4	129,20	1200	191,50
RAW3	187-60	1369,80		1037	552	52	186,5	60,5	19,8	7,2	-	-	-
RAW3	187-92	1435,10		1285	684	83,5	186,5	92	24,9	9,1	129,20	1200	191,50
RAW3	218-60	1395,40		1120	596	52	218	60,5	21,5	7,8	129,20	1200	191,50
RAW3	250-60	1409,40		1197	637	52	249,5	60,5	23,2	8,5	129,20	1200	191,50
RAW4	250-60	1656,40		1384	736	52	249,5	60,5	26,4	9,6	138,60	1500	200,90
RAW4	250-92	1852,00		1715	912	83,5	249,5	92	33,2	12,2	138,60	1500	200,90

Other RAW measurements page 194 ◗ Ready Stock (Δt 40K = W Δt 50K x 0,755) ◊Radio frequency chronothermostat p.227

MIXED VERSION*
fittings EG▲▽ 5 cm



STANDARD PRODUCTION
White "sablé" paintwork-white B35 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list with colored B35 brackets +15/25%
Electric version, e.Raw page 263

STANDARD FITTING EG ø 1/2"
Fittings 3/8" on request
Feet and dividers, on request
Special fittings, page 286

TAPPING CENTRES

EG vertical standard fittings
Side fittings, on request without extra



DESIGN YOUR RADIATOR BY COMPOSING BASIC MODULES

Request feasibility and quotation



FIXINGS

Brackets included



RAW3 210-50 RAW2 210-50

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€

ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
at the rear: ▲▽ EG





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

FORM

PRICE FROM 1.07.2022 **+15%**

The design of the FORM radiator pays a lot of attention not only on the shape of the manifolds and the extremely reduced sizes of the radiating tubes, but also on the high technology applied in its construction which allows an impeccable finish.

MODEL F...H
with vertical radiating tubes

H = from 60 to 300 cm (every 20 cm)
L = from 20 to 116 cm (every 6 cm)

Metal reinforced on radiator backs for heights greater than 80 cm.

F2H



1 tube every 2 cm

F3H



2 tubes every 3 cm



MODEL F...V
with horizontal radiating tubes

H = from 20 to 116 cm (every 6 cm)
L = from 60 to 300 cm (every 20 cm)

Metal reinforced on radiator backs for lengths greater than 80 cm.

F2V



1 tube every 2 cm

F3V



2 tubes every 3 cm

FORM F2V 62-280

TubesDESIGN

STANDARD PRODUCTION
SB9016 white sablé paintwork, M4 brackets
Air vent ø 1/8" - Tolerance ± 3 mm
MAXIMUM OPERATING PRESSURE, 8 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with chrome-plated M4 brackets +15/25%
Made-to-measure, by estimate

STANDARD FITTINGS
EG ø 1/2" ,on request 3/8"
Fittings AC or BD on request
Special fittings, page 286



TAPPING CENTRES
EG vertical standard fittings, side fittings on request without extra

MODEL FH



MODEL FV





□ from H or L 210 cm

FIXINGS
Brackets included

Art. M4..
for mod. F2

Art. M4G..
for mod. F3

Mod.	a cm	b cm	c cm
FH	4	3,5	3,5
FV	3,5	4	4



RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover (to be cut to right size) Art. CA18 10,80€



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE CONTROL TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

ANGLED TON VALVES KIT with THERMOSTATIC head Art. KTS 165,50€

REMOTE FITTINGS Art.REM 36,60€
Remote fittings at the rear: ▲▽ EG



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

FORM F2H

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD. L cm	20	26	32	38	44	50	56	62	68	74	80	86	92	98
H cm (n° t)	(10t)	(13t)	(16t)	(19t)	(22t)	(25t)	(28t)	(31t)	(34t)	(37t)	(40t)	(43t)	(46t)	(49t)
▲▽ cm	16	22	28	34	40	46	52	58	64	70	76	82	88	94
F2H 60 €	237,10	268,90	293,80	317,20	341,50	370,50	415,50	463,70	488,20	507,90	543,20	576,10	615,70	652,60
	158w	206w	254w	302w	349w	397w	445w	492w	540w	588w	635w	683w	730w	778w
F2H 80 €	252,60	283,50	310,20	336,80	360,20	390,90	435,80	489,10	536,90	586,20	624,20	662,80	693,50	726,30
	213w	276w	340w	404w	468w	532w	595w	659w	723w	787w	850w	914w	978w	1042w
F2H 100 €	258,80	293,80	320,20	347,00	372,50	404,00	454,20	505,50	553,50	604,80	657,00	705,90	755,10	806,40
	266w	345w	425w	505w	584w	664w	744w	823w	903w	983w	1062w	1142w	1222w	1301w
F2H 120 €	276,20	313,20	340,80	369,50	395,10	429,30	482,20	534,80	589,30	642,50	695,70	750,20	802,10	857,20
	317w	412w	508w	603w	698w	793w	888w	983w	1078w	1174w	1269w	1364w	1459w	1554w
F2H 140 €	296,90	336,80	367,10	395,10	426,70	459,40	516,50	575,00	631,20	689,90	747,80	804,30	862,30	920,50
	368w	478w	588w	698w	809w	919w	1029w	1140w	1250w	1360w	1470w	1581w	1691w	1801w
F2H 160 €	334,70	377,40	411,20	445,30	477,80	516,50	581,30	645,60	709,30	772,50	838,80	904,50	967,90	1033,20
	417w	542w	667w	792w	917w	1042w	1166w	1291w	1416w	1541w	1666w	1791w	1916w	2041w
F2H 180 €	369,50	416,20	453,30	491,20	530,10	572,70	643,30	715,20	786,90	858,50	929,30	1001,60	1073,40	1143,90
	464w	603w	742w	882w	1021w	1160w	1299w	1438w	1578w	1717w	1856w	1995w	2134w	2274w
F2H 190 €	387,10	436,60	475,70	514,90	553,50	600,50	673,20	750,20	823,60	898,70	975,00	1048,80	1122,20	1198,40
	486w	632w	778w	923w	1069w	1215w	1361w	1507w	1652w	1798w	1944w	2090w	2236w	2381w
F2H 200 €	404,00	455,20	497,40	538,40	578,40	627,10	704,70	782,90	860,80	939,00	1018,20	1096,70	1174,70	1250,30
	510w	663w	816w	969w	1122w	1275w	1427w	1580w	1733w	1886w	2039w	2192w	2345w	2498w
F2H 210 €	419,80	474,80	516,50	561,60	602,80	652,60	733,50	816,40	896,60	978,20	1058,70	1140,80	1221,50	1302,60
	532w	692w	852w	1012w	1171w	1331w	1491w	1650w	1810w	1970w	2130w	2289w	2449w	2609w
F2H 220 €	435,80	494,50	536,90	582,40	626,50	678,30	763,30	847,30	929,30	1015,80	1101,00	1184,80	1270,50	1354,60
	554w	720w	887w	1053w	1219w	1386w	1552w	1718w	1884w	2051w	2217w	2383w	2549w	2716w
F2H 240 €	469,60	531,00	577,10	625,10	672,30	728,60	818,70	907,40	997,70	1088,60	1180,50	1270,50	1362,10	1453,00
	597w	776w	955w	1134w	1313w	1493w	1672w	1851w	2030w	2209w	2388w	2567w	2746w	2925w
F2H 260 €	513,50	581,30	632,50	685,30	736,60	798,10	895,00	993,40	1092,70	1216,50	1293,20	1392,30	1490,70	1590,00
	638w	830w	1021w	1213w	1404w	1596w	1788w	1979w	2171w	2362w	2554w	2745w	2937w	3128w
F2H 280 €	558,80	631,20	688,50	744,80	801,10	866,80	975,90	1081,20	1189,40	1323,70	1409,10	1517,30	1623,60	1731,10
	678w	881w	1085w	1288w	1492w	1695w	1898w	2102w	2305w	2509w	2712w	2915w	3119w	3322w
F2H 300 €	606,80	687,70	748,90	809,20	870,90	943,30	1060,20	1177,50	1295,30	1439,60	1531,70	1650,40	1766,70	1884,50
	716w	931w	1146w	1361w	1576w	1791w	2005w	2220w	2435w	2650w	2865w	3080w	3295w	3509w

Δt different from 50 K: consult Technical data Brem

TubesDESIGN

HOW TO ORDER

State:
model, height and width in cm;
fitting and color if different from standard.

Mod. Form — pitch 2 cm — horizontal manifold — height cm — length cm

F2H 200 - 50

eg. : F2H 200-50, AC ø 3/8", RAL 3003

PRODUCTION ON REQUEST

Thermal output and prices by interpolation:
- length of manifolds every 2 cm
- height of radiating tubes every10 cm

Made-to-measure (±3 mm)
Sizes over 3 m: price on request
Size every 1 cm: increased size +20%



F2H

DOUBLE VERSION FDH is obtained by joining two F2H radiators
FDH price : F2H x 2 + 111,40€
Thermal output FDH: F2H x 1,60

Standard EG fitting: delivery on left, at front; return on right, at rear.



FORM F3H

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD. L cm	20	26	32	38	44	50	56	62	68	74	80	86	92	98
H cm (n°t)	(13t)	(17t)	(21t)	(25t)	(29t)	(33t)	(37t)	(41t)	(45t)	(49t)	(53t)	(57t)	(61t)	(65t)
▲▽ cm	16	22	28	34	40	46	52	58	64	70	76	82	88	94
F3H 60 €	310,20	352,00	385,50	393,80	472,50	521,90	589,30	652,60	694,80	747,80	788,00	832,70	874,90	914,60
	168w	220w	272w	324w	376w	427w	479w	531w	583w	635w	687w	738w	790w	842w
F3H 80 €	327,40	372,50	407,50	443,10	499,00	553,50	623,20	691,70	760,30	830,90	901,40	950,20	1007,80	1061,10
	228w	298w	368w	438w	509w	579w	649w	719w	789w	859w	930w	1000w	1070w	1140w
F3H 100 €	338,90	384,60	420,40	455,20	527,10	571,20	643,30	713,10	785,60	857,20	930,30	1002,40	1073,40	1144,90
	286w	375w	463w	551w	639w	727w	815w	903w	991w	1079w	1168w	1256w	1344w	1432w
F3H 120 €	359,30	408,10	447,30	484,60	546,60	608,90	682,50	758,00	834,00	910,90	986,60	1062,10	1138,80	1215,30
	344w	450w	555w	661w	767w	873w	979w	1084w	1190w	1296w	1402w	1507w	1613w	1719w
F3H 140 €	387,10	439,20	479,70	520,70	588,80	657,00	731,60	813,30	896,60	978,20	1058,70	1140,80	1224,60	1307,50
	400w	523w	645w	768w	891w	1014w	1137w	1260w	1383w	1506w	1629w	1752w	1875w	1998w
F3H 160 €	433,80	493,00	538,40	584,00	660,70	737,50	822,90	915,60	1005,90	1096,70	1189,40	1283,10	1373,90	1465,20
	454w	593w	733w	873w	1012w	1152w	1292w	1431w	1571w	1710w	1850w	1990w	2129w	2269w
F3H 180 €	478,80	544,30	596,60	646,60	730,40	816,40	910,90	1012,90	1114,10	1215,30	1316,70	1420,20	1521,40	1624,40
	506w	662w	818w	974w	1130w	1285w	1441w	1597w	1753w	1909w	2065w	2220w	2376w	2532w
F3H 190 €	502,50	571,20	625,10	678,30	766,40	856,20	954,70	1060,20	1166,10	1270,50	1380,10	1487,50	1592,90	1700,30
	530w	694w	857w	1020w	1183w	1346w	1510w	1673w	1836w	1999w	2162w	2326w	2489w	2652w
F3H 200 €	524,70	596,60	652,60	708,00	800,10	895,00	996,50	1108,90	1218,60	1330,10	1443,70	1553,00	1663,80	1776,10
	557w	729w	900w	1072w	1243w	1415w	1586w	1758w	1929w	2101w	2272w	2444w	2615w	2787w
F3H 210 €	546,60	622,00	680,50	737,50	832,70	931,10	1038,50	1154,20	1268,80	1386,10	1500,90	1617,50	1734,20	1848,80
	582w	761w	940w	1120w	1299w	1478w	1657w	1836w	2015w	2194w	2374w	2553w	2732w	2911w
F3H 220 €	567,60	645,60	705,90	766,40	865,50	967,90	1078,20	1199,20	1316,70	1438,50	1560,00	1682,20	1802,90	1923,00
	607w	793w	980w	1167w	1353w	1540w	1726w	1913w	2100w	2286w	2473w	2660w	2846w	3033w
F3H 240 €	608,90	692,80	758,00	822,90	929,30	1042,70	1156,10	1283,10	1413,00	1543,60	1674,80	1803,80	1932,60	2061,70
	654w	855w	1057w	1258w	1459w	1661w	1862w	2063w	2265w	2466w	2667w	2868w	3070w	3271w
F3H 260 €	667,00	759,40	830,90	901,40	1018,20	1143,10	1264,50	1405,90	1548,30	1723,00	1834,00	1975,50	2117,00	2257,00
	700w	915w	1131w	1346w	1562w	1777w	1992w	2208w	2423w	2638w	2854w	3069w	3285w	3500w
F3H 280 €	726,30	825,70	902,50	981,30	1108,10	1243,10	1378,90	1530,50	1685,30	1874,50	1997,10	2149,60	2302,00	2456,60
	744w	973w	1202w	1431w	1660w	1889w	2118w	2346w	2575w	2804w	3033w	3262w	3491w	3720w
F3H 300 €	789,90	898,70	982,20	1066,40	1203,10	1352,70	1498,90	1665,60	1834,00	2041,00	2171,90	2340,90	2507,90	2673,30
	787w	1029w	1271w	1513w	1755w	1997w	2239w	2481w	2723w	2965w	3207w	3449w	3691w	3933w

Δt different from 50 K: consult Technical data Brem

PRODUCTION ON REQUEST
Thermal output and prices by interpolation:
- length of manifolds every 3 cm
- height of radiating tubes every 10 cm

Made-to-measure (±3 mm)
Sizes over 3 m: price on request
Size every 1 cm: increased size +20%

Metal reiforced on backs for heights greater than 80 cm



F3H

FORM FH DIVIS can be used as:
- partition wall with feet and fixings (p. 289)
- partition wall with subtracted tubes
- barrier with selectable distance between columns.

- 15 cm H series foot Art. PF15 75,70€
- side fixings Art. F10 69,60€

On request, Form FH:
H 70 - 90 cm - L up to 2 m

FORM F2V

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MOD. (n° t.)	L cm	60	80	100	120	140	160	180	200	220	240	260	280	300
	▲▽ cm	57,8	77,8	97,8	117,8	137,8	157,8	177,8	197,8	217,8	237,8	257,8	277,8	297,8
F2V 20	€	237,10	252,60	258,80	276,20	296,90	334,70	369,50	404,00	435,80	469,60	513,50	558,80	606,80
(10t)		156w	208w	260w	312w	364w	416w	468w	520w	572w	624w	676w	728w	780w
F2V 26	€	268,90	283,50	293,80	313,20	336,80	377,40	416,20	455,20	494,50	531,00	581,30	631,20	687,70
(13t)		203w	270w	338w	406w	473w	541w	608w	676w	744w	811w	879w	946w	1014w
F2V 32	€	293,80	310,20	320,20	340,80	367,10	411,20	453,30	497,40	536,90	577,10	632,50	688,50	748,90
(16t)		250w	334w	417w	500w	584w	667w	751w	834w	917w	1001w	1084w	1168w	1251w
F2V 38	€	317,20	336,80	347,00	369,50	395,10	445,30	491,20	538,40	582,40	625,10	685,30	744,80	809,20
(19t)		298w	397w	496w	595w	694w	794w	893w	992w	1091w	1190w	1290w	1389w	1488w
F2V 44	€	341,50	360,20	372,50	395,10	426,70	477,80	530,10	578,40	626,50	672,30	736,60	801,10	870,90
(22t)		344w	459w	574w	689w	804w	918w	1033w	1148w	1263w	1378w	1492w	1607w	1722w
F2V 50	€	370,50	390,90	404,00	429,30	459,40	516,50	572,70	627,10	678,30	728,60	798,10	866,80	943,30
(25t)		397w	529w	661w	793w	925w	1058w	1190w	1322w	1454w	1586w	1719w	1851w	1983w
F2V 56	€	405,00	414,70	454,20	482,20	516,50	581,30	643,30	704,70	763,30	818,70	895,00	975,90	1060,20
(28t)		445w	593w	741w	889w	1037w	1186w	1334w	1482w	1630w	1778w	1927w	2075w	2223w
F2V 62	€	463,70	489,10	505,50	534,80	575,00	645,60	715,20	782,90	847,30	907,40	993,40	1081,20	1177,50
(31t)		494w	658w	823w	988w	1152w	1317w	1481w	1646w	1811,00	1975w	2140w	2304w	2469w
F2V 68	€	488,20	536,90	553,50	589,30	631,20	709,30	786,90	860,80	929,30	997,70	1092,70	1189,40	1295,30
(34t)		541w	722w	902w	1082w	1263w	1443w	1624w	1804w	1984w	2165w	2345w	2526w	2706w
F2V 74	€	507,90	586,20	604,80	642,50	689,90	772,50	858,50	939,00	1015,80	1088,60	1216,50	1323,70	1439,60
(37t)		590w	786w	983w	1180w	1376w	1573w	1769w	1966w	2163w	2359w	2556w	2752w	2949w
F2V 80	€	543,20	624,20	657,00	695,70	747,80	838,80	929,30	1018,20	1101,00	1180,50	1293,20	1409,10	1531,70
(40t)		638w	850w	1063w	1276w	1488w	1701w	1913w	2126w	2339w	2551w	2764w	2976w	3189w
F2V 86	€	576,10	662,80	705,90	750,20	804,30	904,50	1001,60	1096,70	1184,80	1270,50	1392,30	1517,30	1650,40
(43t)		686w	914w	1143w	1372w	1600w	1829w	2057w	2286w	2515w	2743w	2972w	3200w	3429w
F2V 92	€	615,70	693,50	755,10	802,10	862,30	967,90	1073,40	1174,70	1270,50	1362,10	1490,70	1623,60	1766,70
(46t)		733w	978w	1222w	1466w	1711w	1955w	2200w	2444w	2688w	2933w	3177w	3422w	3666w
F2V 98	€	652,60	726,30	806,40	857,20	920,50	1033,20	1143,90	1250,30	1354,60	1453,00	1590,00	1731,10	1884,50
(49t)		781w	1042w	1302w	1562w	1823w	2083w	2344w	2604w	2864w	3125w	3385w	3646w	3906w
F2V 104	€	682,50	757,10	839,90	909,60	978,20	1098,20	1214,50	1331,10	1438,50	1543,60	1690,10	1840,80	2001,00
(52t)		829w	1105w	1381w	1657w	1933w	2210w	2486w	2762w	3038w	3314w	3591w	3867w	4143w
F2V 110	€	713,10	788,00	875,70	963,50	1036,80	1162,10	1288,00	1409,10	1524,20	1634,00	1789,80	1949,20	2120,90
(55t)		877w	1169w	1461w	1753w	2045w	2338w	2630w	2922w	3214w	3506w	3799w	4091w	4383w
F2V 116	€	743,00	820,40	922,00	1018,90	1092,70	1226,80	1359,80	1488,70	1610,60	1726,00	1891,70	2059,30	2238,70
(58t)		925w	1233w	1541w	1849w	2157w	2466w	2774w	3082w	3390w	3698w	4007w	4315w	4623w

Lengths/Longueurs

Δt different from 50 K: consult Technical data Brem

HOW TO ORDER

State:
model, height and width in cm;
fitting and color if different from standard.

Mod. Form — pitch 2 cm — vertical manifold — height cm — length cm

F2V 50 - 200

FORM FV DIVIS can be realised as partition wall with feet and fixings (page 285), with subtracted tubes

PRODUCTIONS ON REQUEST

Thermal output and prices by interpolation:
- height of manifolds every 2 cm
- length of radiating tubes every10 cm

Made-to-measure (±3 mm)
Sizes over 3 m: price on request
Size every 1 cm: increased size +20%



DOUBLE VERSION FDV

is obtained by joining two F2V radiators
FDV price F2V x 2 + 111,40€

Standard EG fitting (delivery on left, at front; return on right, at rear).
Thermal output FDV: single radiator x 1,65

FORM F3V

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD. (n° t)	L cm	60	80	100	120	140	160	180	200	220	240	260	280	300
		Lengths/Longueurs												
		57,8	77,8	97,8	117,8	137,8	157,8	177,8	197,8	217,8	237,8	257,8	277,8	297,8
F3V 20	€	310,20	327,40	338,90	359,30	387,10	433,80	478,80	524,70	567,60	608,90	667,00	726,30	789,90
(13t)		175w	233w	291w	349w	407w	466w	524w	582w	640w	698w	757w	815w	873w
F3V 26	€	352,00	372,50	384,60	408,10	439,20	493,00	544,30	596,60	645,60	692,80	759,40	825,70	898,70
(17t)		228w	304w	380w	456w	532w	608w	684w	760w	836w	912w	988w	1064w	1140w
F3V 32	€	385,50	407,50	420,40	447,30	479,70	538,40	596,60	652,60	705,90	758,00	830,90	902,50	982,20
(21t)		283w	377w	471w	565w	659w	754w	848w	942w	1036w	1130w	1225w	1319w	1413w
F3V 38	€	417,30	443,10	455,20	484,60	520,70	584,00	646,60	708,00	766,40	822,90	901,40	981,30	1066,40
(25t)		337w	450w	562w	674w	787w	899w	1012w	1124w	1236w	1349w	1461w	1574w	1686w
F3V 44	€	472,50	499,00	514,90	546,60	588,80	660,70	730,40	800,10	865,50	929,30	1018,20	1108,10	1203,10
(29t)		388w	518w	647w	776w	906w	1035w	1165w	1294w	1423w	1553w	1682w	1812w	1941w
F3V 50	€	521,90	553,50	572,70	608,90	657,00	737,50	816,40	895,00	967,90	1042,70	1143,10	1243,10	1352,70
(33t)		444w	592w	740w	888w	1036w	1184w	1332w	1480w	1628w	1776w	1924w	2072w	2220w
F3V 56	€	589,30	623,20	643,30	682,50	731,60	822,90	910,90	1018,20	1078,20	1156,10	1264,50	1378,90	1498,90
(37t)		500w	667w	834w	1001w	1168w	1334w	1501w	1668w	1835w	2002w	2168w	2335w	2502w
F3V 62	€	652,60	691,70	713,10	758,00	813,30	915,60	1012,90	1108,90	1199,20	1283,10	1405,90	1530,50	1665,60
(41t)		555w	740w	925w	1110w	1295w	1480w	1665w	1850w	2035w	2220w	2405w	2590w	2775w
F3V 68	€	694,80	760,30	785,60	834,00	896,60	1005,90	1114,10	1218,60	1316,70	1413,00	1548,30	1685,30	1834,00
(45t)		610w	814w	1017w	1220w	1424w	1627w	1831w	2034w	2237w	2441w	2644w	2848w	3051w
F3V 74	€	747,80	830,90	857,20	910,90	978,20	1096,70	1215,30	1330,10	1438,50	1543,60	1723,00	1874,50	2041,00
(49t)		665w	887w	1109w	1331w	1553w	1774w	1996w	2218w	2440w	2662w	2883w	3105w	3327w
F3V 80	€	788,00	901,40	930,30	986,60	1058,70	1189,40	1316,70	1443,70	1560,00	1674,80	1871,30	1997,10	2162,00
(53t)		721w	961w	1201w	1441w	1681w	1922w	2162w	2402w	2642w	2882w	3123w	3363w	3603w
F3V 86	€	832,70	950,20	1002,40	1062,10	1140,80	1283,10	1420,20	1553,00	1682,20	1803,80	1975,50	2149,60	2340,90
(57t)		775w	1034w	1292w	1550w	1809w	2067w	2326w	2584w	2842w	3101w	3359w	3618w	3876w
F3V 92	€	874,90	1007,80	1073,40	1138,80	1224,60	1373,90	1521,40	1663,80	1802,90	1932,60	2117,00	2302,00	2507,90
(61t)		830w	1107w	1384w	1661w	1938w	2214w	2491w	2768w	3045w	3322w	3598w	3875w	4152w
F3V 98	€	914,60	1061,10	1144,90	1215,30	1307,50	1465,20	1624,40	1776,10	1923,00	2061,70	2257,00	2456,60	2673,30
(65t)		885w	1180w	1475w	1770w	2065w	2360w	2655w	2950w	3245w	3540w	3835w	4130w	4425w
F3V 104	€	964,80	1094,80	1215,30	1292,00	1388,40	1556,10	1723,80	1888,90	2042,10	2189,80	2398,10	2611,80	2841,20
(69t)		940w	1254w	1567w	1880w	2194w	2507w	2821w	3134w	3447w	3761w	4074w	4388w	4701w
F3V 110	€	1002,40	1134,40	1275,90	1370,00	1470,20	1651,60	1829,30	2000,20	2164,60	2321,50	2542,40	2768,50	3011,00
(73t)		995w	1327w	1659w	1991w	2323w	2654w	2986w	3318w	3650w	3982w	4313w	4645w	4977w
F3V 116	€	1048,80	1169,40	1340,30	1447,60	1552,20	1744,40	1930,50	2114,80	2286,60	2452,40	2686,70	2924,10	3182,30
(77t)		1046w	1395w	1744w	2093w	2442w	2790w	3139w	3488w	3837w	4186w	4534w	4883w	5232w

Δt different from 50 K: consult Technical data Brem

PRODUCTION ON REQUEST
Thermal output and prices by interpolation:
- height of manifolds every 3 cm
- length of radiating tubes every 10 cm

Made-to-measure (±3 mm)
Sizes over 3 m: price on request
Size every 1 cm: increased size +20%



F3V

Metal reiforced on backs for lengths greater than 80 cm

FORM CROM

PRICE FROM 1.07.2022 **+15%**

The Form F2H and F2V radiator is also produced in an exclusive chrome plated version to obtain a particular effect in the room. FORM CROM is produced as standard in the sizes shown in the table (max sizes).

MOD. FHR



MOD. FVR

FORM CROM (t: vertical tubes)

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.	L cm	32	38	44	50	56	62	68
H cm	(n° t.)	(16t)	(19t)	(22t)	(25t)	(28t)	(31t)	(34t)
	▲▽ cm	28	34	40	46	52	58	64
FHR 180	€	1534,00	1661,40	1789,80	1936,80	2177,10	2418,60	2659,10
		594w	706w	817w	928w	1039w	1150w	1263w
FHR 190	€	1609,20	1741,40	1872,50	2030,90	2278,50	2534,30	2786,80
		622w	738w	855w	972w	1089w	1206w	1322w
FHR 200	€	1680,70	1820,10	1955,50	2120,90	2384,00	2646,90	2909,80
		653w	775w	898w	1020w	1142w	1264w	1386w

FORM CROM (t: horizontal tubes)

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.		Lengths/Longueurs							
H cm	L cm	60	80	100	120	140	160	180	200
	▲▽ cm	57,8	77,8	97,8	117,8	137,8	157,8	177,8	197,8
FVR 32	€	1144,90	1208,80	1217,20	1270,00	1322,50	1439,60	1534,00	1680,70
(16t)		200w	267w	334w	400w	467w	534w	601w	667w
FVR 38	€	1237,00	1312,80	1318,70	1366,80	1422,10	1557,90	1661,40	1820,10
(19t)		238w	318w	397w	476w	555w	635w	714w	794w
FVR 44	€	1332,60	1404,60	1417,20	1461,60	1536,20	1672,70	1789,80	1955,50
(22t)		275w	367w	459w	551w	643w	734w	826w	918w
FVR 50	€	1445,10	1524,30	1535,70	1589,70	1653,90	1808,00	1936,80	2120,90
(25t)		318w	423w	529w	634w	740w	846w	952w	1058w
FVR 56	€	1579,60	1616,60	1726,50	1783,80	1859,90	2034,70	2177,10	2384,00
(28t)		356w	474w	593w	711w	830w	949w	1067w	1186w
FVR 62	€	1807,80	1907,20	1920,20	1979,60	2070,20	2259,70	2418,60	2646,90
(31t)		395w	526w	658w	790w	922w	1054w	1185w	1317w
FVR 68	€	1879,20	2068,10	2103,40	2180,90	2272,50	2481,70	2659,10	2909,80
(34t)		433w	578w	722w	866w	1010w	1154w	1299w	1443w

Δt different from 50 K: consult Technical data Brem

STANDARD PRODUCTION
Chrome-plated brackets - Tolerance ± 3 mm
Chrome-plated air vent ø 1/8"
MAXIMUM OPERATING PRESSURE, 8 BAR.

PRODUCTION ON REQUEST
Ceiling brackets and feet page 285
Chrome-plated feet and fixings, by estimate

STANDARD FITTINGS
EG ø 1/2". On requeste 3/8"
Fittings AC or BD on request
Special fittings, page 286



TAPPING CENTRES
EG vertical standard fittings
Side fittings, on request without extra

FHR MODEL



FVR MODEL



* Coupling protrusion 1 cm



FIXINGS
Brackets included

Art. M4C

Mod.	a cm	b cm	c cm
FH	4	3,5	3,5
FV	3,5	4	4



RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

REMOTE FITTINGS Art.REM 36,60€
Remote fittings at the rear: ▲▽ EG





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

FORM ONDULATO

PRICE FROM 1.07.2022 **+15%**

The Form F2H radiator is standard produced in the FORM ONDULATO model with just two curves: curvature is more accentuated in the upper part and less pronounced in the lower part. Also available made-to-measure according to the Form F2H and F2V models.

FORM ONDULATO

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MOD.	L cm	32	38	44	50	56	62	68	74	80
H cm	(n° tubes)	(16t)	(19t)	(22t)	(25t)	(28t)	(31t)	(34t)	(37t)	(40t)
	▲▽ cm	28	34	40	46	52	58	64	70	76
FO 180	€	716,10	753,00	800,10	842,00	922,00	990,20	1069,50	1139,40	1219,10
		742w	882w	1021w	1160w	1299w	1438w	1578w	1717w	1856w
FO 190	€	749,10	786,80	823,50	879,80	950,10	1034,40	1106,60	1188,40	1263,00
		778w	923w	1069w	1215w	1361w	1507w	1652w	1798w	1944w
FO 200	€	779,60	809,20	858,40	905,20	991,00	1066,80	1152,70	1227,20	1304,70
		816w	969w	1122w	1275w	1427w	1580w	1733w	1886w	2039w
FO 210	€	799,00	842,00	881,60	941,00	1019,60	1109,60	1186,30	1265,00	1344,80
		852w	1012w	1171w	1331w	1491w	1650w	1810w	1970w	2130w
FO 220	€	818,60	862,20	915,60	965,60	1057,50	1139,40	1219,10	1303,00	1384,50
		887w	1053w	1219w	1386w	1552w	1718w	1884w	2051w	2217w

On request, made-to-measure Heights from 140 to 300 cm.



FORM ONDULATO CROM

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MOD.	L cm	32	38	44	50	56	62	68
H cm	(n° tubes)	(16t)	(19t)	(22t)	(25t)	(28t)	(31t)	(34t)
	▲▽ cm	28	34	40	46	52	58	64
FOR 180	€	1863,80	1995,30	2138,50	2289,60	2547,30	2795,60	3053,60
		594w	706w	817w	928w	1039w	1150w	1263w
FOR 190	€	1952,20	2088,80	2223,60	2397,20	2651,60	2925,20	3184,90
		622w	738w	855w	972w	1089w	1206w	1322w
FOR 200	€	2037,40	2180,40	2319,30	2489,80	2770,50	3042,00	3322,60
		653w	775w	898w	1020w	1142w	1264w	1386w

On request, made-to-measure Heights from 140 to 200 cm

Δt different from 50 K: consult Technical data Brem

FORM ONDULATO (wavy) is made-to-measure on the basis of the following specifications:

- ends of tubes with a minimum of 15 cm straight pipe
- radius of curvature greater than 15 cm
- tolerance ±3 mm
- depth ≤ 36 cm

Attach drawing with measurements for estimate.

STANDARD PRODUCTION
White "sablé" paintwork-white M4F brackets
Chrome-plated finish - chrome-plated brackets
Tolerance ±3mm - Max. working pressure 8Bar

PRODUCTION ON REQUEST
Brem color chart painting (with chrome-plated brackets) +15/25%
Made-to-measure, by estimate

STANDARD FITTING
EG ø 1/2"
Fittings ø 1/8", on request
Special fittings, page 286

TAPPING CENTRES

EG vertical standard fittings





FIXINGS
Brackets included

Art. M4F..

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€

REMOTE FITTINGS Art.REM 36,60€
Remote fittings at the rear: ▲▽ EG





SIDE CONTROL TON VALVES KIT
page 277 Art. KVL 130,90€





SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

GRATA

PRICE FROM 1.07.2022 **+15%**

GRATA is a radiator of sought-after design and high thermal output. These characteristics make the GRATA useful when a very decorative effect is needed, with the addition of feet and clamps, allows it also to be used as a room partition, parapet or staircase handrail.

MODEL GRH
with vertical radiating tubes

H = from 60 to 300 cm (every 20 cm)
Height on request every 5 cm

L = from 20 to 110 cm (every 6 cm)
Width on request every 3 cm



GRH



MODEL GRV
with horizontal radiating tubes

H = from 20 to 116 cm (every 6 cm)
Height on request every 3 cm

L = from 60 to 300 cm (every 20 cm)
Length on request every 5 cm



GRV



STANDARD PRODUCTION
White "sablé" paintwork-white M4G brackets
Air vent ø 1/8" - Tolerance ± 3 mm
MAXIMUM WORKING PRESSURE, 8 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list (with chrome-plated brackets) +15/25%
Made-to-measure, by estimate

STANDARD FITTINGS
EG ø 1/2". A richiesta 3/8"
Fittings AC o BD on request
Special fittings, page 286



TAPPING CENTRES
EG vertical standard fittings
Side fittings, on request without extra

GRH MODEL



GRV MODEL



* Coupling protrudes 1cm



FIXINGS
Brackets included

Art. M4G

Mod.	a cm	b cm	c cm
GRH	5,5	5	5
GRV	5	5,5	5,5

□ from H or L 220 cm

GRATA GRH 200-50

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



STRAIGHT MINI VALVES KIT page 278
chrome-plated or white color Art. KMD119,00€

ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€



SIDE CONTROL TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

REMOTE FITTINGS Art.REM 36,60€
Remote fittings at the rear: ▲▽ EG





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

GRATA GRH

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

MOD. H cm	L cm	20	26	32	38	44	50	56	62	68	74	80	86	92	98	104
	▲▽ cm	16	22	28	34	40	46	52	58	64	70	76	82	88	94	100
		Lengths/Longueurs														
GRH 60	€	456,30	513,00	560,80	606,00	652,70	708,00	773,20	883,60	976,10	1072,7	1161,3	1252,6	1346,4	1435,7	1540,7
		146w	190w	234w	278w	322w	366w	410w	454w	498w	542w	586w	630w	673w	717w	761w
GRH 80	€	483,30	543,90	592,10	642,80	688,80	748,90	793,00	935,20	1027,8	1122,5	1214,9	1308,3	1385,3	1495,9	1595,0
		187w	243w	299w	355w	411w	468w	524w	580w	636w	692w	748w	804w	860w	916w	972w
GRH 100	€	495,60	560,80	613,30	662,80	712,10	770,90	870,00	965,40	1058,4	1155,3	1254,7	1349,3	1444,1	1540,7	1635,8
		229w	297w	366w	435w	503w	572w	641w	709w	778w	847w	915w	984w	1052w	1121w	1190w
GRH 120	€	526,70	597,40	652,20	705,40	757,20	820,30	922,40	1022,3	1127,3	1229,4	1331,7	1433,7	1535,7	1637,7	1739,5
		268w	348w	429w	509w	590w	670w	750w	831w	911w	992w	1072w	1152w	1233w	1313w	1394w
GRH 140	€	567,80	642,80	700,60	757,20	814,90	881,30	990,00	1100,2	1208,6	1317,9	1429,5	1539,1	1651,0	1760,9	1868,9
		308w	400w	492w	585w	677w	770w	862w	954w	1047w	1139w	1231w	1324w	1416w	1508w	1601w
GRH 160	€	638,70	721,50	786,70	848,50	914,00	990,00	1110,8	1234,8	1356,5	1477,7	1604,2	1730,3	1853,4	1973,0	2098,5
		346w	449w	553w	657w	760w	864w	968w	1071w	1175w	1279w	1382w	1486w	1590w	1693w	1797w
GRH 180	€	705,40	796,10	867,60	941,10	1011,7	1096,1	1231,8	1368,4	1502,9	1639,9	1778,6	1914,3	2052,2	2187,5	2321,1
		383w	497w	612w	727w	842w	957w	1071w	1186w	1301w	1416w	1530w	1645w	1760w	1875w	1990w
GRH 190	€	737,30	835,40	908,70	985,40	1059,1	1147,8	1288,1	1432,6	1573,4	1717,7	1862,9	2004,8	2148,8	2289,6	2432,6
		404w	525w	647w	758w	889w	1011w	1132w	1253w	1374w	1496w	1617w	1738w	1859w	1981w	2102w
GRH 200	€	770,90	873,00	950,70	1030,7	1107,6	1199,0	1347,5	1496,4	1644,2	1794,6	1947,0	2096,2	2245,4	2390,1	2544,4
		419w	545w	671w	796w	922w	1048w	1174w	1300w	1425w	1551w	1677w	1803w	1928w	2054w	2180w
GRH 210	€	801,20	907,50	990,00	1072,1	1151,8	1248,6	1403,4	1559,0	1712,3	1868,9	2025,5	2181,2	2338,3	2489,8	2648,4
		429w	557w	686w	815w	943w	1072w	1201w	1329w	1458w	1587w	1715w	1844w	1972w	2101w	2230w
GRH 220	€	834,50	944,40	1027,8	1112,5	1196,8	1296,8	1457,6	1620,0	1778,6	1941,9	2103,5	2266,9	2428,7	2588,5	2751,7
		453w	589w	724w	860w	996w	1132w	1268w	1404w	1540w	1675w	1811w	1947w	2083w	2219w	2355w
GRH 240	€	896,40	1014,3	1104,3	1194,8	1286,5	1392,4	1564,2	1735,6	1908,0	2082,6	2258,0	2428,7	2605,2	2778,3	2950,2
		486w	632w	777w	923w	1069w	1215w	1360w	1506w	1652w	1797w	1943w	2089w	2235w	2380w	2526w
GRH 260	€	983,40	1110,8	1210,5	1309,8	1409,3	1526,4	1710,4	1899,4	2088,8	2325,8	2471,7	2663,4	2850,5	3040,6	3231,5
		517w	672w	827w	982w	1137w	1293w	1448w	1603w	1758w	1913w	2068w	2223w	2378w	2533w	2688w
GRH 280	€	1068,5	1208,6	1315,8	1426,2	1532,3	1658,6	1864,8	2068,1	2277,1	2530,6	2692,6	2900,7	3103,7	3310,3	3517,4
		548w	712w	877w	1041w	1206w	1370w	1534w	1699w	1863w	2028w	2192w	2356w	2521w	2685w	2850w
GRH 300	€	1161,3	1312,8	1431,4	1548,3	1666,3	1803,0	2027,6	2251,0	2477,0	2753,9	2930,4	3155,5	3377,5	3602,4	3825,7
		577w	750w	923w	1096w	1269w	1443w	1616w	1789w	1962w	2135w	2308w	2481w	2654w	2827w	3000w

Δt different from 50 K: consult Technical data Brem

TubesDESIGN

HOW TO ORDER

State: model, height and width in cm; connection and color if different from standard.
eg.: GRH 180 - 38, AC ø 3/8", SB 2008

Model Grata — horizontal manifold — height cm — length cm

GRH 200 - 50

PRODUCTION ON REQUEST

Thermal output and prices can be obtained by interpolation:
- length of manifolds every 3 cm
- height of radiating tubes every 10 cm

Made-to-measure (±3 mm)
Sizes over 3 m: price on request
Height every 5 cm: increased size +15%



GRH



DOUBLE VERSION GDH

Is obtained by joining two GRH radiators
PRICE GDH GRH x 2 + 111,40€
Standard EG fitting (delivery on left, at front; return on right, at rear).
Thermal output GDH: single radiator x 1,60

GRATA GRV

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

Lengths/Longueurs

MOD.	L cm / ▲▽ cm	60 / 57,8	80 / 77,8	100 / 97,8	120 / 117,8	140 / 137,8	160 / 157,8	180 / 177,8	200 / 197,8	220 / 217,8	240 / 237,8	260 / 257,8	280 / 277,8	300 / 297,8
GRV 20	€	456,30	483,30	495,60	526,70	567,80	638,70	705,40	770,90	834,50	896,40	983,40	1068,5	1161,3
		131w	174 w	218w	262w	305w	349w	392w	436w	480w	523w	567w	610w	654w
GRV 26	€	513,00	543,90	560,80	597,40	642,80	721,50	796,10	873,00	944,40	1014,3	1110,8	1208,6	1312,8
		172w	229w	286w	343w	400w	458w	515w	572w	629w	686w	744w	801w	858w
GRV 32	€	560,80	592,10	613,30	652,20	700,60	786,70	867,60	950,70	1027,8	1104,3	1210,5	1315,8	1431,4
		212w	283w	354w	425w	496w	566w	637w	708w	779w	850w	920w	991w	1062w
GRV 38	€	606,00	642,80	662,80	705,40	757,20	848,50	941,10	1030,7	1112,5	1194,8	1309,8	1426,2	1548,3
		254w	338w	423w	508w	592w	677w	761w	846w	931w	1015w	1100w	1184w	1269w
GRV 44	€	652,70	688,80	712,10	757,20	814,90	914,00	1011,7	1107,6	1196,8	1286,5	1409,3	1532,3	1666,3
		295w	393w	491w	589w	687w	786w	884w	982w	1080w	1178w	1277w	1375w	1473w
GRV 50	€	708,00	748,90	770,90	820,30	881,30	990,00	1096,1	1199,0	1296,8	1392,4	1526,4	1658,6	1803,0
		336w	448w	560w	672w	784w	896w	1008w	1120w	1232w	1344w	1456w	1568w	1680w
GRV 56	€	773,20	793,00	870,00	922,40	990,00	1110,8	1231,8	1347,5	1457,6	1564,2	1710,4	1864,8	2027,6
		377w	503w	629w	755w	881w	1006w	1132w	1258w	1384w	1510w	1635w	1761w	1887w
GRV 62	€	883,60	935,20	965,40	1022,3	1100,2	1234,8	1368,4	1496,4	1620,0	1735,6	1899,4	2068,1	2251,0
		420w	560w	700w	840w	980w	1120w	1260w	1400w	1540w	1680w	1820w	1960w	2100w
GRV 68	€	976,10	1027,8	1058,4	1127,3	1208,6	1356,5	1502,9	1644,2	1778,6	1908,0	2088,8	2277,1	2477,0
		461w	615w	769w	923w	1077w	1230w	1384w	1538w	1692w	1846w	1999w	2153w	2307w
GRV 74	€	1072,7	1122,5	1155,3	1229,4	1317,9	1477,7	1639,9	1794,6	1941,9	2082,6	2325,8	2530,6	2753,9
		503w	670w	838w	1006w	1173w	1341w	1508w	1676w	1844w	2011w	2179w	2346w	2514w
GRV 80	€	1161,3	1214,9	1254,7	1331,7	1429,5	1604,2	1778,6	1947,0	2103,5	2258,0	2471,7	2692,6	2930,4
		545w	726w	908w	1090w	1271w	1453w	1634w	1816w	1998w	2179w	2361w	2542w	2724w
GRV 86	€	1252,6	1308,3	1349,3	1433,7	1539,1	1730,3	1914,3	2096,2	2266,9	2428,7	2663,4	2900,7	3155,5
		586w	782w	977w	1172w	1368w	1563w	1759w	1954w	2149w	2345w	2540w	2736w	2931w
GRV 92	€	1346,4	1385,3	1444,1	1535,7	1651,0	1853,4	2052,2	2245,4	2428,7	2605,2	2850,5	3103,7	3377,5
		628w	837w	1046w	1255w	1464w	1674w	1883w	2092w	2301w	2510w	2720w	2929w	3138w
GRV 98	€	1435,7	1495,9	1540,7	1637,7	1760,9	1973,0	2187,5	2390,1	2588,5	2778,3	3040,6	3310,3	3602,4
		669w	892w	1115w	1338w	1561w	1784w	2007w	2230w	2453w	2676w	2899w	3122w	3345w
GRV 104	€	1540,7	1595,0	1635,8	1739,5	1868,9	2098,5	2321,1	2544,4	2751,7	2950,2	3231,5	3517,4	3825,7
		710w	947w	1184w	1421w	1658w	1894w	2131w	2368w	2605w	2842w	3078w	3315w	3552w
GRV 110	€	1630,5	1678,9	1719,8	1841,4	1981,8	2222,6	2460,1	2692,6	2913,7	3127,2	3424,1	3727,4	4054,5
		752w	1002w	1253w	1504w	1754w	2005w	2255w	2506w	2757w	3007w	3258w	3508w	3759w
GRV 116	€	1721,7	1772,3	1823,7	1950,3	2088,8	2345,7	2601,0	2846,4	3077,9	3302,9	3616,9	3937,0	4281,9
		793w	1058w	1322w	1586w	1851w	2115w	2380w	2644w	2908w	3173w	3437w	3702w	3966w

Δt different from 50 K: consult Technical data Brem

Model Grata — vertical manifold — height cm — length cm

GRV 50 - 180

PRODUCTION ON REQUEST
Thermal output and prices can be obtained by interpolation:
- height of manifolds every 3 cm
- length of radiating tubes every 10 cm

Made-to-measure (±3 mm)
Sizes over 3 m: price on request
Height every 5 cm: increased size +15%



DOUBLE VERSION GDV
Is obtained by joining two GRV radiators
PRICE GDV GRV x 2 +111,40€

Standard EG fitting (delivery on left, at front; return on right, at rear).
Thermal output GDV: single radiator x1,65

WIND

PRICE FROM 1.07.2022 **+15%**

The WIND mini-column radiators are built using elements from three to six columns, made from circular cross section radiating tubes. Depending on the number requested, the batteries of elements are obtained by welding the required number together.

ELEMENT STEP: PE = 3 cm

TUBES DIAMETER: ∅ = 1,5 cm

LENGTH OF RADIATORS (± 3 mm):
number of elements x 3 cm

Rear metal reinforcement from 21 elements
H = from 29 to 200 cm

L = from 30 to 108 cm (every 3 cm)



MODEL W 3 with 3 radiating tubes element

MODEL W 4 with 4 radiating tubes element

MODEL W 5 with 5 radiating tubes element

MODEL W 6 with 6 radiating tubes element



STANDARD TAPPING CENTRES
AC - BD / AD - BC ø1/2"
Side fittings ▲▽ = H-4,6 cm



TAPPING CENTRES ± 6 CM

Use chrome-plated offset couplings to adjust the tapping centres up to 6 cm (Art. EC.. page 274)

STANDARD PRODUCTION
SB9016 white sablé paintwork, with brackets
Air vent ø 1/2" - Tolerance ± 3 mm
MAXIMUM WORKING PRESSURE, 8 BAR

PRODUCTION ON REQUEST
Brem color chart painting with brackets in the same color +15/25%
Batteries with non standard n° of elements.

STANDARD FITTINGS
AC - BD / AD - BC Ø 1/2"
Fittings EG or GE page 187
Special fittings, page 286



VERTICAL FITTINGS ON REQUEST
Tapping centres EG ø 1/2" Art. EGW 75,50€
On request, GE fittings



W 3 y = 5 cm
W 4 y = 5,5 cm
W 5 y = 7 cm
W 6 y = 7,5 cm

FITTINGS ø 1/2" ON REQUEST

EG - GE with sleeve and baffle
(tapp. centres: L-6 cm) Art. EGW75,50€

CD - DC with baffle
(tapping centres: L+8,4 cm) Art. AS 75,50€



FIXINGS
Brackets included

W 3 Art. 131
W 4 Art. 131
W 5 Art. 151
W 6 Art. 151

□ from L >100 cm ⊠ for special fittings

WIND 3200 12 el.

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

REMOTE FITTINGS, NOT AVAILABLE

WIND

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

MOD.	H cm	▲▽ cm	p n° el cm L cm	1el (3)	10el (30)	11el (33)	12el (36)	13el (39)	14el (42)	15el (45)	16el (48)	17el (51)	18el (54)	19el (57)	20el (60)
W 3065	66,6	62	6,5	€ 22,20	220,50	242,50	264,50	286,50	308,70	330,80	352,80	374,90	396,80	418,90	440,90
				42w	417w	459w	500w	542w	584w	625w	667w	709w	750w	792w	834w
W 3075	76,6	72	6,5	€ 23,40	232,80	256,30	279,60	302,80	326,10	349,40	372,60	396,00	419,20	442,60	465,70
				48w	484w	533w	581w	630w	678w	727w	775w	824w	872w	921w	969w
W 3085	86,6	82	6,5	€ 24,40	245,20	269,80	294,40	319,10	343,50	368,00	392,60	417,10	441,60	466,00	490,80
				54w	541w	595w	649w	703w	757w	811w	865w	919w	973w	1028w	1082w
W 3180	178,3	173,7	6,5	€ 54,70	543,60	597,70	652,20	706,60	760,80	815,20	869,50	924,00	978,30	1032,6	1086,8
				107w	1070w	1177w	1284w	1391w	1499w	1606w	1713w	1820w	1927w	2034w	2141w
W 3200	198,3	193,7	6,5	€ 60,80	607,30	667,90	728,60	789,20	850,10	910,70	971,60	1032,0	1092,8	1153,4	1214,3
				118w	1183w	1301w	1420w	1538w	1656w	1775w	1893w	2011w	2129w	2248w	2366w
W 4065	66,6	62	8,9	€ 25,20	251,60	276,60	301,80	327,00	352,20	377,30	402,50	427,70	452,90	478,00	503,20
				52w	518w	570w	622w	674w	726w	777w	829w	881w	933w	985w	1037w
W 4075	76,6	72	8,9	€ 26,50	264,10	290,50	316,80	343,30	369,50	396,00	422,50	448,80	475,20	501,40	528,00
				60w	597w	657w	717w	776w	836w	896w	955w	1015w	1075w	1135w	1194w
W 4085	86,6	82	8,9	€ 27,60	276,30	304,10	331,70	359,40	387,10	414,70	442,30	469,60	497,40	524,90	552,70
				68w	676w	744w	811w	879w	946w	1014w	1082w	1149w	1217w	1284w	1352w
W 4180	178,3	173,7	8,9	€ 59,20	591,70	650,90	710,10	769,10	828,20	887,50	946,60	1005,6	1064,9	1124,0	1183,2
				131w	1307w	1438w	1568w	1699w	1830w	1960w	2091w	2222w	2353w	2483w	2614w
W 4200	198,3	193,7	8,9	€ 65,90	660,10	726,00	792,00	858,00	924,00	990,00	1055,9	1121,9	1188,0	1254,1	1319,8
				145w	1453w	1599w	1744w	1889w	2035w	2180w	2326w	2471w	2616w	2762w	2907w
W 5027	29,1	24,5	11,3	€ 24,30	243,90	268,00	292,30	317,00	341,20	365,70	390,20	414,50	438,90	463,10	487,50
				27w	270w	297w	324w	352w	379w	406w	433w	460w	487w	514w	541w
W 5053	54,6	50	11,3	€ 28,00	279,60	307,60	335,30	363,30	391,10	419,20	447,40	475,20	503,20	531,00	559,10
				53w	530w	583w	635w	688w	741w	794w	847w	900w	953w	1006w	1059w
W 5065	66,6	62	11,3	€ 28,30	284,30	312,60	340,90	369,40	397,80	426,20	454,60	483,30	511,50	539,80	568,40
				63w	631w	694w	757w	820w	883w	946w	1010w	1073w	1136w	1199w	1262w
W 5075	76,6	72	11,3	€ 30,00	299,80	329,60	359,70	389,60	419,70	449,30	479,40	509,40	539,50	569,40	599,40
				73w	732w	806w	879w	952w	1025w	1099w	1172w	1245w	1318w	1391w	1465w
W 5085	86,6	82	11,3	€ 30,90	309,00	339,90	370,70	401,60	432,50	463,30	494,50	525,10	556,20	587,10	618,00
				82w	822w	905w	987w	1069w	1151w	1234w	1316w	1398w	1480w	1563w	1645w
W 6027	29,1	24,5	13,7	€ 26,80	265,60	292,00	318,80	345,00	372,00	398,40	424,80	451,40	478,00	504,30	531,00
				34w	338w	372w	406w	439w	473w	507w	541w	575w	608w	642w	676w
W 6053	54,6	50	13,7	€ 31,20	312,00	343,40	374,60	405,80	436,90	468,20	499,30	530,70	561,80	593,00	624,30
				64w	642w	706w	771w	835w	899w	963w	1028w	1092w	1156w	1220w	1284w
W 6065	66,6	62	13,7	€ 32,10	321,40	353,50	385,60	418,10	450,10	482,20	514,40	546,60	578,60	610,70	642,90
				77w	766w	843w	919w	996w	1073w	1149w	1226w	1302w	1379w	1456w	1532w
W 6075	76,6	72	13,7	€ 33,30	333,90	367,10	400,60	434,10	467,60	500,80	534,10	567,50	600,90	634,50	667,70
				88w	879w	967w	1055w	1142w	1230w	1318w	1406w	1494w	1582w	1670w	1758w
W 6085	86,6	82	13,7	€ 34,80	346,50	380,80	415,60	450,20	484,60	519,30	554,00	588,80	623,30	658,00	692,50
				97w	969w	1066w	1163w	1260w	1357w	1453w	1550w	1647w	1744w	1841w	1938w









HOW TO ORDER

State: model, number of columns, height in cm, number of elements; connection and color.

Mod. Wind — number columns — height cm — number elements

W 3075 - 19 el

E.g.: W 3075 -19, AC 1/2", BR0007



PRODUCTION ON REQUEST

3 - 9 el. batteries extra charge 24,00€

Batteries with more than 40 el.

extra charge for each radiator 52,30€

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

21el (63)	22el (66)	23el (69)	24el (72)	25el (75)	26el (78)	27el (81)	28el (84)	29el (87)	30el (90)	31el (93)	32el (96)	33el (99)	34el (102)	35el (105)	36el (108)	MOD. H cm
463,00	485,10	507,00	529,10	551,30	573,30	595,30	617,20	639,40	661,40	683,50	705,40	727,60	749,50	771,80	794,00	€ W 3065
875w	917w	959w	1001w	1042w	1084w	1126w	1167w	1209w	1251w	1292w	1334w	1376w	1417w	1459w	1501w	
489,10	512,30	535,90	559,10	582,40	605,50	629,00	652,20	675,60	698,70	722,10	745,40	768,70	792,00	815,20	838,50	€ W 3075
1017w	1066w	1114w	1163w	1211w	1260w	1308w	1357w	1405w	1453w	1502w	1550w	1599w	1647w	1696w	1744w	
515,10	539,70	564,30	588,90	613,30	637,70	662,40	687,00	711,40	736,10	760,50	785,10	809,50	834,20	858,80	883,20	€ W 3085
1136w	1190w	1244w	1298w	1352w	1406w	1460w	1514w	1568w	1622w	1677w	1731w	1785w	1839w	1893w	1947w	
1141,3	1195,7	1250,0	1304,4	1358,8	1413,0	1467,3	1521,9	1576,1	1630,5	1684,7	1739,0	1793,7	1847,8	1902,2	1956,4	€ W 3180
2248w	2355w	2462w	2569w	2676w	2783w	2890w	2997w	3104w	3211w	3318w	3425w	3532w	3639w	3746w	3853w	
1275,0	1335,6	1396,4	1457,0	1517,8	1578,6	1639,2	1699,9	1760,8	1821,3	1882,2	1942,8	2003,5	2064,2	2124,9	2185,8	€ W 3200
2484w	2603w	2721w	2839w	2958w	3076w	3194w	3312w	3431w	3549w	3667w	3786w	3904w	4022w	4141w	4259w	
528,20	553,40	578,60	603,60	629,00	654,30	679,20	704,40	729,60	754,70	779,60	804,90	830,00	855,20	880,50	905,40	€ W 4065
1088w	1140w	1192w	1244w	1296w	1348w	1399w	1451w	1503w	1555w	1607w	1659w	1710w	1762w	1814w	1866w	
554,40	580,70	607,30	633,20	660,10	686,30	712,90	739,20	765,50	792,00	818,40	844,60	871,20	897,30	924,00	950,20	€ W 4075
1254w	1314w	1373w	1433w	1493w	1553w	1612w	1672w	1732w	1791w	1851w	1911w	1971w	2030w	2090w	2150w	
580,30	608,00	635,60	663,40	690,90	718,50	746,10	773,70	801,50	829,10	856,80	884,60	912,20	939,90	967,50	995,10	€ W 4085
1420w	1487w	1555w	1622w	1690w	1758w	1825w	1893w	1960w	2028w	2096w	2163w	2231w	2298w	2366w	2434w	
1242,4	1301,4	1360,6	1419,8	1479,1	1538,2	1597,3	1656,4	1715,6	1774,8	1834,1	1893,0	1952,3	2011,4	2070,7	2129,7	€ W 4180
2745w	2875w	3006w	3137w	3267w	3398w	3529w	3660w	3790w	3921w	4052w	4182w	4313w	4444w	4574w	4705w	
1385,9	1451,9	1517,8	1583,9	1650,0	1715,8	1781,9	1847,8	1913,9	1979,8	2046,0	2111,8	2177,7	2243,9	2309,8	2375,7	€ W 4200
3052w	3198w	3343w	3488w	3634w	3779w	3924w	4070w	4215w	4360w	4506w	4651w	4796w	4942w	5087w	5232w	
512,00	536,40	560,80	585,10	609,40	633,70	658,20	682,50	707,20	731,40	755,80	780,20	804,40	828,80	853,30	877,50	€ W 5027
568w	595w	622w	649w	676w	703w	730w	757w	784w	811w	838w	865w	892w	919w	946w	973w	
587,00	615,00	642,90	670,80	698,70	726,80	754,70	782,70	810,50	838,50	866,50	894,40	922,40	950,20	978,30	1006,2	€ W 5053
1112w	1165w	1218w	1271w	1324w	1377w	1430w	1483w	1536w	1589w	1642w	1695w	1748w	1800w	1853w	1906w	
596,70	625,10	653,40	682,10	710,40	739,00	767,20	795,60	824,10	852,40	881,00	909,30	937,70	966,10	994,60	1022,9	€ W 5065
1325w	1388w	1451w	1514w	1577w	1640w	1704w	1767w	1830w	1893w	1956w	2019w	2082w	2145w	2208w	2271w	
629,30	659,20	689,40	719,40	749,10	779,20	809,10	839,10	869,00	899,20	929,00	959,10	989,00	1018,9	1048,8	1078,7	€ W 5075
1538w	1611w	1684w	1758w	1831w	1904w	1977w	2051w	2124w	2197w	2270w	2344w	2417w	2490w	2563w	2636w	
648,90	679,80	710,60	741,60	772,60	803,40	834,40	865,20	896,30	927,00	957,70	988,50	1019,6	1050,7	1081,2	1112,4	€ W 5085
1727w	1809w	1892w	1974w	2056w	2138w	2221w	2303w	2385w	2467w	2550w	2632w	2714w	2796w	2879w	2961w	
557,50	584,10	610,70	637,30	663,90	690,40	717,00	743,30	770,10	796,70	823,10	849,60	876,10	902,80	929,30	955,80	€ W 6027
710w	744w	777w	811w	845w	879w	913w	946w	980w	1014w	1048w	1082w	1115w	1149w	1183w	1217w	
655,30	686,80	717,70	748,90	780,30	811,60	842,50	873,90	905,00	936,40	967,60	998,80	1030,0	1061,1	1092,4	1123,6	€ W 6053
1349w	1413w	1477w	1541w	1606w	1670w	1734w	1798w	1862w	1927w	1991w	2055w	2119w	2184w	2248w	2312w	
674,90	707,30	739,30	771,20	803,60	835,70	867,70	899,90	932,20	964,30	996,20	1028,5	1060,8	1092,8	1124,9	1157,1	€ W 6065
1609w	1686w	1762w	1839w	1915w	1992w	2069w	2145w	2222w	2298w	2375w	2452w	2528w	2605w	2682w	2758w	
701,10	734,60	767,80	801,10	834,60	868,10	901,40	934,80	968,10	1001,6	1034,9	1068,3	1101,5	1135,3	1168,5	1202,0	€ W 6075
1846w	1933w	2021w	2109w	2197w	2285w	2373w	2461w	2549w	2636w	2724w	2812w	2900w	2988w	3076w	3164w	
727,20	761,70	796,20	831,20	865,60	900,30	934,90	969,50	1004,2	1038,9	1073,4	1108,1	1142,7	1177,1	1212,0	1246,6	€ W 6085
2035w	2132w	2229w	2326w	2422w	2519w	2616w	2713w	2810w	2907w	3004w	3101w	3198w	3294w	3391w	3488w	

Δt autres que 50 K :consulter les Données techniques de Brem

FITTINGS ø 1/2" ON REQUEST

EG - GE with sleeve and baffle
(tapp. centres: L-6 cm) Art. EGW75,50€

CD - DC with baffle
(tapping centres: L+8,4 cm) Art. AS 75,50€



Rear metal reinforcement from 21 elements

STANDARD FITTING
Ø 1/2"
AC - BD / AD - BC



KUADRUM

PRICE FROM 1.07.2022 **+15%**

KUADRUM: radiator with 15x15 mm square tubes. Modern technology for new balance. The square tube offers excellent heat output and great looks. The series of tubes creates a sense of a full surface.

MODEL K..H
KQH: vertical tubes, squared manifold at front
KCH: vertical tubes, curved manifold at front

H = from 60 to 300 cm (every 20 cm)
L = from 20 to 100 cm (every 5 cm)

Element step = 2,5 cm

Rear metal reinforcement for H > 100 cm

KQH



squared manifolds at front as STANDARD

KCH



curved manifolds at front ON REQUEST



KUADRUM K..H



KQH



KCH

MODEL K..V
KQV: horizontal tubes, squared front manifold
KCV: horizontal tubes, curved front manifold

H = from 20 to 100 cm (every 5 cm)
L = from 60 to 300 cm (every 20 cm)

Element step = 2,5 cm

Rear metal reinforcement for L > 100 cm.

KQV



squared manifolds at front as STANDARD

KCV



curved manifolds at front ON REQUEST



KUADRUM K..V

KQV

KCV

eg. : KQH 180-50, EG ø 1/2", BR 0007

STANDARD PRODUCTION
White sablé paintwork - M4KB brackets
Air vent ø 1/8" - Tolerance ± 3 mm
MAXIMUM WORKING PRESSURE, 8 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with chrome-plated M4KC brackets +15/25%
Made-to-measure, by estimate

STANDARD FITTINGS
EG ø 1/2"
Fittings AC or BD on request
Special fittings, page 286



TAPPING CENTRES
EG vertical standard fittings
Side fittings, on request without extra

K..H MODEL



K..V MODEL



* Coupling protrudes 1cm

CD fitting:
▲▽ t.c.= L+8,4 cm, with Brem valves



□ from H or L > 210 cm

FIXINGS
Brackets included

Art. M4K..

Mod.	a cm	b cm	c cm
KQH	5,2	3,5	3,5
KQV	3,5	5,2	5,2

KUADRUM KQH 180-50

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE control QUADRA VALVES KIT
page 279 Art. KQL 166,30€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 279 Art. KVL 130,90€

REMOTE FITTINGS Art.REM 36,60€
Remote fittings at the rear: ▲▽ EG





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

KUADRUM K..H

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

MOD. L cm / H cm (n°tubes) / ▲▽ cm		25 (10t) 21	30 (12t) 26	35 (14t) 31	40 (16t) 36	45 (18t) 41	50 (20t) 46	55 (22t) 51	60 (24t) 56	65 (26t) 61	70 (28t) 66	75 (30t) 71	80 (32t) 76	85 (34t) 81	90 (36t) 86
K..H 60	€	264,10	288,30	311,50	335,20	363,60	407,70	455,10	479,10	498,40	533,10	565,60	604,50	640,60	670,20
		187w	224w	261w	299w	336w	373w	411w	448w	485w	523w	560w	597w	635w	672w
K..H 80	€	278,20	304,50	330,60	353,50	383,60	428,00	480,30	527,20	575,30	612,40	650,50	680,60	712,90	743,10
		252w	302w	352w	403w	453w	503w	554w	604w	654w	705w	755w	805w	856w	906w
K..H 100	€	288,30	314,50	340,60	365,70	396,40	445,60	495,90	543,30	593,50	644,60	692,60	740,90	791,50	824,50
		314w	377w	440w	503w	566w	629w	691w	754w	817w	880w	943w	1006w	1068w	1131w
K..H 120	€	307,40	334,70	362,90	387,60	421,30	473,00	524,80	578,70	630,30	682,80	736,20	787,00	841,30	892,90
		375w	449w	524w	599w	674w	749w	824w	899w	974w	1049w	1124w	1198w	1273w	1348w
K..H 140	€	344,50	375,80	404,10	436,70	470,40	528,40	588,40	645,80	705,60	765,30	823,10	882,40	942,10	1000,8
		435w	522w	609w	696w	783w	870w	956w	1043w	1130w	1217w	1304w	1391w	1478w	1565w
K..H 160	€	370,50	403,50	436,90	468,80	506,90	570,40	633,70	695,90	758,00	823,20	887,70	950,00	1014,3	1077,9
		493w	591w	690w	788w	887w	985w	1084w	1182w	1281w	1379w	1478w	1576w	1675w	1774w
K..H 180	€	408,60	445,00	482,00	520,10	562,10	631,60	702,00	772,50	842,50	912,00	983,00	1053,6	1122,8	1191,9
		548w	658w	767w	877w	987w	1096w	1206w	1316w	1425w	1535w	1645w	1754w	1864w	1973w
K..H 190	€	428,50	466,90	505,30	543,30	589,30	660,70	736,20	808,50	882,00	956,90	1029,3	1101,3	1175,9	1249,0
		574w	689w	804w	919w	1033w	1148w	1263w	1378w	1493w	1608w	1722w	1837w	1952w	2067w
K..H 200	€	446,70	488,20	528,20	567,40	615,40	691,80	768,20	844,60	921,50	999,40	1076,4	1152,8	1227,2	1306,6
		603w	723w	844w	964w	1085w	1205w	1326w	1446w	1567w	1687w	1808w	1928w	2049w	2169w
K..H 210	€	465,80	506,90	551,20	591,70	640,60	719,90	801,20	879,90	960,00	1039,0	1119,4	1199,0	1278,4	1360,2
		629w	754w	880w	1006w	1131w	1257w	1383w	1508w	1634w	1760w	1886w	2011w	2137w	2263w
K..H 220	€	485,20	527,20	571,60	615,00	665,60	749,10	831,50	912,00	996,90	1080,7	1162,9	1247,0	1329,4	1411,8
		655w	785w	916w	1047w	1178w	1309w	1440w	1571w	1702w	1833w	1964w	2094w	2225w	2356w
K..H 240	€	521,10	566,60	613,50	660,10	715,20	803,50	890,70	979,20	1068,4	1158,6	1247,0	1336,7	1426,0	1460,0
		705w	846w	987w	1128w	1270w	1411w	1552w	1693w	1834w	1975w	2116w	2257w	2398w	2539w
K..H 260	€	570,40	620,80	672,80	723,00	783,20	878,50	975,20	1072,4	1194,1	1269,3	1366,5	1463,1	1560,4	1658,7
		754w	904w	1055w	1206w	1357w	1507w	1658w	1809w	1960w	2110w	2261w	2412w	2563w	2713w
K..H 280	€	619,50	675,90	731,00	786,40	850,60	957,60	1061,2	1167,5	1299,3	1383,1	1489,0	1593,5	1699,0	1806,7
		801w	961w	1121w	1282w	1442w	1602w	1762w	1922w	2083w	2243w	2403w	2563w	2723w	2884w
K..H 300	€	674,90	735,10	794,40	854,60	926,00	1040,5	1155,7	1271,3	1413,0	1503,2	1619,7	1733,9	1849,5	1964,0
		846w	1015w	1184w	1353w	1523w	1692w	1861w	2030w	2199w	2368w	2538w	2707w	2876w	3045w

Δt different from 50K: technical data Brem

Mod. KUADRUM
Q with square collectors at front - STANDARD PRODUCTION
C with curved collectors at front - PRODUCTION ON REQUEST

K..H 200 - 50

horizontal manifold — height cm — width cm

KQDH



KCDH



PRODUCTION ON REQUEST
Made-to-measure (±3 mm) with:
- lenght of manifolds every 2,5 cm
- height of radiating tubes every 10 cm
- thermal output and prices by interpolation.

Height every 1 cm: increased size +20%
Sizes over 3 m: by estimate

KQH



KCH



DOUBLE VERSION K..DH
Is obtained by joining two KH radiators
K..DH price K..H x 2 + 115,90€

Standard EG fitting (delivery on left, at front, return on right, at rear).
Thermal output K..DH: single radiator x1,60

KUADRUM K..V

PRICE FROM 1.07.2022 **+15%**

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

MOD. (n° tubes) ▲▽ cm		Lengths / Longueurs 60	80	100	120	140	160	180	200	220	240	260	280	300
		57,8	77,8	97,8	117,8	137,8	157,8	177,8	197,8	217,8	237,8	257,8	277,8	297,8
K..V 25	€	264,10	278,20	288,30	307,40	330,60	370,50	408,60	446,70	485,20	521,10	570,40	619,50	674,90
(10t)		188w	251w	314w	377w	439w	502w	565w	628w	691w	753w	816w	879w	942w
K..V 30	€	288,30	304,50	314,50	334,70	360,30	403,50	445,00	488,20	527,20	566,60	620,80	675,90	735,10
(12t)		226w	301w	377w	452w	527w	603w	678w	753w	829w	904w	979w	1055w	1130w
K..V 35	€	311,50	330,60	340,60	362,90	387,60	436,90	482,00	528,20	571,60	613,50	672,80	731,00	794,40
(14t)		264w	352w	439w	527w	615w	703w	791w	879w	967w	1055w	1143w	1231w	1318w
K..V 40	€	335,20	353,50	365,70	387,60	418,90	468,80	520,10	567,40	615,00	660,10	723,00	786,40	854,60
(16t)		301w	402w	502w	603w	703w	804w	904w	1005w	1105w	1205w	1306w	1406w	1507w
K..V 45	€	363,60	383,60	396,40	421,30	451,00	506,90	562,10	615,40	665,60	715,20	783,20	850,60	926,00
(18t)		339w	452w	565w	678w	791w	904w	1017w	1130w	1243w	1356w	1469w	1582w	1695w
K..V 50	€	397,60	407,00	445,60	473,00	506,90	570,40	631,60	691,80	749,10	803,50	878,50	957,60	1040,5
(20t)		377w	502w	628w	753w	879w	1005w	1130w	1256w	1381w	1507w	1632w	1758w	1883w
K..V 55	€	455,10	480,30	495,90	524,80	564,30	633,70	702,00	768,20	831,50	890,70	975,20	1061,2	1155,7
(22t)		414w	552w	691w	829w	967w	1105w	1243w	1381w	1519w	1657w	1796w	1934w	2072w
K..V 60	€	479,10	527,20	543,30	578,70	619,50	695,90	772,50	844,60	912,00	979,20	1072,4	1167,5	1271,3
(24t)		452w	603w	753w	904w	1055w	1205w	1356w	1507w	1657w	1808w	1959w	2110w	2260w
K..V 65	€	498,40	575,30	593,50	630,30	676,80	758,00	842,50	921,50	996,90	1068,4	1194,1	1299,3	1413,0
(26t)		490w	653w	816w	979w	1143w	1306w	1469w	1632w	1796w	1959w	2122w	2285w	2449w
K..V 70	€	533,10	612,40	644,60	682,80	734,00	823,20	912,00	999,40	1080,7	1158,6	1269,3	1383,1	1503,2
(28t)		527w	703w	879w	1055w	1231w	1406w	1582w	1758w	1934w	2110w	2285w	2461w	2637w
K..V 75	€	565,60	650,50	692,60	736,20	789,40	887,70	983,00	1076,4	1162,9	1247,0	1366,5	1489,0	1619,7
(30t)		565w	753w	942w	1130w	1318w	1507w	1695w	1883w	2072w	2260w	2449w	2637w	2825w
K..V 80	€	604,50	680,60	740,90	787,00	846,50	950,00	1053,6	1152,8	1247,0	1336,7	1463,1	1593,5	1733,90
(32t)		603w	804w	1005w	1205w	1406w	1607w	1808w	2009w	2210w	2411w	2612w	2813w	3014w
K..V 85	€	640,60	712,90	791,50	841,30	903,50	1014,3	1122,8	1227,2	1329,4	1426,0	1560,4	1699,0	1849,5
(34t)		640w	854w	1067w	1281w	1494w	1708w	1921w	2135w	2348w	2562w	2775w	2988w	3202w
K..V 90	€	670,20	743,10	824,50	892,90	960,00	1077,9	1191,9	1306,6	1411,8	1515,0	1658,7	1806,7	1964,0
(36t)		678w	904w	1130w	1356w	1582w	1808w	2034w	2260w	2486w	2712w	2938w	3164w	3390w
K..V 95	€	699,80	773,40	859,40	945,70	1017,4	1140,7	1264,3	1383,1	1496,2	1603,5	1756,3	1913,0	2081,6
(38t)		716w	954w	1193w	1431w	1670w	1909w	2147w	2386w	2624w	2863w	3101w	3340w	3579w
K..V 100	€	729,00	805,40	904,70	999,80	1072,4	1204,2	1334,6	1461,0	1580,7	1694,0	1856,5	2021,2	2197,2
(40t)		753w	1005w	1256w	1507w	1758w	2009w	2260w	2511w	2762w	3014w	3265w	3516w	3767w

Δt different from 50 K: consult Technical data Brem

Mod. KUADRUM
Q with square collectors at front - STANDARD PRODUCTION
C with curved collectors at front - PRODUCTION ON REQUEST

K..V 80 - 200

vertical manifold — height cm — lenght cm

PRODUCTION ON REQUEST
Made-to-measure (±3 mm) with:
- height of manifolds every 2,5 cm
- lenght of radiating tubes every 10 cm
- thermal output and prices by interpolation.

Lenght every 1 cm: increased size +20%
Sizes over 3 m: by estimate

KQV



KCV



DOUBLE VERSION K..DV
Is obtained by joining two KV radiators
K..DV price K..V x 2 + 115,90€

Standard EG fitting (delivery on left, at front, return on right, at rear).
Thermal output K..DV: single radiator x1,65

RAW

PRICE FROM 1.07.2022 **+15%**

design Davide Diliberto

A particularly iconic product, its curved 25 mm diamet er tubes have been assembled and welded to form box shapes with an attractive diagonal cross in the centre.

We report the main measures for use in the bathroom.

DIMENSIONS:
Lengths: from 50 to 157 cm
Heights: from 50 to 210 cm
Depth: 10 cm
Depth from wall: 13,5 cm

A'DESIGN AWARD WINNER 2019 GOLD

HORIZONTAL MODELS



VERTICAL MODELS



MODEL 50	H-L	Standard white sablé		EN 442 Δt 50 K	EN 442 Δt 30 K	▲▽ t.c.	Height H	Width L	Weight M	Volume V	MIXED Version* (EHE cl.II) with sleeve and: cable◊		digital thermostat
HORIZONTAL	cm	€		watt	watt	cm	cm	cm	Kg	dm³	€	W	€
RAW1	50-50A	524,20		287	153	42	50,5	50,5	4,4	2,1	108,80	250	171,10
RAW1	50-77A	605,70		356	189	68,5	50,5	77	5,5	2,7	110,80	400	173,10
RAW1	50-104A	675,60		421	224	95	50,5	103,5	6,7	3,3	110,80	400	173,10
RAW2	50-104	873,60		578	308	95	50,5	103,5	8,8	4,3	114,60	650	176,90
RAW2	50-130	926,00		647	344	121,5	50,5	130	9,9	4,9	114,60	650	176,90
RAW2	50-157A	978,40	◗	712	379	148	50,5	156,5	11,1	5,5	114,60	650	176,90
RAW2	50-157B	978,40	◗	717	381	148	50,5	156,5	11,1	5,4	114,60	650	176,90
RAW2	104-77	978,40		720	383	68,5	103,5	77	11,1	5,4	118,80	800	181,10
RAW3	50-157	1223,00		868	462	148	50,5	156,5	13,2	6,4	121,90	•900	184,20
VERTICAL													
RAW1	50-50	524,20		287	153	42	50,5	50,5	4,4	2,1	108,80	250	171,10
RAW1	77-50	605,70		356	189	42	77	50,5	5,5	2,7	110,80	400	173,10
RAW1	104-50	675,60		421	224	42	103,5	50,5	6,7	3,3	110,80	400	173,10
RAW2	77-104	978,40		717	381	95	77	103,5	11,1	5,4	118,80	800	181,10
RAW2	104-50	873,60		578	308	42	103,5	50,5	8,8	4,3	112,70	500	175,00
RAW2	130-50	926,00		647	344	42	130	50,5	9,9	4,9	114,60	650	176,90
RAW2	157-50A	978,40	◗	712	379	42	156,5	50,5	11,1	5,4	118,80	800	181,10
RAW2	157-50B	978,40	◗	717	381	42	156,5	50,5	11,1	5,4	118,80	800	181,10
RAW2	183-50	1007,60	◗	782	416	42	183	50,5	12,3	6,0	118,80	800	181,10
RAW2	210-50	1048,30		846	450	42	209,5	50,5	13,5	6,6	121,90	900	184,20
RAW3	157-50	1223,00		868	462	42	156,5	50,5	13,2	6,4	121,90	900	184,20
RAW3	183-50	1246,30	◗	938	499	42	183	50,5	14,3	7,0	121,90	900	184,20

Other dimensions, page170

◗ Ready Stock

(Δt 40K = W Δt 50K x 0,755)

•Electric Heating Element

◊Radio frequency chronothermostat p.227

MIXED VERSION*
EG fittings ▲▽ 5 cm



STANDARD PRODUCTION
White "sablé" paintwork-white B35 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list with colored brackets +15/25%
Electric version, e.RAW, page 263

STANDARD FITTING
EG ø 1/2"
Fittings AC or BD on request
Special fittings, page 287



TAPPING CENTRES
EG vertical standard fittings
Side fittings, on request without extra



FIXINGS
B35 Brackets included



RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€

ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

REMOTE FITTINGS Art.REM 36,60€
Remote fittings at the rear: ▲▽ EG





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CANNUCCIA STRAW

PRICE FROM 1.07.2022 **+15%**

design Bettazzi+Percoco Architects

CANNUCCIA is a funny heated towel rail inspired by the famous plastic straw used for drinks. CANNUCCIA can be hook for dresses or towel rail and is available in three sizes, with different angles to compose various configurations in different colors.

DIMENSIONS
H =160/175/190 cm
L = from 19 to 51 cm
P = 17/14/16 cm



CANN 160-28 | CANN 175-15 | CANN 190-19 | CANN 160/175-40 | CANN 160/190-40 | CANN 175/190-27 | CANN-3 190-48 | +8+

MODEL STRAW	H-L cm	Standard white sablé €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED Version* (cl.II E.H.E.) with: cable◊ €	digital thermostat W	digital thermostat €
CANN	160-28	499,10	141	74	3,6	160	28	4,2	4,4	-	-	-
CANN	175-15	517,10	155	82	3,6	175	15	4,5	4,7	-	-	-
CANN	190-19	535,10	167	88	3,6	190	19	4,8	5,1	-	-	-
CANN	160/175-40	806,30 ◗	301	158	12	175	40	8,1	9,1	89,90	400	152,20
CANN	160/190-40	824,20 ◗	313	165	12	190	40	8,4	9,5	89,90	400	150,20
CANN	175/190-27	842,20	327	172	12	190	27	8,7	9,9	91,80	500	152,20
CANN-3	190-48	1071,40	473	249	24	190	48	12,2	14,3	89,90	650	150,20
CAN-P	160/190-47	1053,80	568	244	19	190	47	16,3	11,2	89,90	650	150,20
CAN-3P	190-51	1301,00	807	342	27	190	51	22,7	16,5	91,80	800	152,20

◗ Ready Stock

Δt 40K = Watt Δt 50K x 0,755

*TR accessory or mixed valve

◊Radio frequency chronothermostat p.227

TOWEL BAR with wall fixings
(white or in the radiator color)

Art. MCA 30 69,60€ 30/15 cm (L/p)
Art. MCA 36 75,60€ 36/18 cm (L/p)

BEST of year WINNER 2017 INTERIOR DESIGN

STANDARD PRODUCTION
White "sablé" paintwork - B15 brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list with colored brackets +15/25%
Electric version e-Cannuccia, page 264

STANDARD FITTING
EG ø 1/2"
ø 3/8" fittings on request
Special fittings, page 287



TAPPING CENTRES
CANN ... MODEL



CAN-P.. MODEL with radiating panel



CAN-P
160/190-47

CAN-3P
190-51

CANN 160/190-40

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€

SIDE control TON VALVES KIT with
THERMOSTATIC head only for SINGLE STRAW
pag. 276-277 Art. KTLD.. 177,10€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

REMOTE FITTINGS Art.REM 36,60€
Remote fittings at the rear: ▲▽ EG





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

CLIP

PRICE FROM 1.07.2022 **+15%**

design Danilo Reale

An innovative, original design. Dynamic and functional, stylish and elegant, efficient and experimental: CLIP is the new heated towel rail with an anti-conformist, pop art feel to it that can fit in anywhere.
It adds a touch of personality to any room.

DIMENSIONS
Width: 50/130/175 cm
Height: 50/130/175 cm
Depth: 8,5 cm
Depth from wall: 12 cm



CLIP 50-175

CLIP 50-130



CLIP 130-50AC

CLIP 130-50BD



CLIP 175-50AC

CLIP 175-50BD

MOD.	H-L	Standard white sablé	EN 442 Δt 50 K	EN 442 Δt 30 K	▲▽ t.c.	Height H	Width L	Depth P	Weight M	Volume V
HORIZONTAL	cm	€	watt	watt	cm	cm	cm	cm	Kg	dm³
CLIP	50-130	605,70	240	123	70	50	130	8	6,4	3,9
CLIP	50-175	716,40	280	144	86	50	175	8	8,0	4,8
VERTICAL										
CLIP	130-50AC	605,70	240	123	70	130	50	8	6,4	3,9
CLIP	130-50BD	605,70	240	123	70	130	50	8	6,4	3,9
CLIP	175-50AC	716,40	280	144	86	175	50	8	8,0	4,8
CLIP	175-50BD	716,40	280	144	86	175	50	8	8,0	4,8

Δt 40K = Watt Δt 50K x 0,755

Electric VERSION not available



STANDARD PRODUCTION
White "sablé" paintwork - B.. Brackets
Tolerance ± 3mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paintwork to BREM color list with
colored B.. brackets +15/25%
Reverse fittings at rear Art. ASR 85,00€

STANDARD FITTING
EG/AC/BD ø 1/2"
ø 3/8" fittings on request
Special fittings, page 287

TAPPING CENTRES

Standard fittings



Reverse fittings at the rear, on request



Model L or H 130 cm ▲ ▽ = 90 cm
Model L or H 175 cm ▲ ▽ = 101 cm

Reverse fittings at the rear Art. ASR 85,00€

FIXINGS

Brackets included



RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€

REMOTE FITTINGS Art.REM 36,60€
at the rear (tapping centres of reverse fittings)



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

ALCOVA

PRICE FROM 1.07.2022 **+15%**

A heated towel rail made from round curved tubes and handtowel shelves.

Its original shape encourages you to enter: in fact, the largest model even has a metal seat.

Once inside, the warmth gently caresses you: an important accessory for the bathroom.

DIMENSIONS
Width 50 / 60 / 75 cm
Height 110 / 145 / 185 cm
Depth 20 / 26 / 40 cm
Depth from wall 24 / 30 / 40 cm



MODEL	H-P cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	Towel bar on request cm
ALCOVA	100-20	800,70	591	311	9,3	110	50	8,7	2,12	30
ALCOVA	100-26	870,20	768	404	9,3	110	50	11,3	2,76	30
ALCOVA	145-20	1018,50	737	388	9,3	145	60	12,1	2,73	30 and/or 50
ALCOVA	145-26	1118,10	951	500	9,3	145	60	15,8	3,55	30 and/or 50
ALCOVA	185-20	1237,90	948	499	9,3	185	75	13,3	3,50	30 and/or 50
ALCOVA	185-26	1370,70	1232	648	9,3	185	75	17,1	4,56	30 and/or 50
ALCOVA	*185-40	1428,80	1232	648	9,3	185	75	19,2	4,56	30

*model with seat: maximum load 95 kg

Δt 40K = Watt Δt 50K x 0,755

Electric and mixed versions not available



BEFORE ORDERING, PLEASE CHECK THE REQUIRED PRESSURE AND THE WORKMANSHIP OF THE CIRCUIT. (WATCH OUT FOR THE "SIPHON" EFFECT, PAGE 3)

HANDLE for towel welded under the shelf at the front
L 30 cm Art. MA3 47,60 €
L 50 cm Art. MA5 55,30 €

MINIMUM OPERATING PRESSURE 1,5 BAR
MAXIMUM OPERATING PRESSURE 8 BAR

STANDARD PRODUCTION
White sablé paintwork - M4B brackets
Tolerance ±3 mm - Air valve ø 1/8"

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B35 brackets +15/25%

STANDARD FITTING
HK ø 1/2"
Check circuit flow rate and pressure

▼S△
HK

TAPPING CENTRES



ALCOVA 185-40



FIXINGS
M4 brackets
included

⊠ ALCOVA h 185 cm

Mod. H	a cm	b cm	c cm	d cm
100 - ..	-	-	14	38
145 - ..	-	-	14,8	45,2
185 - ..	93,1	47	20,4	59,9
*185 - ..	78,6	54	19,1	27,5

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

REMOTE FITTINGS, NOT AVAILABLE

M4 brackets

EYE

PRICE FROM 1.07.2022 **+15%**

design Pietro Facheris

The EYE heated towel rail is made from two curved radiators to obtain a particularly original shape.
It is furnished with two supports and can be completed with two pommel hooks for hanging bathrobes on.

DIMENSIONS
Width 22 cm
Height 178 cm
Depth 16 / 20 / 24 cm
Depth from wall 19,5 / 23,5 / 27,5 cm







EYE 16



EYE 20



EYE 24

MODEL	H-P cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	Electric and mixed versions not available	
EYE	180-16	1086,40	742	388	5	178	22	8,4	2,51	-	-
EYE	180-20	1171,20	928	485	5	178	22	10,4	3,06	-	-
EYE	180-24	1252,50	1114	583	5	178	22	12,4	3,61	-	-

Δt 40K = Watt Δt 50K×0,755

MAXIMUM OPERATING PRESSURE 8 BAR

STANDARD PRODUCTION
White "sablé" paintwork - B35 brackets
Tolerance ± 3 mm - Air vent ø 1/8"

PRODUCTION ON REQUEST
Paintwork to Brem color list with colored B35 brackets +15/25%

STANDARD FITTING EG ø 1/2"
Valves page 273
Accessories page 282

TAPPING CENTRES







FIXINGS
B35 brackets
included

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€
ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

REMOTE FITTINGS, NOT AVAILABLE

B35 brackets

MAHN

PRICE FROM 1.07.2022 **+15%**

The high thermal output and much reduced protrusion of the round tubes with curved corners are the main characteristics of the MAHN heated towel rail. The beauty of radiators using thin tubes is highlighted by the absence of sharp corners.

DIMENSIONS
Width 28/50/60/75 cm
Height 68,3/89,3/116,8/144,3/177,3 cm
Depth 6,5 cm
Depth from wall 9,5 cm



MAHN 70 - 50 MAHN 90 - ... MAHN 120 - ... MAHN 150 - ... MAHN 180 - ...

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲ ▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED Version*(EHE cl.II) with: cable◊ €	digital thermostat W	digital thermostat €
MAHN	70-50	483,60	420	220	47	68,3	50	5,5	3,31	89,90	400	150,20
MAHN	90-50	615,00	549	287	47	89,3	50	7	4,22	91,80	500	152,20
MAHN	90-60	639,10	636	333	57	89,3	60	7,9	4,59	93,70	650	160,20
MAHN	120-50	731,70	684	358	47	116,8	50	9	5,47	93,70	650	160,20
MAHN	120-60	762,90	814	426	57	116,8	60	10,2	5,95	97,90	800	163,30
Slim-MAHN	150-28	791,40	541	283	25	144,3	28	7,5	5,21	91,80	500	152,20
MAHN	150-50	867,30	833	436	47	144,3	50	11	6,73	97,90	800	160,20
MAHN	150-60	909,30	986	516	57	144,3	60	12,6	7,31	101,00	900	163,30
Slim-MAHN	180-28	940,20	683	357	25	177,3	28	9,7	6,76	93,70	650	160,20
MAHN	180-50	1025,80	1056	552	47	177,3	50	13,9	8,40	-	-	-
MAHN	180-60	1078,40	1226	641	57	177,3	60	15,8	9,14	108,30	1200	170,60
MAHN	180-75	1166,50	1562	817	72	177,3	75	18,7	10,25	117,70	1500	180,00
MAHN-PLUS	150-50	1488,80	1604	842	47	144,3	50	20,5	13,20	117,70	1500	180,00
MAHN-PLUS	180-50	1735,60	2011	1056	47	177,3	50	26,8	16,46	-	-	-
CHROME-PLATED VERSION												
M-CROM	70-50	975,60	336	176	47	68,3	50	5,5	3,31	-	-	-
M-CROM	90-50	1243,50	439	229	47	89,3	50	7	4,22	89,90	400	152,20
M-CROM	120-50	1478,40	547	286	47	116,8	50	9	5,47	91,80	500	154,10
M-CROM	150-28	1598,20	433	227	25	144,3	28	7,4	5,21	89,90	400	152,20
M-CROM	150-50	1752,00	666	349	47	144,3	50	11	6,73	93,70	650	160,20
M-CROM	180-28	1895,00	546	285	25	177,3	28	9,7	6,76	91,80	500	154,10
M-CROM	180-50	2072,40	845	442	47	177,3	50	13,9	8,40	97,90	800	160,20
M-CROM	180-60	2694,90	980	512	57	177,3	60	15,8	9,14	101,00	900	163,30

Δt 40K = Watt Δt 50K x 0,755

*TR accessory or mixed valve
◊Radio frequency chronothermostat p.227

MAXIMUM OPERATING PRESSURE 8 BAR

STANDARD PRODUCTION
White "sablé" paintwork - white M8B brackets
Chrome plated finish with chrome-pl. brackets
Air vent ø 1/8"- Tolerance ± 3mm

PRODUCTION ON REQUEST
Paintwork to Brem color list with chrome-plated M8C brackets +15/25%
Electrical version e.Mahn, page 265

STANDARD FITTING
EG ø 1/2"
Fittings on request, page 287
Accessories, page 283

TAPPING CENTRES
EG vertical standard fittings
Side fittings, on request



Side fittings (▲▽: H-4cm) Art. AS 75,50€

MAHN PLUS EG fittings ø 1/2"



left front delivery, right rear return



FIXINGS
Brackets included

Art. M8..

⊠ MAHN h 180 cm

M-CROM 90-50

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art.REM 36,60€
remote fittings at the rear (EG tapping centres)





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

PLUS 12

PRICE FROM 1.07.2022 **+15%**

The PLUS 12 towel heater has three series of ø14 mm thin tubes to offer high output.

The manifolds, with their round tubes, are extremely compact to minimise space.

The PLUS 12 comes in all the shades in the Brem colour list.

DIMENSIONS
Widths: 40 / 50 / 60 / 75 cm
Heights: 86/116/146/176 cm
Depth: 4 cm
Depth from wall: 9 cm



PLUS12 90 - ..



PLUS12 120 - ..



PLUS12 150 - ..



PLUS12 180 - ..

MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION*(EHE cl.II) with: cable◊ €	digital thermostat W	digital thermostat €
PLUS 12	90-40	326,40	◗	415	222	37	86	40	7,2	1,94	89,90	400	150,20
PLUS 12	90-50	332,50	◗	481	258	47	86	50	7,9	2,15	91,80	500	152,20
PLUS 12	120-40	464,20	◗	575	308	37	116	40	9,4	2,71	91,80	500	152,20
PLUS 12	120-50	477,80	◗	667	358	47	116	50	11,0	2,99	93,70	650	160,20
PLUS 12	150-40	532,10	◗	725	389	37	146	40	12,0	3,43	97,90	800	163,30
PLUS 12	150-50	548,70	◗	841	451	47	146	50	14,2	3,81	97,90	800	163,30
PLUS 12	150-60	569,50		976	523	57	146	60	16,4	4,19	101,00	900	163,30
PLUS 12	180-40	608,20	◗	892	478	37	176	40	14,6	4,18	101,00	900	163,30
PLUS 12	180-50	636,70	◗	1035	555	47	176	50	17,6	4,58	101,00	900	163,30
PLUS 12	180-60	653,00		1201	644	57	176	60	20,0	5,06	108,30	1200	170,60
PLUS 12	180-75	738,90		1449	777	72	176	75	23,6	5,78	117,70	1500	180,00

◗ Ready Stock

Δt 40K = Watt Δt 50K x 0,755

*TR accessory or mixed valve
◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - M8GB brackets
Tolerance ± 3 mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with
chrome-plated M8C brackets +15/25%
Electric version e.Plus12, page 266

STANDARD FITTINGS
EG ø 1/2"
Brem valves, page 275
Accessories, page 282

TAPPING CENTRES





FIXINGS
Brackets included

Art. M8..

⊠ PLUS 12 H 180 cm



PLUS 12 150-50

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED TON VALVES KIT
Art. KVS 119,20€

ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art.REM 36,60€
remote fittings at the rear (EG tapping centres)





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

START CURVO

PRICE FROM 1.07.2022 **+15%**

The START CURVO is the first heated towel rail with rounded surfaces. The original design of pure and slightly arched lines makes START unique in shape while increasing its practicality. The valves are positioned on the inside, reducing the total space taken up.

DIMENSION
Width 54 cm
Height 60 / 90 / 120 / 150 / 180 cm
Depth 6 cm
Depth from wall 8,5 cm



ST-CURVO 60 - 55



ST-CURVO 90 - 55



ST-CURVO 120 - 55



ST-CURVO 150 - 55



ST-CURVO 180 - 55



MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED Version (EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
ST-CURVO	60-55	444,30	320	164	39,5	60	54	4,1	1,53	108,80	250	115,80
ST-CURVO	90-55	606,80	484	249	39,5	90	54	6,2	2,03	110,80	500	119,90
ST-CURVO	120-55	705,00 ◗	654	336	39,5	120	54	8,6	2,79	114,60	650	122,00
ST-CURVO	150-55	860,20 ◗	832	428	39,5	150	54	10,9	3,54	118,80	800	126,40
ST-CURVO	180-55	952,20	1016	522	39,5	180	54	13,3	4,30	121,90	900	129,80
CHROME-PLATED VERSION												
C-CROM	60-55	953,90	256	131	39,5	60	54	4,1	1,53	108,80	250	115,80
C-CROM	90-55	1268,10 ◗	387	199	39,5	90	54	6,2	2,03	110,80	400	117,80
C-CROM	120-55	1472,90 ◗	523	269	39,5	120	54	8,6	2,79	112,70	500	119,90
C-CROM	150-55	1796,80 ◗	666	343	39,5	150	54	10,9	3,54	114,60	650	122,00
C-CROM	180-55	1988,60	813	418	39,5	180	54	13,3	4,30	118,80	800	126,40

◗ Ready Stock Δt 40K = Watt Δt 50K x 0,755 ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - white M4FB brackets
Chrome-plated finish with chrome-pl. brackets
Tolerance ± 3 mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST

Paint to Brem color list with chrome-plated brackets M4FC +15/25%
Electric version e.ST-Curvo page 267

STANDARD FITTINGS
REG ø 1/2"

EG and side fittings on request
Brem reverse valves page 273

TAPPING CENTRES
REG fittings with reverse valves as standard



ON REQUEST
EG fittings

Side fittings



Height is 4 cm less (H1) for:
- EG fitting (t.c. L-1,8cm) Art. AS 75,50€
- side fittings (t.c. H1-4cm) Art. AS 75,50€



FIXINGS
Brackets included

Art. M4F..

⊠ Start CURVO H 180 cm

C-CROM 90-55

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art.REM 36,60€
remote fittings at the rear (EG tapping centres)





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

START

PRICE FROM 1.07.2022 **+15%**

The START heated towel rail is produced using thin radiating ø12 tubes connected to vertical manifolds forming the exclusive pointed arch shape. The straight version is unusual in that it has offset upper tubes to improve the distribution of the heat.

The valves are positioned on the inside, to produce a clean design, reducing the total space taken up by the towel rail.

DIMENSIONS
Width 35 / 45 / 55 / 60 / 70 cm
Height 75 / 90 / 120 / 150 / 180 cm
Depth 4,7 cm
Depth from wall 10 cm



START 75 - ... START 90 - ... START 120 - ... START 150 - ... START 180 - ...

MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED Version (EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
START	75-45	346,60		339	174	31	75	45	4,4	1,46	108,80	250	171,10
START	75-55	363,00		401	206	41	75	55	5,0	1,65	110,80	400	173,10
START	90-45	423,80	◗	409	210	31	90	45	5,4	1,79	110,80	400	173,10
START	90-55	441,80	◗	484	249	41	90	55	6,2	2,03	112,70	500	175,00
START	90-60	451,50		522	268	46	90	60	6,6	2,15	112,70	500	175,00
START	120-45	506,80	◗	552	284	31	120	45	7,4	2,46	112,70	500	175,00
START	120-55	525,10	◗	654	336	41	120	55	8,6	2,79	114,60	650	176,90
START	120-60	533,60		706	363	46	120	60	9,1	2,95	114,60	650	176,90
Slim START	150-35	615,10	◗	573	295	21	150	35	7,1	2,43	112,70	500	175,00
START	150-45	633,00	◗	703	361	31	150	45	9,4	3,12	114,60	650	176,90
START	150-55	660,10	◗	832	428	41	150	55	10,9	3,54	118,80	800	181,10
START	150-60	674,20		896	461	46	150	60	11,6	3,76	121,90	900	184,20
Slim START	180-35	707,80	◗	706	363	21	180	35	9,6	2,94	114,60	650	176,90
START	180-45	725,90	◗	861	443	31	180	45	11,5	3,78	121,90	900	184,20
START	180-55	752,90	◗	1016	522	41	180	55	13,3	4,30	121,90	900	184,20
START	180-60	771,20		1094	562	46	180	60	14,2	4,56	129,20	1200	191,50
START	180-70	806,40		1249	642	56	180	70	15,9	5,08	129,20	1200	191,50
CHROME-PLATED VERSION													
ST-CROM	90-45	943,90	◗	327	168	31	90	45	5,4	1,79	108,80	250	171,10
ST-CROM	120-45	1127,70	◗	442	227	31	120	45	7,4	2,46	110,80	400	173,10
ST-CROM	120-55	1168,40		523	269	41	120	55	8,6	2,79	112,70	500	175,00
ST-CROM	150-35	1368,60		458	236	21	150	35	7,1	2,43	112,70	500	175,00
ST-CROM	150-45	1409,40		562	289	31	150	45	9,4	3,12	112,70	500	175,00
ST-CROM	150-55	1470,90	◗	666	343	41	150	55	10,9	3,54	114,60	650	176,90
ST-CROM	180-35	1575,70		565	291	21	180	35	9,6	2,94	112,70	500	175,00
ST-CROM	180-55	1677,30		813	418	41	180	55	13,3	4,30	121,90	900	184,20

Made-to-measure versions on request ◗ Ready Stock Δt 40K = Watt Δt 50K x 0,755 ◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White "sablé" paintwork - Brackets M8B
Chrome-plated finish with chrome brackets
Tolerance ± 3 mm - Air vent ø 1/8"
Maximum operating pressure 8 bar

PRODUCTION ON REQUEST
Paint to Brem color list +15/25%
Start DIVIS, page 234
Electric version e.Start page 267

STANDARD FITTING
REG ø 1/2"

EG and side fittings, on request
Brem reverse valves page 273



TAPPING CENTRES REG



ON REQUEST
EG fittings

Side fittings



Height is 4 cm less (H1) for:
- EG fitting (t.c. L-1,8cm) Art. AS 75,50€
- side fittings (t.c. H1-4cm) Art. AS 75,50€



FIXINGS
Brackets included

Art. M8..

START H 180 cm

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REMOTE FITTINGS Art.REM 36,60€
remote fittings at the rear (EG tapping centres)





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SHAR

PRICE FROM 1.07.2022 **+15%**

SHAR has all the main characteristics of a traditional heated towel rail. Its aesthetic harmony arises from the semi-oval shape of the manifolds, which are reduced to minimum dimensions and with radiating tubes of ø 15 mm, they portray lightness and solidity.

DIMENSIONS
Width 33 / 45 / 50 / 60 / 75 / 90 cm
Height 71,8 / 110,3 / 140,6 / 181,8 cm
Depth 3 cm
Depth from wall 10,5 cm



SHAR 70-...



SHAR 110-...



SHAR 140-...



SHAR 180-...



MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED Version* (EHE cl.II) with: cable◊ €	digital thermostat W	digital thermostat €
SHAR	70-45	331,20 ◗	353	181	42	71,8	45	4,9	3,12	89,90	400	152,20
SHAR	70-50	340,30 ◗	389	200	47	71,8	50	5,3	3,27	89,90	400	152,20
SHAR	70-60	353,60	458	235	57	71,8	60	6,1	3,59	91,80	500	154,10
SHAR	70-75	383,00	552	284	72	71,8	75	7,4	4,07	91,80	500	154,10
SHAR	110-45	430,40 ◗	526	270	42	110,3	45	7,4	4,74	91,80	500	154,10
SHAR	110-50	441,30 ◗	580	298	47	110,3	50	8,0	4,97	93,70	650	156,00
SHAR	110-60	460,90	684	352	57	110,3	60	9,2	5,45	93,70	650	156,00
Slim SHAR	140-33	506,80 ◗	468	241	30	140,6	33	7,3	4,51	91,80	500	154,10
SHAR	140-45	541,20 ◗	653	336	42	140,6	45	9,3	6,00	93,70	650	156,00
SHAR	140-50	556,00 ◗	720	370	47	140,6	50	10,0	6,29	97,90	800	160,20
SHAR	140-60	579,60	851	437	57	140,6	60	11,6	6,88	101,00	900	163,30
Slim SHAR	180-33	619,50	618	318	30	181,8	33	9,7	4,89	93,70	650	156,00
SHAR	180-45	661,50 ◗	870	447	42	181,8	45	12,2	7,85	101,00	900	163,30
SHAR	180-50	679,70 ◗	955	491	47	181,8	50	13,2	8,24	101,00	900	163,30
SHAR	180-60	709,40 ◗	1126	579	57	181,8	60	15,3	9,03	108,30	1200	170,60
SHAR	180-75	756,00	1363	701	72	181,8	75	18,1	10,21	117,70	1500	180,00
SHAR	180-90	801,40	1640	843	87	181,8	90	21,1	11,40	117,70	1500	180,00
CHROME-PLATED VERSION												
S-CROM	70-50	779,50	311	160	47	71,8	50	5,3	3,27	-	-	-
S-CROM	110-50	1011,00	464	238	47	110,3	50	8,0	4,97	91,80	500	154,10
S-CROM	140-33	1159,80	374	193	30	140,6	33	7,3	4,51	89,90	400	152,20
S-CROM	140-50	1274,30	576	296	47	140,6	50	10,0	6,29	93,70	650	156,00
S-CROM	180-33	1420,50	494	254	30	181,8	33	9,7	4,89	91,80	500	154,10
S-CROM	180-50	1556,10	764	393	47	181,8	50	13,2	8,24	97,90	800	160,20
S-CROM	180-60	1623,70	901	463	57	181,8	60	15,3	9,03	101,00	900	163,30

Made-to-measure versions on request ◗ Ready Stock

Δt 40K = Watt Δt 50K x 0,755

*TR accessory or MIXED valve,
◊Radio frequency chronothermostat p.227

MAXIMUM OPERATING PRESSURE 8 BAR

STANDARD PRODUCTION
White "sablé" paintwork-white brackets M8B
Chrome-plated finish with chrome-pl. brackets
Tolerance ± 3 mm - Air vent ø 1/8"

PRODUCTION ON REQUEST
Paint to Brem color list with chrome-plated M8C brackets +15/25%
Electric version e.Shar, page 268

STANDARD FITTINGS
EG ø 1/2"
Shar DIVIS, page 222
Special fittings, page 287

TAPPING CENTRES
EG vertical standard fittings
Side fittings, on request



Side fittings (▲▽: H-4cm) Art. AS 75,50€



FIXINGS
Brackets included

Art. M8..

⊠ SHAR h 180 cm

S-CROM 140-50

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED TON VALVES KIT
Art. KVS 119,20€

ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KTS 130,90€

REMOTE FITTINGS Art.REM 36,60€
remote fittings at the rear (EG tapping centres)





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

PLUS 20

Standard Ral 9016

PRICE FROM 1.07.2022 **+15%**

PLUS 20 is a traditional towel warmer with ø 20 mm round tubes. Available in different sizes and in all finishes of Brem color list, it can satisfy any request of heating performance for your bathroom.

DIMENSIONS
Width 40 / 50 / 60 cm
Height 79,2 / 122,4 / 158,4 / 180 cm
Depth 4,6 cm
Depth from wall 8,7 cm



PLUS 20 80-50



PLUS 20 125-...



PLUS 20 160-...



PLUS 20 180-...



MODEL ø18 06.2021	H-L cm	white standard RAL 9016 €		EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION*(EHE cl.II) with: cable◊ €	digital thermostat W	€
PLUS 20	80-50	250,40	◗	408	217	45	79,2	52,1	7,2	2,9	89,90	400	152,20
PLUS 20	125-40	314,50		516	275	35	122,4	42,1	9,2	3,8	91,80	500	154,10
PLUS 20	125-50	326,10	◗	607	324	45	122,4	52,1	10,7	4,3	93,70	650	156,00
PLUS 20	160-40	378,60		650	346	35	158,4	42,1	11,6	4,8	93,70	650	156,00
PLUS 20	160-50	396,00	◗	764	407	45	158,4	52,1	13,5	5,5	97,90	800	160,20
PLUS 20	160-60	414,60		878	468	55	158,4	62,1	15,5	6,2	93,70	650	156,00
PLUS 20	180-40	446,10		756	403	35	180,0	42,1	13,5	5,6	97,90	800	160,20
PLUS 20	180-50	465,90	◗	889	474	45	180,0	52,1	15,7	6,4	101,00	900	163,30
PLUS 20	180-60	485,70		1022	545	55	180,0	62,1	18,0	7,2	108,30	1200	170,60

◗ Ready Stock

Δt 40K = Watt Δt 50K x 0,755

*TR accessory or MIXED valve

◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White RAL 9016 paintwork - white brackets
Tolerance ± 3 mm - Air vent ø 1/2"
MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST
Sablé SB9016/SB 9010 paintwork +15%
Paint to Brem color list with colored brackets +15/25%

STANDARD FITTINGS
EG ø 1/2"

Electric version e-PLUS 20, p. 269

TAPPING CENTRES





FIXINGS
Brackets included

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED TON VALVES KIT
Art. KVS 119,20€

ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KTS 130,90€

REMOTE FITTINGS Art.REM 36,60€
remote fittings at the rear (EG tapping centres)





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

GUGLIA

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

With a rigorous and slender upward design GUGLIA contains inside a niche where the wipes can be placed on functional shelves. The vertical development and the terminal part developed in an arch, they look at the style of Gothic architecture.

DIMENSIONS
Width: 27 cm
Height: 180 cm
Depths: 15 /20 /25 cm
Depths from wall: 16,5/21,5 /26,5 cm

GUGLIA 180-15
16,5


GUGLIA 180-20
21,5


GUGLIA 180-25
26,5


GUGLIA 180-..



GUGLIA 180-15



GUGLIA 180-20



GUGLIA 180-25

MODEL	H-P cm	white standard SB9016 €	EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Depth P cm	Width L cm	Weight M Kg	Volume V dm³
GUGLIA	180-15	1033,80	660	341	11	180	15	27	10,8	3,9
GUGLIA	180-20	1110,00	878	454	11	180	20	27	14,4	5,2
GUGLIA	180-25	1183,30	1098	568	11	180	25	27	18,0	6,4

Δt 40K = Watt Δt 50K x 0,755

Mixed Version not available

STANDARD PRODUCTION
White "sablé" paintwork - B15 brackets
Tolerance ± 3 mm - Air vent ø 1/8"
MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST
Paint to Brem color list with colored brackets +15/25%
Made-to-measure heights, by estimate

STANDARD FITTINGS
EG ø 1/2"
ø 3/8" fittings, on request
Special fittings, page 287

TAPPING CENTRES





FIXINGS
B15 Brackets included

GUGLIA 180-20

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€

REMOTE FITTINGS Art.REM 36,60€
remote fittings at the rear (EG tapping centres)







ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



ANGLED TON VALVES KIT with
THERMOSTATIC head Art. KTS 165,50€

REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

KUAD

PRICE FROM 1.07.2022 **+15%**

A new sense of harmony in the bathroom: KUAD is a reversible towel-heater that can be fitted with either the flat or the curved side of the collectors in full view.

We recommend using Quadra valves if the flat side of the collectors is visible.

DIMENSIONS
Width 35 / 45 / 50 / 55 / 60 / 75 cm
Height 75 / 112,5 / 150 / 175 cm
Depth 3,8 cm
Depth from wall 10,5 cm



KUAD 75 - ..



KUAD 112 - ..



KUAD 150 - ..



KUAD 175 - ..

MODEL	H-L cm	white sablé standard €		EN 442 Δt 50 K watt	Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED Version (EHE cl.II) with sleeve and: cable◊ €	digital thermostat W	digital thermostat €
KUAD	75-45	341,90	◗	371	197	30,5	75	45	6,9	3,0	110,80	400	166,60
KUAD	75-50	348,10	◗	415	220	35,5	75	50	7,4	3,2	110,80	400	166,60
KUAD	112-45	509,50	◗	546	289	30,5	112,5	45	10,3	4,5	112,70	500	168,50
KUAD	112-50	519,30	◗	609	323	35,5	112,5	50	11,1	4,8	114,60	650	170,40
KUAD	112-55	529,10		673	357	40,5	112,5	55	11,9	5,1	114,60	650	170,40
KUAD SLIM	150-35	623,20	◗	553	293	20,5	150	35	13,7	5,9	112,70	500	168,50
KUAD	150-45	637,50	◗	713	378	30,5	150	45	13,7	5,9	114,60	650	170,40
KUAD	150-50	646,70	◗	792	420	35,5	150	50	14,8	6,4	118,80	800	174,40
KUAD	150-55	657,60		872	462	40,5	150	55	15,9	6,8	121,90	900	177,40
KUAD	150-60	668,10		952	505	45,5	150	60	17,0	7,3	121,90	900	177,40
KUAD SLIM	175-35	703,00	◗	643	341	20,5	175	35	13,4	5,9	114,60	650	170,40
KUAD	175-45	720,50	◗	821	435	30,5	175	45	15,9	6,9	118,80	800	174,40
KUAD	175-50	736,70	◗	910	482	35,5	175	50	17,2	7,4	121,90	900	177,40
KUAD	175-55	753,10		999	529	40,5	175	55	18,4	7,9	121,90	900	177,40
KUAD	175-60	769,20		1088	577	45,5	175	60	19,7	8,4	129,20	1200	191,50

Made-to-measure versions on request ◗ Ready Stock Δt 40K = Watt Δt 50K x 0,755 ◊Radio frequency chronothermostat p.227



KUAD is reversible and it can be installed with curved (C) or squared (Q) manifolds at front.
As standard it has squared (Q) manifolds at front

State if the manifold front side is curved (C)

STANDARD PRODUCTION
White "sablé" paintwork - white M8KB brackets
Air vent ø 1/8" - Tolerance ± 3mm
MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with chrome-plated M8KC brackets +15/25%
Electric versione.KUAD, page 270

STANDARD FITTING
REG ø 1/2"
Fittings ø 3/8", on request
KUAD DIVIS, page 223



TAPPING CENTRES

REG fittings with reverse valves as standard



ON REQUEST

EG fittings

Side fittings



Height is 4 cm less (H1) for:
- EG fitting (t.c. L-2,2cm) Art. AS 75,50€
- side fittings (t.c. H1-4cm) Art. AS 75,50€



FIXINGS
Brackets included

Art. M8K..

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE QUADRA VALVES KIT
page 279 Art. KQR 156,60€
extra for BREM color list 46,40€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€

REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€

REMOTE FITTINGS Art.REM 36,60€
remote fittings at the rear ▲▽ L-2cm





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

PLANK

Standard Ral 9016

PRICE FROM 1.07.2022 **+15%**

PLANK is a modern design towel rail warmer with square tubes. Suitable for any setting and available in different heights and widths, can satisfy any request of heating performance for your bathroom

DIMENSIONS
Width: 40 / 50 / 60 cm
Height: 88 / 124 / 172 / 180 cm
Depth: 4,6 cm
Depth from wall: 10,5 cm



PLANK 90 - .. PLANK 125 - .. PLANK 170 - 50 PLANK 180 - ..

MODEL	H-L cm	white standard RAL 9016 €	EN 442 Δt 50 K watt	EN 442 Δt 30 K watt	▲▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED VERSION*(EHE cl.II) with: cable◊ €	digital thermostat W	digital thermostat €
PLANK	90-40	302,80	390	204	37	88	40	7,0	3,1	89,90	400	152,20
PLANK	90-50	314,50 ◗	463	242	47	88	50	8,2	3,6	89,90	400	152,20
PLANK	125-40	405,30	539	281	37	124	40	9,6	4,3	91,80	500	154,10
PLANK	125-50	419,30 ◗	640	334	47	124	50	11,4	5,0	93,70	650	156,00
PLANK	125-60	433,30	741	387	57	124	60	13,1	5,7	97,90	800	160,20
PLANK	170-50	576,60 ◗	957	500	47	172	50	15,9	7,0	101,00	900	163,30
PLANK	180-40	595,20	806	421	37	180	40	14,3	6,4	97,90	800	160,20
PLANK	180-60	532,50	1110	579	57	180	60	19,4	8,4	108,30	1200	170,60

◗ Ready Stock

Δt 40K = Watt Δt 50K x 0,755

*TR accessory or MIXED valve
◊Radio frequency chronothermostat p.227

STANDARD PRODUCTION
White RAL 9016 paintwork - white brackets
Tolerance ± 3 mm - Air vent ø 1/2"
MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST
Sablé SB9016/SB 9010 paintwork +15%
Paint to Brem color list with colored brackets +15/25%

STANDARD FITTINGS
EG ø 1/2"

Electric version e-PLANK, p. 271

TAPPING CENTRES





FIXINGS
Brackets included

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art.REM 36,60€
remote fittings at the rear (EG tapping centres)





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

SHAR DIVIS - START DIVIS - KUAD DIVIS

+15% PRICE FROM 1.07.2022

TOWEL HEATER DIVIDERS

SHAR, START and KUAD heated towel rail, with the addition of feet and side or ceiling fittings, can be used as partitions in bathrooms, kitchens or other rooms wherever you want a stylish, functional separation.

TOWEL HEATER DIVIDERS

SHAR DIVIS: standard H +19 cm (P*)

START/KUAD DIVIS: standard H +15 cm (P*)

MANIFOLD FOOT (P*)
Shar foot (each) Art. PC19 79,70€
Start/Kuad foot (each) Art. PC15 79,70€

FOOT COVER (each) Art. PT 29,00€

PAINTED SIDE BRACKET can be reduced from 10 to 4 cm Art. F10 66,70€

PAINTED CEILING BRACKET can be reduced from 25 to 4cm Art. F25 69,60€

CHROME-PLATED BRACKET (with 1/8" sleeve) adjustable, 4-6cm Art. FC4 56,70€

REVERSE or SIDE ø 1/2" FITTINGS for towel heaters dividers Art. AS 75,50€
Side fitting tapping centre Shar: H-4 cm
Side fitting tapping centre Start/Kuad: H-4-4cm

Reverse fitting tapping centre Shar: L-17,7 cm
Reverse fitting tapping centre Start/Kuad: L-14 cm

SLEEVE ø 1/2" or ø 3/8" for Electrical Immersion Heater (p. 226)
Art. M12 20,90€
Art. M38 20,90€

"Always send us a drawing with measurements"

CROSS DIVIS page 54

CHROME PLATED TOWEL HEATER DIVIDERS
Ask for feasibility study and estimate.

SIDE FITTINGS



HOT WATER VERSION



MIXED VERSION

REVERSE FITTINGS



DIVIDER without feet
H ≤ 120 cm / L ≤ 60 cm

REVERSE FITTINGS



HOT WATER VERSION



MIXED VERSION



HOT WATER VERSION

STANDARD PRODUCTION
White "sablé" paintwork-brackets included
Air vent ø 1/8" - Tolerance ± 3mm
MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST
Paintwork to Brem color list with specified brackets +15/25%
Chrome-plated version, on request

STANDARD FITTING
REG (BD/AC) ø 1/2"
EG ø 1/2"
Electric version, on request



SHAR MODEL



START/KUAD MODEL



The price of towel heater dividers is obtained by adding to the cost of the standard white model:
- feet, brackets and fittings,
- accessories, valves, tube covers and rose washers

E.g.1: KUAD DIVIS	180-50 white (H+15cm)	
KUAD 175-50 white	n°1	736,70€
Art. PC15 foot h=15 cm	n°2	159,40€
Art. F10 fixing 10 cm	n°1	66,70€
Art. AS towel heater divider fittings	n°1	75,50€
	Tot.	1038,30€

E.g. 4: START DIVIS	180-55 white (H+15cm)	
START 180-55 white	n°1	752,90€
Art. PC15 foot h=15	n°2	159,40€
Art. FC4	n°1	56,70€
Art. AS towel heater divider fittings	n°1	75,50€
	Tot.	1044,50€

E.g.5: SHAR DIVIS	180-50 white(H+19cm)	
SHAR 180-50 white	n°1	679,70€
Art. PC19 foot h=19 cm	n°1	79,70€
Art. FC4	n°2	113,40€
Art. M38 for R.E.	n°1	20,90€
Art. R900II for R.E. 900W	n°1	101,00€
Art. AS towel heater divider fittings	n°1	75,50€
	Tot.	1070,20€

START DIVIS 180-55

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover (to be cut) Art. CA18 10,80€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€

SIDE FITTINGS VALVES



REVERSE TON VALVES KIT
page 277 Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head Art. KTR 165,50€



STRAIGHT TON VALVES KIT Art. KVD 129,80€

STRAIGHT TON VALVES KIT with
THERMOSTATIC head Art. KTD 176,00€

ELECTRIC INDEX

- A GREEN CHOICE

- INDEPENDENCE FROM THE CENTRAL HEATING SYSTEM

- FOR EXTRA HEAT AT LOW TEMPERATURES

- SMART DOMOTIC DIALOGUE

- ENERGY-SAVING PTC ELECTRICAL HEATING ELEMENTS AND A SPECIAL ADJUSTABLE FITTING ON THE REAR

RADIATORS COLLECTION

	page
e.LAME	230
e.LAME-UP	231
e.CROSS-Q	232
e.CROSS-V	233
e.CLAK/ e.RAM-CK	234

BREM offers a wide range of radiators and electric towel warmers representing nearly all products presented by Brem.



TOWEL-HEATER COLLECTION

	page
LAME	
e.LAMATH	236
e.LAME SLIM	237
e.HERG'S	238
e.HERG-OT	239
e.SBARRA	240
e.HOOK	241
CrossFRAME	
e.CROSS	242
e.Cross CROM	243
e.CROSS-Q	244
e.CROSS-R/RV	245
e.FREE	246
e.ESSEN	247
e.QUAR	248
e.ASYM	249
e.PIT	250
e.KORE	251
e.VISION	252
e.TRAP/e.ZOOM	253
PANELS	
e.CUBICO	254
e.FLAG	255
e.CLARK	256
e.MANT/	235
e.VELETTA	257
e.LOGGIA-D/T	258
e.CAMEO	259
e.Platt COLOR	260
e.UNI PLATT/LAM	261
e.KUO	262
TubesDESIGN	
e.RAW	263
e.CANNUCCIA	264
e.MAHN	265
e.PLUS 12	266
e.START	267
e.SHAR	268
e.PLUS 20	269
e.KUAD	270
e.PLANK	271

ELECTRIC HEATING ELEMENT

+15% PRICE FROM 1.07.2022

The EU 2015/1188 ECOdesign standard provides that electric towel heaters and radiators, in order to save energy, work with devices equipped with weekly programming, electronic temperature control and open window detector.

BREM uses PTC electric heating element. PTC means "Positive Temperature Coefficient" and characterizes the electrical behaviour of the semiconductor heater segment: with increasing temperature the resistance of the PTC element rises instantaneously and reduces automatically the power output generating the so called "self-limiting" effect.

The class II PTC heating up process will automatically go through three phases:
- Start- up. In the first 60 sec the PTC works at 130% circa of the nominal power ("turbo boost power" effect) to trigger best the convection inside the radiator;
- Nominal power phase. In this phase the PTC heating elements reaches the equilibrium temperature working at the nominal power;
- Energy saving phase. With the increasing of the ambient temperature the power output decreases until a new equilibrium is reached where the power consumption is reduced (typically at 70% - 80% of the nominal power).

The PTC electric heating elements (CE marked) have the following advantages:
- Intrinsic safety (no risk of overheating, burnings or fire)
- No need of thermofuse and therefore no more burnt heaters also in case of partial filling
- Reduced diameter and length vs constant power heaters (in particular 11 mm diameter also for class II elements)
- No cold lengths (differently form constant power heaters which require not heating zones for the thermostat and the thermofuse)
- Better circulation and faster heat-up times
- Absolutely no noise due to cavitation effects
- Better duration thanks to the reduction of the PTC on/off phases.

1200W and 1500W electric heating elements work using constant power and are equipped with thermal limiter that stops the emission of heat.

Art. R.E.
with cable for
Wireless Thermostat

Art. R.F.
ø1/2, with Faston
for Digital Thermostat





R.E. Brem special ø 3/8" stainless steel electric heating element can:
- be angled ± 90° to provide a better cable direction to the wall or to the electric socket
- be mounted in the ø 1/2" connection with an adapter (possible reduction from 1/2 to 3/8

E.H.E. CLASS II	power	ø 3/8" with cable	ø1/2" with faston	PRICE
Cl. II Electric Heating Element	250W	Art. R250II	Art. R250IIF	87,90€
Cl. II Electric Heating Element	400W	Art. R400II	Art. R400IIF	89,90€
Cl. II Electric Heating Element	500W	Art. R500II	Art. R500IIF	91,80€
Cl. II Electric Heating Element	650W	Art. R650II	Art. R650IIF	93,70€
Cl. II Electric Heating Element	800W	Art. R800II	Art. R800IIF	97,90€
Cl. II Electric Heating Element	900W	Art. R900II	Art. R900IIF	101,00€
Cl. II Electric Heating Element	*1200W	Art. R1200II	Art. R1200IIF	108,30€
Cl. II Electric Heating Element	*1500W	Art. R1500II	Art. R1500IIF	117,70€

*Electric heating element working with constant power

START mixed version

RADIO FREQUENCY CHRONOTHERMOSTAT

with RADIO RECEIVER Apply to Electric heating element with cable (p.229)

Electric Heating Element POSITION
Ⓒ Horizontal E.H.E. (on request in D)
Ⓖ Vertical E.H.E. (on request in E)
To verify for each model



WARNINGS

TOWEL HEATERS WITH CLASS II ELECTRIC HEATING ELEMENT CAN BE INSTALLED INSIDE SPACE 2, WITH CABLE INSIDE SPACE 3

Thermostat programmable radio ECODESIGN	Art.RHD	118,30€
Récepteur radio à encastrer	Art.RIE	106,70€
Recepteur radio pour application murale extérieure	Art.RIC	121,10€

MIXED TOWEL HEATERS & RADIATORS

+15%
PRICE FROM 1.07.2022

ARTICLES FOR MIXED VERSIONS

Brem towel heaters complete with electric heating elements are perfect in spring and autumn when the central heating system is switched off.

The application of the electric heating element is thanks to:

- ø 3/8" special sleeve welded on the return tube	Art. M38	20,90€
or ø 1/2" sleeve for digital thermostat	Art. M12	20,90€
- chrome plated TR accessory mounted on the return tube	Art. TR	20,90€

MIXED VERSIONS with SLEEVE

Put the ø 3/8" or ø 1/2" sleeve for the electric heating element on the return manifold



MIXED VERSIONS with TR Accessory

The tapping centres are reduced by 8 cm



Digital chrome-plated Thermostat

MIXED VALVES

BREM offers a side control valve, complete with a ø 1/2 " fitting for the electrical heating element, to be installed on the right manifold of the return.

TON MIXED VALVE with side control, round washer and fitting

Left (S) side control (delivery)	Art.	multilayer €	copper €
TON valve	LS..	57,30	55,30
MIXED right (D) TON valve	LXD..	90,20	88,10
MIXED TON VALVE KIT	KLXD	163,70	

QUADRA MIXED VALVE with side control, round washer and fitting

Left (S) side control (delivery)	Art.	multilayer €	copper €
QUADRA valve	QLS..	81,20	79,30
MIXED (D) QUADRA valve	QLXD..	105,20	103,10
MIXED QUADRA valves KIT	KQLX	196,50	

BREM valves page 273

CROSS Digital Thermostat

THERMOSTAT MUSA PLUS

White or chrome-plated digital thermostat with ø 1/2 " fitting, 1m cable, external sensor to maintain the desired room temperature and large backlit display, with display of the set temperature (between 15°. and 30° C), time, programming and mode/function set. Compliant with ECODESIGN standard.

- Operating: Comfort, Night, Antifreeze, Fil-Pilote, Crono, Boost 2h, Stand-by
- Daily and weekly programming
- 6 orders pilot wire
- "Open window detection" function
- Antifreeze 7° C
- All modes/functions can be set via TIR remote control (optional, p.228).

7,6 x 13 x 4,2 cm

White thermostat
Art. TEB 62,30€

Chr.-plated thermostat
Art. TEC 69,90€

10,8 x 5,3x 2,3 cm

Art. TIR 35,60€
Remote control thermostat

THERMOSTAT STONE RICA Bluetooth SMART

Thermostat STONE RICA controls the ambient temperatureby Application from devices such as tablet or smartphone both in Android or iOS operative systems. OLED display with capacitive buttons and RGB leds. Compliant with ECODESIGN standard, with open window detection and integrated WEEKLY program up to 13 temperatures set per day by App, software upgrade, energy consumption and remote diagnostic.

- Boost function, programmable by App
- 6 orders pilot wire
- Operating temperature from 0 to 50° C @ 85% humidity

Chrome plated and black finish — Art. TDS 178,20€

APPLICATION
STONE CONNECT BLE
Available on:
Download on the App Store
GET IT ON Google Play
Bluetooth SMART

UNI PLATT Quadra MIXED Valve

ELECTRIC

ELECTRIC KIT

PRICE FROM 1.07.2022 **+15%**

RADIATOR standard white sablé or colored with extra	+	RT KIT + THERMOSTAT / RE KIT + WIRELESS DEVICES	=	ELECTRIC RADIATOR with chosen finish

RT KIT ELECTRIC HEATING ELEMENT with FASTON

RT KIT with:
- Class II Electric Heating Element (double protection) ø1/2"with Faston
- Filling with diathermic liquid and test
- Chrome-plated plugs and brackets for wall fixing

RT KIT	cl.II with Electric Heating Element	250W	Art.	R250IIT	166,90€
RT KIT	cl.II with Electric Heating Element	400W	Art.	R400IIT	170,20€
RT KIT	cl.II with Electric Heating Element	500W	Art.	R500IIT	181,30€
RT KIT	cl.II with Electric Heating Element	650W	Art.	R650IIT	193,80€
RT KIT	cl.II with Electric Heating Element	800W	Art.	R800IIT	209,10€
RT KIT	cl.II with Electric Heating Element	900W	Art.	R900IIT	222,00€
RT KIT*	cl.II with Electric Heating Element	1200W	Art.	R1200IIT	240,30€
RT KIT*	cl.II with Electric Heating Element	1500W	Art.	R1500IIT	259,10€

*Electric heating element working with constant power

DIGITAL THERMOSTAT MUSA Plus

7,6 x 13 x 4,2 cm

White thermostat
Art. TEB 62,30€

Chrome-plated Thermostat
Art. TEC 69,90€

MUSA Plus is a white or chrome-plated digital chronothermostat with Faston, equipped with an external sensor to maintain the desired room temperature and large backlit display, with display of the set temperature (between 15°. and 30° C), time, programming and mode/function set; 1m cable. Compliant with ECODESIGN standard.
- Operating: Comfort, Night, Antifreeze, Fil-Pilote, Crono, Boost 2h, Stand-by
- Daily and weekly programming
- "Open window detection" function
- 6 orders pilot wire
- Antifreeze 7° C
- All modes/functions can be set via TIR remote control (optional).

REMOTE CONTROL THERMOSTAT for MUSA

10,8 x 5,3x 2,3 cm

Infrared remote control with display and support for vertical wall mounting with magnetic coupling; it is equipped with double transmitter, behavioral indicator, open window function and presence sensor. Weekly programming with three time slots. Art. TIR 35,60€

The EU 2015/1188 ECOdesign standard provides that electric towel heaters and radiators, in order to save energy, work with devices equipped with weekly programming, electronic temperature control and open window detector.

THERMOSTAT STONE RICA Bluetooth SMART

7,5 x 7,5x 5 cm

STONE RICA is an advanced thermostat to program manually the room temperature directly by the device or by Application from devices such as tablet or smartphone both in Android or iOS operative systems. OLED display with capacitive buttons, RGB leds and 90 cm cable. ECODESIGN EC1275-2008 compliant with open window detection and weekly programming up to 13 daily temperatures by App, Software update, power consumption and remote diagnostic.

- 6 orders pilot wire (Class II only)
- Boost function, programmable by App
- Software update function (by App)
- Statistics on energy consumption (by App)
- Operating temperature from 0 to 50° C @ 85% humidity

Polished chrome and black finish Art. TDS 178,20€

APPLICATION
STONE CONNECT BLE
Available on:
Download on the App Store
GET IT ON Google Play
Bluetooth SMART

ELECTRIC TOWEL HEATERS &RADIATORS

+15%
PRICE FROM 1.07.2022

RADIATOR standard white or colored	+	RE KIT	+	wall-recessed Receiver / wall-mounted Receiver	+	WIRELESS THERMOSTAT	=	ELECTRIC RADIATOR with chosen finish

RE KIT ELECTRIC HEATING ELEMENT whit CABLE

RE KIT with:
- Class II Electric Heating Element ø1/2"with adjustable cable (±90°)
- Filling with diathermic liquid and test
- Chrome-plated plugs and brackets for wall fixing

RE KIT	cl.II with Electric Heating Element	250W	Art.	R250IIE	166,90€
RE KIT	cl.II with Electric Heating Element	400W	Art.	R400IIE	170,20€
RE KIT	cl.II with Electric Heating Element	500W	Art.	R500IIE	181,30€
RE KIT	cl.II with Electric Heating Element	650W	Art.	R650IIE	193,80€
RE KIT	cl.II with Electric Heating Element	800W	Art.	R800IIE	209,10€
RE KIT	cl.II with Electric Heating Element	900W	Art.	R900IIE	222,00€
RE KIT*	cl.II with Electric Heating Element	1200W	Art.	R1200IIE	240,30€
RE KIT*	cl.II with Electric Heating Element	1500W	Art.	R1500IIE	259,10€

*Electric heating element working with constant power

RADIO FREQUENCY RECEIVER wall-recessed

4,8 x 5,1 x 2,8 cm

868.3 Mhz radio receiver, connected with the cable to the power grid and to the electric heating element, remotely controlled by the thermostat, it controls the ignition and shutdown of the radiator.

Wall recessed radio frequency receiver
(takes up the space of 2 modules) Art.RIE 106,70€

Communication between chronothermostat and radio fr. receiver is wireless, by radio transmission

wall recessed Receiver

RADIO FREQUENCY RECEIVER wall-mounted

10,7 x 8,3 x 3,7cm

868.3 Mhz radio receiver, connected with the cable to the power grid and to the electric heating element, remotely controlled by the thermostat, it controls the ignition and shutdown of the radiator.

Radio frequency receiver, wall-mounted (for external use) Art.RIC 121,10€

NOTE: THE ELECTRIC HEATING ELEMENT MUST BE CONNECTED TO AN ECODESIGN THERMOSTAT

wall-mounted Radio Fr. Receiver

WIRELESS PROGRAMMABLE THERMOSTAT

9,9 x 9 x 2,3 cm

White wireless programmable thermostat, with batteries, wall-mounted. Wireless transmission through radio waves. It maintains the programmed room temperature through the use of a receiver. The room thermostat also allows daily and weekly programming. Each thermostat can control multiple receivers (up to 12) but each receiver can be controlled by a single thermostat.

Main functions: room temperature regulation (from +5°C,- to +30°C), selection of operating modes (Auto-comfort, Eco, Anti-frost, Prog, Stand-by, BOOST), fast room heating thanks to the Boost forced gear function (instantaneous, programmable and deferred), keypad lock, security settings.

Wireless programmable thermostat ECODESIGN Art. RHD 118,30€

e.LAME

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

TECHNICAL DATA and other dimensions p. 10
ELECTRIC KIT DATA p. 228



LAME 190-2 | LAME 190-3 | LAME 190-4 | LAME ...-5 | LAME 210-7 | LAME 210-8

RADIATOR white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC RADIATOR with chosen finish
		RE KIT + WIRELESS DEVICES		

MODEL	H - n° cm - el.	L cm	White standard €	RT KIT/RE KIT Heating element Art.	€
LAME	190-2	11	517,60	R400IIT/E	170,20
LAME	190-3	17	636,40	R500IIT/E	181,30
LAME	190-4	23	755,10	R650IIT/E	193,80
LAME	190-5	29	873,90	R800IIT/E	209,10
LAME	210-5	29	951,20	R900IIT/E	222,00
LAME	210-7	41	1219,60	R1200IIT/E	240,30
LAME	210-8	47	1353,90	R1500IIT/E	259,10

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat
BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.LAME-UP

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

TECHNICAL DATA and other dimensions p. 12
ELECTRIC KIT DATA p. 228



LAME-UP 200-4 | LAME-UP 200-5 | LAME-UP 200-6 | LAME-UP 230-7 | LAME-UP 230-8

RADIATOR white or with extra for color	+	RE KIT + WIRELESS DEVICE	=	ELECTRIC RADIATOR with chosen finish

MODEL	H - n° cm - el.	White standard €	RE KIT Heating element Art.	€	DIGITAL THERMOSTAT	WIRELESS DEVICES Receiver
LAME-UP	200-4	855,20	R650IIE	193,80	-	wall recessed Art. RIE 106,70€
LAME-UP	200-5	1059,20	R800IIE	209,10	-	wall-mounted Art. RIC 121,10€
LAME-UP	200-6	1200,80	R900IIE	222,00	-	wireless programmable thermostat Art. RHD 118,30€
LAME-UP	230-7	1476,20	R1200IIE	240,30	-	
LAME-UP	230-8	1664,50	R1500IIE	259,10	-	

On request: - Long side of the base agains the wall, page 12 Art. LAME-UPL 60,00€ extra
- Freestanding version Art. LAME-UPC 113,30€ extra

HEATING ELEMENT POSITION
G Vertical Heating Element

G

Led light page 12 | n.1 Art. F.LED1 48,00€
n.2 Art. F.LED2 80,00€

RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.CROSS-Q
WITH OVERLAPPING SQUARES

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions page 44
ELECTRIC KIT DATA page 228



CROSS-Q 56/64



CROSS-QP 48/56/64



CROSS-Q 184-48



CROSS-Q 184-100



CROSS-Q 228-48

RADIATOR white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC RADIATOR with chosen finish
		RE KIT + WIRELESS DEVICES		

MODEL	H-L cm	White standard €	RE / RF KIT Heating element Art.	€
CROSS-QP	48-48	404,00	R250IIT/E	166,90
CROSS-Q	56-56	343,60	R250IIT/E	166,90
CROSS-QP	56-56	438,10	R400IIT/E	170,20
CROSS-Q	64-64	365,20	R250IIT/E	166,90
CROSS-QP	64-64	458,90	R400IIT/E	170,20
CROSS-Q	184-48	1085,10	R900IIT/E	222,00
CROSS-Q	184-100	1766,00	R1500IIT/E	259,10
CROSS-Q	228-48	1308,00	R1200IIT/E	240,30

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat
BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
G Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.CROSS-V

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions page 50
ELECTRIC KIT DATA page 228

CROSS-V 24-104/144



CROSS-V 52-104/144



CROSS-V 184-24 CROSS- ..V 184-52 2V CROSS-V 184-80

RADIATOR white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC RADIATOR with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
CROSS-V	24-104	397,00	R250IIT/E	166,90
CROSS-V	24-144	501,40	R400IIT/E	170,20
CROSS-V	52-104	497,30	R500IIT/E	181,30
CROSS-V	52-144	639,50	R650IIT/E	193,80
CROSS-V	184-24	481,40	R400IIT/E	170,20
CROSS-V	184-52	877,20	R800IIT/E	209,10
CROSS-V	184-80	1213,50	R1200IIT/E	240,30
CROSS-2V	184-52	1666,90	R1500IIT/E	259,10

DIGITAL THERMOSTAT

white Art. TEB 62,30€

chr.-plated Art. TEC 69,90€

thermostat remote control Art. TIR 35,60€

STONE RICA thermostat BLUETOOTH Art. TDS 178,20€

WIRELESS DEVICES Receiver

wall recessed Art. RIE 106,70€

wall-mounted Art. RIC 121,10€

wireless programmable thermostat Art. RHD 118,30€

HEATING EL. POSITION
Ⓒ Horizontal Heating El.
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.CLAK - e.RAM-CK

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 102
ELECTRIC KIT DATA p. 228-229

TECHNICAL DATA RAM-CK
and other dimensions p.146
ELECTRIC KIT DATA p. 228-229

CKV

CLAK CKV 72-110



CLAK .. 180-45



CLAK .. 200-54



CKH CKLH



RAM-CK 54-110



RAM-CK 80-54

RAM-CK 130-..



RAM-CK 180-45



MODEL'21	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
CKV	54-110	919,10	R650IIT/E	181,30
CKV	72-110	1058,80	R900IIT/E	209,10
CKH	80-45	652,80	R400IIT/E	170,20
CKH	80-54	717,20	R500IIT/E	181,30
CKH	130-45	787,90	R650IIT/E	193,80
CKH	130-54	861,30	R800IIT/E	209,10
CKH	180-36	843,80	R650IIT/E	193,80
CKH	180-45	922,90	R900IIT/E	222,00
CKLH	180-45	1128,30	R1200IIT/E	240,30
CKH	200-54	1055,20	R1200IIT/E	240,30
CKLH	200-54	1336,40	R1500IIT/E	259,10

CLAK-FO/FA Gilded Leaf/Silver Leaf: Price x 1,9

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat
BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES
Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
G Vertical Heating Element



Magnetic towel holder RAM NOT INCLUDED

Standard colors	Art. RAM	150,00€
Paintwork to BREM	color list	+15/25%

Towel holder RAM: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.MANT

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 148
ELECTRIC KIT DATA p. 228-229



TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICES		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
MANT	80-45	714,40	R400IIT/E	170,20
MANT	80-54	778,80	R500IIT/E	181,30
MANT	130-45	855,10	R650IIT/E	193,80
MANT	130-54	928,50	R800IIT/E	209,10
MANT	180-36	911,00	R650IIT/E	193,80
MANT	180-45	995,70	R900IIT/E	222,00

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



TOWEL BAR MANT: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 35,80€

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.LAMATH

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

TECHNICAL DATA and other dimensions p. 28
ELECTRIC KIT DATA p. 228



TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICES		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
LAMATH	190-2	599,10	R400IIT/E	181,30
LAMATH	190-3	710,00	R500IIT/E	193,80
LAMATH	190-4	821,40	R650IIT/E	209,10
LAMATH	210-2	641,50	R500IIT/E	181,30
LAMATH	210-3	767,90	R650IIT/E	193,80
LAMATH	210-4	894,10	R800IIT/E	209,10

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat
BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
G Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.LAME SLIM

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

TECHNICAL DATA and other dimensions p. 30
ELECTRIC KIT DATA p. 228



LAME Slim 190-2 | LAME Slim ...-3 | LAME Slim 210-4 | LAME Slim ...-5

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICES		

MODEL	H-n° cm-el.	L cm	White standard €	RT KIT/RE KIT Heating element Art.	€
LAME slim 190/2	30		590,60	R400IIT/E	170,20
LAME slim 190/3	30		709,40	R500IIT/E	181,30
LAME slim 190/5	36		958,30	R650IIT/E	193,80
LAME slim 210/3	30		760,80	R500IIT/E	181,30
LAME slim 210/4	30		895,80	R800IIT/E	209,10
LAME slim 210/5	36		1042,90	R900IIT/E	222,00

DIGITAL THERMOSTAT

- white Art. TEB 62,30€
- chr.-plated Art. TEC 69,90€
- thermostat remote control Art. TIR 35,60€
- STONE RICA thermostat BLUETOOTH Art. TDS 178,20€

WIRELESS DEVICES Receiver

- wall recessed Art. RIE 106,70€
- wall-mounted Art. RIC 121,10€
- wireless programmable thermostat Art. RHD 118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.HERG'S

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 32
ELECTRIC KIT DATA p. 228



HERG'S 65-42 | HERG'S 92-50 | HERG'S 120-50 | HERG'S 148-50 | HERG'S 175-58



TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICES		

MODEL	H - L cm	Blanc standard €	RT KIT / RE KIT Résistance électrique Art.	€
HERG'S	65-42	442,10	R250IIT/E	166,90
HERG'S	92-50	561,30	R400IIT/E	170,20
HERG'S	120-50	651,30	R500IIT/E	181,30
HERG'S	148-50	741,20	R650IIT/E	193,80
HERG'S	175-58	854,10	R800IIT/E	209,10

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.HERG-ÖT

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 34
ELECTRIC KIT DATA p. 228



HERG-ÖT 185-42



HERG-ÖT 212-50 ..58

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICES		

MODEL'21	H - L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
HERG-ÖT	185-42	824,20	R650IIT/E	193,80
HERG-ÖT	212-50	963,30	R800IIT/E	209,10
HERG-ÖT	212-58	997,20	R900IIT/E	222,00

Angled HERG-ÖT, extra Art. HOI 84,00€

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.SBARRA

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA
and other dimensions p.36
ELECTRIC KIT DATA page 228



TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICES		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
SBARRA-2	8-130	709,40	R250IIT/E	166,90
SBARRA-2	18-130	892,10	R500IIT/E	181,30
SBARRA-2	28-130	1075,30	R650IIT/E	193,80

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
©Horizontal Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.HOOK

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 38
ELECTRIC KIT DATA page 228



HOOK 180-20 | HOOK 2 180-30 | HOOK 210-10 | HOOK 210-30 | HOOK 2 210-30

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODELLO	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
HOOK	180-20	639,20	R400IIT/E	170,20
HOOK-2	180-30	813,00	R650IIT/E	193,80
HOOK	210-10	481,00	R250IIT/E	166,90
HOOK	210-30	828,40	R650IIT/E	193,80
HOOK-2	210-30	978,20	R900IIT/E	222,00

DIGITAL THERMOSTAT

white Art. TEB 62,30€

chr.-plated Art. TEC 69,90€

thermostat remote control Art. TIR 35,60€

STONE RICA thermostat BLUETOOTH Art. TDS 178,20€

WIRELESS DEVICES Receiver

wall recessed Art. RIE 106,70€

wall-mounted Art. RIC 121,10€

wireless programmable thermostat Art. RHD 118,30€

KNOB mod. HK: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color of radiator

- in one color of Brem color list different from the radiator extra 31,40€

Mod. HK

Mod. PO

Mod. ARO

KNOB, on request without extra

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



G

Magnetic knobs and wall fixing knobs page 283

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (White or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

ELECTRIC

e.CROSS
WITH CROSSED SQUARES

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 52
ELECTRIC KIT DATA p. 228


CROSS 48-88/64-96


CROSS 48-128/56-152


CROSS 88-120



CROSS 88 -48


CROSS 128-48


CROSS 152-56


CROSS 184-48



CROSS 184-56



TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
CROSS	48-88	636,20	R400IIT/E	170,20
CROSS	48-128	883,20	R650IIT/E	193,80
CROSS	56-152	957,40	R800IIT/E	203,00
CROSS	64-96	718,50	R500IIT/E	181,30
CROSS	88-48	624,40	R400IIT/E	170,20
CROSS	88-120	778,10	R650IIT/E	193,80
CROSS	128-48	876,40	R650IIT/E	193,80
CROSS	152-56	949,20	R800IIT/E	203,00
CROSS	184-48	1139,30	R900IIT/E	222,00
CROSS	184-56	1188,20	R900IIT/E	222,00

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓒ Horizontal Heating Element
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.CROSS-CROM
WITH OVERLAPPING SQUARES

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 60
ELECTRIC KIT DATA p. 228



CROSS-CROM 48-88/64-96



CROSS-CROM 48-128/56-152



CROSS-CROM 88-56



CROSS-CROM 88-120



CROSS-CROM 128-48/152-56



CROSS-CROM 184-48



CROSS-CROM 184-56

TOWEL-HEATER chrome-plated finish	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER chrome-plated finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€	DIGITAL THERMOSTAT	WIRELESS DEVICES Receiver
Cross CROM	48-88	1482,40	R250IIT/E	166,90	white Art. TEB 62,30€	wall recessed Art. RIE 106,70€
Cross CROM	48-128	2057,90	R500IIT/E	181,30		
Cross CROM	56-152	2230,80	R650IIT/E	193,80	chr.-plated Art. TEC 69,90€	wall-mounted Art. RIC 121,10€
Cross CROM	64-96	1674,30	R400IIT/E	170,20		
Cross CROM	88-56	1454,90	R400IIT/E	170,20	thermostat remote control Art. TIR 35,60€	wireless programmable thermostat Art. RHD 118,30€
Cross CROM	88-120	1812,40	R500IIT/E	181,30		
Cross CROM	128-48	2041,60	R500IIT/E	181,30		
Cross CROM	152-56	2211,60	R650IIT/E	193,80	STONE RICA thermostat BLUETOOTH Art. TDS 178,20€	
Cross CROM	184-48	2934,80	R800IIT/E	209,10		
Cross CROM	184-56	3060,70	R900IIT/E	222,00		

HEATING ELEMENT POSITION
Ⓒ Horizontal Heating Element
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.CROSS-Q
WITH OVERLAPPING SQUARES

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 58
ELECTRIC KIT DATA p. 228







CROSS-Q 48-88/64-96 CROSS-Q 48-128/56-152



CROSS-Q 88-48



CROSS-Q 88-120



CROSS-Q 128-48 152-56 CROSS-Q 184-48 / 184-56

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
CROSS-Q	48-88	605,90	R400IIT/E	170,20
CROSS-Q	48-128	841,10	R650IIT/E	193,80
CROSS-Q	56-152	911,80	R800IIT/E	203,00
CROSS-Q	64-96	684,20	R500IIT/E	181,30
CROSS-Q	88-48	594,70	R400IIT/E	170,20
CROSS-Q	88-120	740,90	R650IIT/E	193,80
CROSS-Q	128-48	834,70	R650IIT/E	193,80
CROSS-Q	152-56	904,00	R800IIT/E	203,00
CROSS-Q	184-48	1085,10	R900IIT/E	222,00
CROSS-Q	184-56	1131,60	R900IIT/E	222,00

DIGITAL THERMOSTAT

white Art. TEB 62,30€

chr.-plated Art. TEC 69,90€

thermostat remote control Art. TIR 35,60€

STONE RICA thermostat BLUETOOTH Art. TDS 178,20€

WIRELESS DEVICES Receiver

wall recessed Art. RIE 106,70€

wall-mounted Art. RIC 121,10€

wireless programmable thermostat Art. RHD 118,30€

HEATING ELEMENT POSITION
Ⓒ Horizontal Heating Element
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.CROSS-R

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 68
ELECTRIC KIT DATA p. 228





CROSS-R 70-80/104
CROSS-RD 70-104



CROSS-R 70-144



CROSS-R2 70-168



CROSS-R 137-56



CROSS-RD 137-56



CROSS-R 177-64



CROSS-RD 177-64

TOWEL-HEATER white or colored or chrome-plated finish	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
CROSS-R	70-80	609,30	R400IIT/E	170,20
CROSS-R	70-104	687,20	R500IIT/E	181,30
CROSS-RD	70-104	874,90	R650IIT/E	193,80
CROSS-R	70-144	816,90	R500IIT/E	181,30
CROSS-R2	70-168	1195,60	R800IIT/E	193,60
CROSS-R	137-56	761,30	R500IIT/E	167,90
CROSS-RD	137-56	1030,20	R650IIT/E	179,50
CROSS-RD	177-64	1144,40	R800IIT/E	209,10
CHROME-PLATED FINISH				
R-CROM	70-144	1934,90	R500IIT/E	181,30
R-CROM	137-56	1873,20	R400IIT/E	170,20
R-CROM	177-64	2260,90	R500IIT/E	181,30

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat
BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES
Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.FREE

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA
and other dimensions page 72
ELECTRIC KIT DATA page228



TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL'21	H - L cm	White standard €	RT KIT / RE KIT Résistance électrique Art.	€
FREE	24-64	340,60	R250IIT/E	166,90
FREE	24-84	366,90	R250IIT/E	166,90
FREE	24-104	395,80	R250IIT/E	166,90
FREE	24-124	442,50	R400IIT/E	170,20
FREE	24-144	500,20	R400IIT/E	170,20

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
©Horizontal Heating Element C
On request, Element in D

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.ESSEN

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 74
ELECTRIC KIT DATA p. 228



ESSEN 72-..



ESSEN 72-130



ESSEN PLUS 104-40



ESSEN PLUS136-52



ESSEN .. 168-52

ESSEN



ESSEN PLUS

TOWEL-HEATER white or colored or chrome-plated finish	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL'21	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
ESSEN	72-40	523,50	R250IIT/E	166,90
ESSEN PLUS	72-52	680,70	R400IIT/E	170,20
ESSEN	72-130	781,20	R650IIT/E	193,80
ESSEN PLUS	104-40	685,80	R500IIT/E	181,30
ESSEN	136-52	681,20	R500IIT/E	181,30
ESSEN PLUS	136-52	980,10	R800IIT/E	209,10
ESSEN	168-52	805,30	R650IIT/E	193,80
ESSEN PLUS	168-52	1087,00	R900IIT/E	222,00
CHROME-PLATED FINISH				
Essen CROM	136-52	1597,30	R400IIT/E	170,20
Essen CROM	168-52	1771,20	R500IIT/E	181,30

DIGITAL THERMOSTAT

white Art. TEB 62,30€

chr.-plated Art. TEC 69,90€

thermostat remote control Art. TIR 35,60€

STONE RICA thermostat BLUETOOTH Art. TDS 178,20€

WIRELESS DEVICES receiver

wall recessed Art. RIE 106,70€

wall-mounted Art. RIC 121,10€

wireless programmable thermostat Art. RHD 118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.QUAR

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 76
ELECTRIC KIT DATA p. 228



QUAR 97-46 QUAR 127-46 QUAR 157-54 QUAR 180-.. QUAR QUAR-P

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL'21	H - L cm	White standard €	RT KIT / RE KIT Résistance électrique Art.	€
QUAR	97-46	718,90	R400IIT/E	170,20
QUAR	127-46	775,60	R500IIT/E	181,30
QUAR	157-54	878,50	R650IIT/E	193,80
QUAR	180-46	957,70	R650IIT/E	193,80
QUAR	180-62	997,60	R800IIT/E	209,10
QUAR-P	180-46	1170,70	R900IIT/E	222,00
QUAR-P	180-62	1210,60	R1200IIT/E	240,30

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (White or chr.-plated)
- Thermostat STONE RICA Bluetooth via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.ASYM

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 80
ELECTRIC KIT DATA p. 228



ASYM 105-48 ASYM 145-48 ASYM 180-48 ASYMP 105-48 ASYMP 145-48 ASYMP 180-56

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H - L cm	White standard €	RE KIT / KIT RF Résistance électrique Art.	€
ASYMM	105-48	575,80	R500IIT/E	181,30
ASYMM	145-48	697,00	R650IIT/E	193,80
ASYMM	180-48	797,80	R900IIT/E	222,00
ASYMP	105-48	688,20	R650IIT/E	193,80
ASYMP	145-48	843,00	R800IIT/E	209,10
ASYMP	145-56	877,00	R900IIT/E	222,00
ASYMP	180-56	977,80	R1200IIT/E	240,30

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓔ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (White or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.PIT

PRICE FROM 1.07.2022 **+15%**

design Pietro Facheris

TECHNICAL DATA and other dimensions p. 78
ELECTRIC KIT DATA p. 228

e.PIT 60-126 / 72-126



e.PIT 99-48 e.PIT 132-48 e.PIT 176-32 e.PIT 176-56

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL'21	H - L cm	White standard €	RE KIT / KIT RF Résistance électrique Art.	€
e.PIT	60-126	909,20	R650IIT/E	193,80
e.PIT	72-126	1091,90	R900IIT/E	222,00
e.PIT	99-48	707,20	R400IIT/E	170,20
e.PIT	132-48	959,10	R650IIT/E	193,80
e.PIT	176-32	1028,50	R800IIT/E	209,10
e.PIT	176-56	1116,80	R900IIT/E	222,00

Prices include the additional manifolds

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (White or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.KORE - e.KORE COR PRICE FROM 1.07.2022 +15%

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 84
ELECTRIC KIT DATA p. 228



TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H - L cm	White standard €	RE KIT / KIT RF Résistance électrique Art.	€
e.KORE	80-55	693,10	R500IIT/E	181,30
e.KORE	120-55	990,30	R650IIT/E	193,80
e.KORE	150-55	1155,70	R800IIT/E	209,10
e.KORE	175-55	1321,40	R900IIT/E	222,00
e.K-COR	120-32	481,70	R400IIT/E	170,20
e.K-COR	150-32	501,20	R500IIT/E	181,30
e.K-COR	175-55	559,30	R650IIT/E	193,80

Prices include the additional manifolds

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat
BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (White or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.VISION

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 90
ELECTRIC KIT DATA p. 228



VISION-..48-48
VISION-..56-56
VISION-..64-64



VISION-..48-80 / 64-112



VISION-2ST
80-48



VISION-1ST
128-56



VISION-1ST
176-48

18
VISION-1



27,5
VISION-2

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	KIT KT / KE KIT Heating element Art.	€
VISION-1	48-48	594,60	R250IIT/E	166,90
VISION-1	56-56	619,10	R400IIT/E	170,20
VISION-2	64-64	924,70	R650IIT/E	193,80
VISION-2	48-80	943,30	R500IIT/E	181,30
VISION-1	64-112	783,40	R650IIT/E	193,80
VISION-2	64-112	1084,80	R900IIT/E	222,00
VISION-2ST	80-48	1086,70	R650IIT/E	193,80
VISION-1ST	128-56	975,70	R800IIT/E	209,10
VISION-2ST	176-48	1525,90	R1200IIT/E	240,30

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



G

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (White or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.TRAP - e.ZOOM

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 88, 92
ELECTRIC KIT DATA p. 228

TRAP 105-65 TRAP 170-75



e.ZOOM 56-56 e.ZOOM 75-75 e.ZOOM 90-90

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	KT KIT / KE KIT Heating element Art.	€
TRAP	105-65	851,50	R650IIT/E	193,80
TRAP	170-75	1127,30	R900IIT/E	222,00
e.ZOOM	56-56	952,90	R400IIT/E	170,20
e.ZOOM	75-75	1085,20	R650IIT/E	193,80
e.ZOOM	90-90	1198,60	R800IIT/E	209,10

Prices e.ZOOM include the additional manifold

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



G

ELECTRIC

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (White or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.CUBICO

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 140
ELECTRIC KIT DATA p. 228





TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H - L cm	White standard €	RT KIT / RE KIT Résistance électrique Art.	€
CUBICO	74-53	743,10	R400IIT/E	170,20
CUBICO	89-53	808,20	R500IIT/E	181,30
CUBICO	117-53	879,40	R650IIT/E	193,80
CUBICO	138-53	953,60	R800IIT/E	209,10
CUBICO	160-53	981,60	R900IIT/E	222,00

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (White or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.FLAG

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 142
ELECTRIC KIT DATA p. 228



TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL'21	H - L cm	White standard €	RT KIT / RE KIT Résistance électrique Art.	€
FLAG	74-53	709,50	R400IIT/E	170,20
FLAG	89-53	774,60	R500IIT/E	181,30
FLAG	117-53	896,20	R650IIT/E	193,80
FLAG	138-53	970,40	R800IIT/E	209,10
FLAG	160-53	1032,50	R900IIT/E	222,00

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (White or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.CLARK

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 144
ELECTRIC KIT DATA p. 228



CLARK 80- ../.. CLARK 130- ../.. CLARK 180- ../..

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL'21	H - L/L[1] cm	White standard €	RT KIT / RE KIT Résistance électrique Art.	€
CLARK	80-36/64	912,90	R500IIT/E	181,30
CLARK	80-45/84	1021,20	R650IIT/E	193,80
CLARK	130-36/64	1021,10	R650IIT/E	193,80
CLARK	130-45/84	1156,20	R800IIT/E	209,10
CLARK	180-36/64	1185,50	R900IIT/E	222,00
CLARK	180-45/84	1291,10	R1200IIT/E	240,30

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

Extra for towel bar in different color from panel
Art. CMC 61,60€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (White or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.VELETTA

PRICE FROM 1.07.2022 **+15%**

design Davide Diliberto

TECHNICAL DATA and other dimensions p. 154
ELECTRIC KIT DATA p. 228





TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT/RE KIT Heating element Art.	€
VELETTA	135-42	948,90	R650IIT/E	193,80
VELETTA	135-50	1022,30	R800IIT/E	209,10
VELETTA	175-42	1004,40	R900IIT/E	222,00
VELETTA	175-50	1082,60	R900IIT/E	222,00
VELETTA-L	175-50	1301,60	R1200IIT/E	240,30

VERSION-SX, on request without extra
Additional VEL towel bar Art. MVEL 44,80€

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element





Towel bar VEL: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 31,40€

MAGNETIC KNOBS NOT INCLUDED page 283
ART. ARO / PO / HK each 84,00€

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.LOGGIA D/T

PRICE FROM 1.07.2022 **+15%**

design Davide Diliberto

TECHNICAL DATA and other dimensions p. 156
ELECTRIC KIT DATA p. 228



LOGGIA-D (DESIGN)

LOGGIA-T (TIMELESS)

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
Loggia-D	97-54	867,30	R500IIT/E	181,30
Loggia-D	117-54	921,10	R650IIT/E	193,80
Loggia-D	137-54	984,70	R800IIT/E	209,10
Loggia-D	167-54	1072,70	R900IIT/E	222,00
Loggia-DL	167-54	1247,00	R1200IIT/E	240,30
Loggia-T	97-54	884,10	R500IIT/E	181,30
Loggia-T	117-54	937,90	R650IIT/E	193,80
Loggia-T	137-54	1001,50	R800IIT/E	209,10
Loggia-T	167-54	1089,50	R900IIT/E	222,00
Loggia-TL	167-54	1263,80	R1200IIT/E	240,30

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element



TOWEL BAR LOGGIA: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 31,40€

Additional TOWEL BAR

Design towel bar	Art. MLD	50,40€
Timeless towel bar	Art. MLT	67,20€

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

ELECTRIC

e.CAMEO

PRICE FROM 1.07.2022 **+15%**

design Davide Diliberto

TECHNICAL DATA and other dimensions p. 158
ELECTRIC KIT DATA p. 228



CAMEO 104-54 CAMEO 134-54 CAMEO.. 184-54 CAMEO.. 214-54

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
CAMEO	104-54	869,00	R500IIT/E	181,30
CAMEO	134-54	969,10	R650IIT/E	193,80
CAMEO	184-54	1111,70	R900IIT/E	222,00
CAMEO-L	184-54	1313,30	R1200IIT/E	240,30
CAMEO	214-54	1195,00	R1200IIT/E	240,30
CAMEO-L	214-54	1559,90	R1500IIT/E	259,10

Towel bar on the right side, on request without extra

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element



TOWEL BAR CAMEO: STANDARD COLORS
- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

In one paintwork to Brem color list different from the radiator extra 31,40€

Additional towel bar CAMEO
Art. MCA 50,40€

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.PLATT
COLOR/INOX/GILDED-SILVER LEAF

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 160/165
ELECTRIC KIT DATA p. 228



PLATT .. 84-50



PLATT .. 133-50



PLATT .. 140 60



TOWEL-HEATER white, colored, inox, gilded/silver leaf	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
Platt COLOR	84-50	742,10	R400IIT/E	170,20
Platt COLOR	133-50	1003,60	R650IIT/E	193,80
Platt COLOR	140-60	1136,30	R800IIT/E	209,10
PLATT INOX SATIN				
Platt INOX	84-50	1084,70	R400IIT/E	170,20
Platt INOX	133-50	1422,50	R650IIT/E	193,80
Platt INOX	140-60	1508,40	R800IIT/E	209,10
Polished stainless steel finish, +20%				
FO GILDED LEAF/ FA SILVER LEAF				
Platt FO/FA	84-50	1402,60	R400IIT/E	170,20
Platt FO/FA	133-50	1852,80	R650IIT/E	193,80
Platt FO/FA	140-60	2102,30	R800IIT/E	209,10

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element



- with gilded leaf, towel bar in BR0019 color
- with silver leaf, towel bar in BR0002 color

Towel bar with FO/FA, extra (each) 131,20€

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.UNI-PLATT

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 166
ELECTRIC KIT DATA p. 228



UNI-PLATT 77-50



UNI-PLATT 126-50



UNI-PLATT 140-60

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
UNI-PLATT	77-50	617,10	R400IIT/E	170,20
UNI-PLATT	126-50	845,80	R650IIT/E	193,80
UNI-PLATT	140-60	974,60	R800IIT/E	209,10

Standard towel bar UNI: - standard white SB9016
- grey sablé SB 7039 - sablé black SB9005
- same color ordered with the radiator
TOWEL BAR in one colour from Brem colour list, different from the towel heaters extra (each) 31,40€

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element



Chrome-plated towel bar extra (each) 68,20€

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.KUO

PRICE FROM 1.07.2022 **+15%**

design Davide Brembilla

TECHNICAL DATA and other dimensions p. 40
ELECTRIC KIT DATA p. 228



TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
KUO	110-35	550,50	R500IIT/E	181,30
KUO	140-35	642,00	R650IIT/E	193,80
KUO	180-35	839,20	R800IIT/E	209,10
KUO	180-49	1020,10	R1200IIT/E	240,30

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.RAW

PRICE FROM 1.07.2022 **+15%**

design Davide Diliberto

TECHNICAL DATA and other dimensions p. 170 and 194
ELECTRIC KIT DATA p. 228
Below, the main dimensions for bathrooms.

HORIZONTAL MODELS



VERTICAL MODELS



TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
HORIZONTAL				
RAW1	50-50A	524,20	R250IIT/E	166,90
RAW1	50-104A	675,60	R400IIT/E	170,20
RAW2	50-130	926,00	R650IIT/E	193,80
RAW2	104-77	978,40	R800IIT/E	209,10
RAW3*	50-157	1223,00	R900IIT/E	222,00
VERTICAL				
RAW1	104-50	675,60	R400IIT/E	170,20
RAW2	104-50	873,60	R650IIT/E	179,50
RAW2	130-50	926,00	R650IIT/E	179,50
RAW2	157-50B	978,40	R800IIT/E	209,10
RAW2	183-50	1007,60	R800IIT/E	209,10
RAW3	157-50	1223,00	R900IIT/E	222,00
RAW3	183-50	1246,30	R900IIT/E	222,00

* Horizontal Heating El.

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING EL. POSITION
Ⓒ Horizontal Heating El.
Ⓖ Vertical Heating Element



HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.CANNUCCIA STRAW

PRICE FROM 1.07.2022 **+15%**

design Bettazzi+Percoco Architects

TECHNICAL DATA and other dimensions p. 196
ELECTRIC KIT DATA p. 228



CANN 160-28 | CANN 160/175-40 | CANN 160/190-40 | CANN-3 190-48 | CAN-P 160/190-47 | CAN-3P 190-51

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL (STRAW)	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
CANN	160-28	499,10	R250IIT/E	166,90
CANN	160/175-40	806,30	R400IIT/E	170,20
CANN	160/190-40	824,20	R400IIT/E	170,20
CANN-3	190-48	1071,40	R650IIT/E	193,80
CAN-P	160/190-47	1053,80	R650IIT/E	193,80
CAN-3P	190-51	1301,00	R800IIT/E	209,10

DIGITAL THERMOSTAT

white Art. TEB 62,30€

chr.-plated Art. TEC 69,90€

thermostat remote control Art. TIR 35,60€

STONE RICA thermostat BLUETOOTH Art. TDS 178,20€

WIRELESS DEVICES Receiver

wall recessed Art. RIE 106,70€

wall-mounted Art. RIC 121,10€

wireless programmable thermostat Art. RHD 118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element



G

TOWEL BAR with wall fixings
(white or in the radiator colour)
Art. MCA 30 69,60€ 30/15 cm (L/p)
Art. MCA 36 75,60€, 36/18 cm (L/p)

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.MAHN

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 204
ELECTRIC KIT DATA p. 228



TOWEL-HEATER white or colored or chrome-plated finish	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
MAHN	70-50	483,60	R400IIT/E	170,20
MAHN	90-50	615,00	R500IIT/E	181,30
MAHN	120-50	731,70	R650IIT/E	193,80
MAHN	150-50	867,30	R800IIT/E	209,10
Slim-MAHN	180-28	940,20	R650IIT/E	193,80
MAHN	180-60	1078,40	R1200IIT/E	240,30
CHROME-PLATED FINISH				
M-CROM	90-50	1243,50	R400IIT/E	170,20
M-CROM	120-50	1478,40	R500IIT/E	181,30
M-CROM	150-50	1752,00	R650IIT/E	193,80
M-CROM	180-28	1895,00	R500IIT/E	181,30
M-CROM	180-50	2072,40	R800IIT/E	209,10

1200W E.H.E. works using constant power.

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.PLUS 12

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 206
ELECTRIC KIT DATA p. 228



PLUS 12 90-40/50



PLUS 12 120-50



PLUS 12 150-50

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
PLUS 12	90-40	326,40	R400IIT/E	170,20
PLUS 12	90-50	332,50	R500IIT/E	181,30
PLUS 12	120-50	477,80	R650IIT/E	193,80
PLUS 12	150-50	548,70	R800IIT/E	209,10

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.START

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 210
ELECTRIC KIT DATA p. 228



START 75-55 | START 90-55 ST-CROM 90-45 | START 120-.. ST-CROM 120-55 | START 150-55 ST-CROM 150-55 | START 180-55 ST-CROM 180-55

TOWEL-HEATER white or colored or chrome-plated finish	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
START	75-55	346,60	R400IIT/E	170,20
START	90-55	441,80	R500IIT/E	181,30
START	120-55	525,10	R650IIT/E	193,80
START	150-55	660,10	R800IIT/E	209,10
START	180-55	752,90	R900IIT/E	222,00
CHROME-PLATED FINISH				
ST-CROM	90-45	943,90	R250IIT/E	166,90
ST-CROM	120-45	1127,70	R400IIT/E	170,20
ST-CROM	120-55	1168,40	R500IIT/E	181,30
ST-CROM	150-55	1470,90	R650IIT/E	193,80
ST-CROM	180-55	1677,30	R800IIT/E	209,10

DIGITAL THERMOSTAT

white Art. TEB 62,30€

chr.-plated Art. TEC 69,90€

thermostat remote control Art. TIR 35,60€

STONE RICA thermostat BLUETOOTH Art. TDS 178,20€

WIRELESS DEVICES Receiver

wall recessed Art. RIE 106,70€

wall-mounted Art. RIC 121,10€

wireless programmable thermostat Art. RHD 118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Electric Heating Element



Towel heaters height = H - 4 cm

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.SHAR

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 212
ELECTRIC KIT DATA p. 228



SHAR 70-50
S-CROM 70-50

SHAR 110-45
S-CROM 110-50

SHAR 140-45
S-CROM 140-50

SHAR 180-45
S-CROM 180-50

TOWEL-HEATER white or colored or chrome-plated finish	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
SHAR	70-50	340,30	R400IIT/E	170,20
SHAR	110-45	430,40	R500IIT/E	181,30
SHAR	140-45	541,20	R650IIT/E	193,80
SHAR	180-45	661,50	R900IIT/E	222,00
CHROME-PLATED FINISH				
S-CROM	70-50	779,50	R250IIT/E	166,90
S-CROM	110-50	1011,00	R400IIT/E	170,20
S-CROM	140-50	1274,30	R500IIT/E	181,30
S-CROM	180-50	1556,10	R800IIT/E	209,10

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat
BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.PLUS 20
Standard Ral 9016

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 214
ELECTRIC KIT DATA p. 228



PLUS 20 80-50 PLUS 20 125-... PLUS 20 160-50 PLUS 20 180-...

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL 06'21	H-L cm	White Ral 9016 €	RT KIT / RE KIT Heating element Art.	€
PLUS 20	80-50	250,40	R400IIT/E	170,20
PLUS 20	125-40	314,50	R500IIT/E	181,30
PLUS 20	125-50	326,10	R650IIT/E	193,80
PLUS 20	160-50	396,00	R800IIT/E	209,10
PLUS 20	180-40	446,10	R800IIT/E	209,10
PLUS 20	180-50	465,90	R900IIT/E	222,00
PLUS 20	180-60	485,70	R1200IIT/E	240,30

DIGITAL THERMOSTAT

white Art. TEB 62,30€

chr.-plated Art. TEC 69,90€

thermostat remote control Art. TIR 35,60€

STONE RICA thermostat BLUETOOTH Art. TDS 178,20€

WIRELESS DEVICES Receiver

wall recessed Art. RIE 106,70€

wall-mounted Art. RIC 121,10€

wireless programmable thermostat Art. RHD 118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.KUAD

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 218
ELECTRIC KIT DATA p. 228

e.KUAD has squared manifolds at front as standard.
State if the manifolds front side are curved



KUAD 75-50 KUAD 112-50 KUAD 150 -50 KUAD 175 - ..

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White standard €	RT KIT / RE KIT Heating element Art.	€
KUAD	75-50	348,10	R400IIT/E	170,20
KUAD	112-50	519,30	R500IIT/E	181,30
KUAD	150-50	646,70	R650IIT/E	193,80
KUAD	175-35	703,00	R650IIT/E	193,80
KUAD	175-55	753,10	R900IIT/E	222,00

Towel heaters height = H - 4 cm

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€

HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

e.PLANK
Standard Ral 9016

PRICE FROM 1.07.2022 **+15%**

TECHNICAL DATA and other dimensions p. 220
ELECTRIC KIT DATA p. 228



PLANK 90-.. PLANK 125-50 PLANK 170-50 PLANK 180-..

TOWEL-HEATER white or with extra for color	+	RT KIT + THERMOSTAT	=	ELECTRIC TOWEL-HEATER with chosen finish
		RE KIT + WIRELESS DEVICE		

MODEL	H-L cm	White Ral 9016 €	RT KIT / RE KIT Heating element Art.	€
PLANK	90-40	302,80	R400IIT/E	170,20
PLANK	90-50	314,50	R400IIT/E	170,20
PLANK	125-50	419,30	R650IIT/E	193,80
PLANK	170-50	576,60	R900IIT/E	222,00
PLANK	180-40	595,20	R800IIT/E	209,10
PLANK	180-60	632,50	R1200IIT/E	240,30

DIGITAL THERMOSTAT

white
Art. TEB
62,30€

chr.-plated
Art. TEC
69,90€

thermostat remote control
Art. TIR
35,60€

STONE RICA thermostat BLUETOOTH
Art. TDS
178,20€

WIRELESS DEVICES Receiver

wall recessed
Art. RIE
106,70€

wall-mounted
Art. RIC
121,10€

wireless programmable thermostat
Art. RHD
118,30€



HEATING ELEMENT POSITION
Ⓖ Vertical Heating Element



ELECTRIC

RT KIT: Class II Electric Heating Element, with 1/2" Faston fitting, diathermic liquid filling and plug
RE KIT: Class II Electric Heating Element, with 1,5m cable, diathermic liquid filling and plug (p.228)

RT KIT with THERMOSTATS ECOdesign compliant
ø1/2" fitting with Faston to connect:
- Digital thermostat MUSA Plus (white or chr.-plated)
- Thermostat STONE RICA Bluetooth SMART via App

RE KIT with WIRELESS DEVICES p. 229
RE Kit: add radio frequency box receiver (wall-mounted or recessed) and the radio programmable thermostat (it can control up to 12 radiators).

VALVES & ACCESSORIES



VALVES	273
TON VALVES	276
TON VALVES KIT	277
MINI VALVES	278
QUADRA VALVES	279
DISTANT VALVES	280
ACCESSORIES	282
SPECIAL VERSIONS	284
FITTINGS	286

VALVES

PRICE FROM 1.07.2022 **+15%**

BREM proposes the substitution of the traditional valves with one type of valve, which can also be used as lock-shield.



Brem valves are complete with:
- chrome-plated o-ring tang (ø 3/8" -1/2")
- chrome-plated fitting with o-ring
- chrome-plated round washer (ø 41x6,5mm)
- thermostatic head (for thermostatic valves)

On demand: stainless steel pipe cover to be cut to right size

VALVES COMPONENTS

CHROME-PLATED O-RING TANG
ø 3/8"-1/2"
to connect to the radiator

1/2" Fitting	Art. CVL12	8,50€
3/8" Fitting	Art. CVL38	8,50€

CHROME-PLATED FITTINGS (24F19)
to connect to the system:

Multilayer fittings ø10-14, 12-16, 13-18, 14-18, 16-20 Art. RM.. 8,60€

Copper fittings ø10-12-14-15-16-18
Art. RR..(R10 - R12 - R...) 6,20€

VALVE FITTING KIT (Incluses 3 fittings)
Fitting for multilayer ø16 and inserts for copper tube ø 12 and ø 14 Art. RK 7,50

Fitting with inserts for multilayer ø16 | inserts for copper ø 14 | inserts for copper ø 12

CHROME-PLATED ECCENTRICS

Adaptors to be mounted between valve and radiator to vary tapping centre from 1 to 6cm.

Art. EC1	1 cm eccentric	12,10€
Art. EC2	2 cm eccentric	16,50€
Art. EC3	3 cm eccentric	18,90€

Specify when ordering if 1/2 "or 3/8"

VALVES ACCESSORIES

ROUND WASHER chrome-plated ø 41 mm
for tubes ø 10 - 12 - 14 - 15 - 16 - 18 - 1/2"
(indicate ø) Art. RC.. 3,00€

TUBES COVERS for fittings

10 cm long, polished stainless steel tube: slide over pipes for fitting ø ≤16 mm and cut in half to size using the round washer to cover the cut.

inner ø15 mm	Art. CA15	9,40€
inner ø16 mm	Art. CA16	9,40€
for valves KIT	Art. CA18	10,80€

SINGLE TUBE COVERING KIT
tapping centres 38mm, 5x10cm squared covering, and n° 2 tubes ø 16 or ø 20 L=7cm

THERMOSTATIC CHROME-PLATED HEAD
Thermostatic head with liquid sensor (only for valves with thermostatic option)

Quotation:
Thermostatic head with special finishigs

SPECIAL FINISHES
VALVES and BRACKETS

PRICE FROM 1.07.2022 **+15%**

TON VALVE

QUADRA VALVE

GILDED LEAF FINISH

TON and QUADRA valve in gilded leaf.
O-ring tang ø 1/2"or 3/8", multilayer fitting ø16, copper ø12,14 (other diameters by estimate) and round washer, all in gold finish
Extra each 81,70€

BRACKET with GILDED LEAF finish
Art. B15/35/70 - Art. EOS - Art. M4/M8
Extra each 60,00€

SILVER LEAF FINISH

TON and QUADRA valve in silver leaf.
O-ring tang ø 1/2"or 3/8", multilayer fitting ø16, copper ø12,14 (other diameters by estimate) and round washer, all in brushed nickel finish
Extra each 81,70€

BRACKET with SILVER LEAF finish
Art. B15/35/70 - Art. EOS - Art. M4/M8
Extra each 60,00€

GOLDEN FINISH

TON and QUADRA valve, o-ring tang ø 1/2" or 3/8", fitting (multilayer ø16, copper ø12,14), golden finish round washer
(variable price) Extra each 65,50€

BRACKET with golden BR 0019
Art. B15/35/70 - Art. EOS - Art. M4/M8
Extra each 20,70€

BRONZE FINISH

TON and QUADRA valve, o-ring tang ø 1/2" or 3/8"and fitting (multilayer ø16, copper ø12,14), in bronze finish and round washer in bronze color
Extra each 29,30€

BRACKET with bronze BR 0033
Art. B15/35/70 - Art. EOS - Art. M4/M8
Extra each 20,70€

BRUSHED NICKEL FINISH

TON and QUADRA valve, o-ring tang ø 1/2" or 3/8", fitting (multilayer ø16, copper ø12,14) and round washer, all in brushed nickel finish
Extra each 30,90€

BRACKET with silver BR 0002
Art. B15/35/70 - Art. EOS - Art. M4/M8
Extra each 20,70€

CHROME-PLATED TON VALVE

+15%
PRICE FROM 1.07.2022

ANGLED TON VALVE
Easy control valve usable also as lock-shield, complete with fitting and round washer

THERMOSTATIC ANGLED TON VALVE
Valve with thermostatic head, complete with fitting and round washer

TON VALVE
Headwheel ø 28-34 / 95 / H 57mm

VALVES LEGEND:

VS..	Angled TON	FITTINGS for tubes:	
VD..	Straight TON	M	Multilayer
VR..	Reverse TON	R	Copper
L..	Side control TON	F	Steel ø 1/2"
VM..	Single tube		
T..	Thermostatic valve	INDICATE ø OF TUBE	

STRAIGHT TON VALVE
Easy control valve usable also as lock-shield, complete with fitting and round washer

THERMOSTATIC STRAIGHT TON VALVE
complete with fitting and round washer

How to order: ART. VSR14 — Angled TON Valve — Copper fitting tube ø14

REVERSE TON VALVE
Easy control valve usable also as lock-shield, complete with fitting and round washer

THERMOSTATIC REVERSE TON VALVE
Easy control valve complete with fitting and round washer

SIDE CONTROL TON VALVE
Easy control valve complete with fitting and round washer
Indicate always S or D version



MIXED TON VALVE only ø1/2" Electric Heating El.
Easy control valve complete with fitting and round washer, it can be used together with angled or side control valves.

THERMOSTATIC SIDE CONTROL left TON VALVE
Valve with thermostatic head complete with fitting and round washer.
On request, D right version.

Art. LTD..

DUAL TUBE left VALVE tapp. centres 50mm
valve and lock shield, delivery on the left, complete with fittings and round washers.

TUBES COVERS for fittings

10 cm long, polished stainless steel tube: slide over pipes for fitting ø ≤16 mm and cut in half to size using the rose washer to cover the cut

inner ø15 mm	Art. CA15	9,40€
inner ø16 mm	Art. CA16	9,40€

DUAL TUBE THERMOSTATIC left VALVE
Valve with thermostatic head, 50 mm tapping centres, left delivery, complete with 2 fittings and 2 round washers

SINGLE-TUBE VALVE tapping centres 38mm
Easy control valve supplied with ø10mm and 45 cm probe, and flow diverter system to reverse delivery and return.

probe cm 70	7,50€
probe cm100	10,40€

SINGLE TUBE COVERING KIT tapping centres 38mm
100x50mm squared covering, and n° 2 tubes (16 or 20mm ø, 70mm long).

SINGLE TUBE THERMOSTATIC VALVE
Valve with 38mm tapping centres, thermostatic head and fittings.

TON VALVES KIT

+15%
PRICE FROM 1.07.2022

TON valves KIT



Fitting with inserts for multilayer ø16 — inserts for copper ø 14 — inserts for copper ø 12

TON KIT Thermostatic head

ANGLED TON VALVES KIT
- n°2 Angled valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

Art. KVS 119,20€

ANGLED TON VALVES KIT with THERMOSTATIC head Art. KTS 165,50€

STRAIGHT TON VALVES KIT
- n°2 Straight valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers ø

Art. KVD 129,80€

STRAIGHT TON VALVES KIT with THERMOSTATIC head Art. KTD 176,00€

REVERSE TON VALVES KIT
- n°2 Reverse valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

Art. KVR 119,20€

REVERSE TON VALVES KIT with THERMOSTATIC head Art. KTR 165,50€

SIDE CONTROL TON VALVES KIT
- n°2 Side control left and right valves with tangs
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Round washers Art. KVL 130,90€

SIDE CONTROL TON VALVES KIT with THERMOSTATIC head
S left version Art. KTL 177,10€
D right version Art. KTLD 177,10€

SIDE CONTROL TON VALVES KIT with MIXED right ø 1/2" valve for Electric Heating Element
- n°1 Side control left valve with tangs
- n°1 Side control MIXED valve with tangs
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Round washers Art. KLXD 163,70€

SIDE Control TON valves KIT with Thermostatic head, MIXED valve Art. KTLXD 210,00€

SINGLE-TUBE VALVE KIT tapping centres 38mm
Art. KVM 153,00€

KIT with fittings for multilayer ø16 and copper ø12,14

probe cm 70 8,40€
probe cm100 11,60€

SINGLE TUBE THERMOSTATIC VALVE KIT Art. KTM 199,30€

TUBES COVERS for KIT

10 cm long, polished stainless steel tube: slide over pipes for fitting ø ≤16 mm and cut in half to size using the rose washer to cover the cut for VALVES KIT Art. CA18 10,80€

DUAL TUBE left VALVE KIT tapp. centres 50mm
Art. KVB 149,10€

KIT with washers and fittings for multilayer ø16 and copper tubes ø12,14

DUAL TUBE THERMOSTATIC left VALVE KIT Art. KTB 194,40€

CHROME-PLATED MINI VALVE

+15%
PRICE FROM 1.07.2022

MINI Model

ANGLED MINI VALVE
Easy control valve usable also as lock-shield, complete with fitting and round washer.

STRAIGHT MINI VALVE
Easy control valve usable also as lock-shield, complete with fitting and round washer.

MINI VALVE

Headwheel ø 24 / 71,5 / H 57mm

MINI valve: harmonious combination of essential design, very small size and easy control.

MS.. Angled Mini
MD.. Straight Mini

FITTINGS for Tubes:
M Multilayer
R Copper

INDICATE TUBE Ø

How to order: ART. MS (Angled MINI valve) M12-16 (Multilayer fitting) ø12-16 tube (ø12-16 tube)

MINI valves KIT

ANGLED MINI VALVES KIT
- n°2 Angled valves with 2 O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

Art. KMS 107,80€

On request:
Polished stainless tube cover (to be cut)

STRAIGHT MINI VALVES KIT
- n°2 Straight valves with 2 O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

Art. KMD 119,00€

On request:
Polished stainless tube cover (to be cut)

TUBES COVERS for fittings

Ø 18mm, 10 cm long, polished stainless steel tube: slide over pipes for fitting (ø 12, 14. 16 mm) and cut in half to size using the rose washer with adapters to cover the cut.

inner ø15 mm	Art. CA15	9,40€
inner ø16 mm	Art. CA16	9,40€
for valves KIT	Art. CA18	10,80€

WHITE MINI VALVE

Angled WHITE MINI

ANGLED WHITE MINI VALVE
Valve usable also as lock-shield, complete with chrome-plated O-ring Tang, fitting and round washer.

ANGLED WHITE MINI VALVE

MINI valve is provided in standard white (chr.-plated O-ring Tang,fitting and round washer)

Angled WHITE MINI valves KIT

ANGLED WHITE MINI VALVES KIT
n°2 Standard white MINI valves complete with chrome-plated O-ring Tangs, round washers and fittings (multilayer ø16, copper ø12,14)

CHROME-PLATED QUADRA VALVE

+15% PRICE FROM 1.07.2022

QUADRA Model

ANGLED QUADRA VALVE
Easy control valve usable also as lock-shield, complete with fitting and round washer.

STRAIGHT QUADRA VALVE
Easy control valve usable also as lock-shield, complete with fitting and round washer

REVERSE QUADRA VALVE
Easy control valve usable also as lock-shield, complete with fitting and round washer

SIDE control QUADRA VALVE
Easy control valve complete with fitting and round washer. Always state **S** or **D** version.



QUADRA VALVE

Headwheel 26x26 / 86 / H 57mm

QUADRA valve: refined geometrical design to match with other squared shapes.

QS.. QUADRA Angled — FITTINGS for tubes
QD.. QUADRA Straight — M Multilayer
QR.. QUADRA Reverse — R Copper
QL.. QUADRA Side contrd — INDICATE tube ø

How to order: ART. QR R14 (Reverse QUADRA valve; Copper fitting tube ø14)

MIXED QUADRA VALVE only ø1/2"
for Electric Heating Element
Easy control valve, complete with fitting and round washer. It can be used together with angled or side control valves

QUADRA Valves KIT

ANGLED QUADRA VALVES KIT
- n°2 Angled valves
- n°2 O-ring Tangs (3/8"or 1/2")
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

Art. KQS 156,60€

STRAIGHT QUADRA VALVES KIT
- n°2 Straight valves
- n°2 O-ring Tangs (3/8"or 1/2")
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

Art. KQD 165,20€

REVERSE QUADRA VALVES KIT
- n°2 reverse valves
- n°2 O-ring Tangs (3/8"or 1/2")
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

Art. KQR 156,60€

SIDE control QUADRA VALVES KIT
- n°2 Side control valves (right and left)
- n°2 O-ring Tangs (3/8"or 1/2")
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

Art. KQL 166,30€

COLORED QUADRA VALVE

COLORED QUADRA Model

COLORED QUADRA VALVE
Valve in the same BREM color of radiator, complete with chrome-plated O-ring Tang, fitting and round washer (with inserts for multilayer ø16 and copper ø12,14).
ANGLED - REVERSE - SIDE CONTROL model
EXTRA FOR COLOR n. 1 piece 34,60€
n. 2 pieces 46,40€

QUADRA COLORED VALVE

ANGLED - REVERSE - SIDE CONTROL
provided in one color of BREM list
(chrome-plated O-ring Tangs, fittings and washer)

COLORED QUADRA Valves KIT

COLORED QUADRA VALVES KIT
- n°2 QUADRA valves in the same BREM color of radiator, complete with chrome-plated O-ring Tangs, fittings and round washers (with inserts for multilayer ø16 and copper ø12,14).

ANGLED - REVERSE - SIDE CONTROL model

EXTRA FOR COLOR (KIT) 46,40€

CHROME-PLATED REMOTE VALVES

+15%
PRICE FROM 1.07.2022

.. hiding valves under the radiator

TON valves

Wall recessed ø 1/2" TON valves assembly, equipped with handles to control remotely the radiator (up to 6m), is supplied with fittings at rear (Art.REM), and round washers.

Thermostatic TON valves

REMOTE TON VALVES ASSEMBLY wall recessed with 2 valves, 2 round washers and 2 fittings	MULTILAYER fittings indicate ø of tube Art. VGM.. 137,40€	COPPER fittings indicate ø of tube Art. VGR.. 135,30€
REMOTE TON VALVES ASSEMBLY with THERMOSTATIC HEAD	Art. VGTM.. 183,60€	Art. VGTR..181,50€

QUADRA valve/lockshield

Wall recessed ø 1/2" QUADRA valves assembly, equipped with handles to control remotely the radiator (up to 6m), is supplied with fittings at rear (Art.REM), and round washers.

REMOTE QUADRA VALVES ASSEMBLY wall recessed with 2 valves, 2 round washers and 2 fittings	MULTILAYER fittings indicate ø of tube Art. QGM.. 151,50€	COPPER fittings indicate ø of tube Art. QGR.. 149,50€

REMOTE WALL RECESSED VALVES ASSEMBLY with FITTINGS AT REAR OF RADIATOR



REMOTE WALL RECESSED VALVES ASSEMBLY AND SPECIAL FITTINGS 24/19 AT THE REAR OF RADIATOR (up to 6m)



REMOTE TON VALVES ASSEMBLY WITH THERMOSTATIC HEAD



REMOTE VALVES ASSEMBLY KIT
wall recessed

Multilayer fitting ø 16 *Copper ø12* *Copper ø14*

REMOTE TON VALVES ASSEMBLY KIT
for multilayer tube ø 16 and copper tube ø12/14 mm Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

Multilayer fitting ø 16 *Copper ø12* *Copper ø14*

REMOTE QUADRA VALVES ASSEMBLY KIT
for multilayer tube ø 16 and copper tube ø12/14 mm Art.KQG 167,70€

CLAK 220-45
with remote valves

FITTINGS AT THE REAR OF RADIATOR

Brem proposes fittings consisting of threaded sleeves (ø 24 F19) welded on the back of the radiator.
The connection of the system pipes is performed by screwing the fittings directly to the radiator.

Art. REM 36,60€



Distant valves are placed in a barely visible inconspicuous place.
This position must be sensitive to variations of the ambient temperature in case of use of distant valves group with thermostatic head.

PRICE FROM 1.07.2022 **+15%**

design Luigi Brembilla

CHROME-PLATED CLOTHES RACK

This is a shelf used as a clothes rack or for towel heaters.
It can be fitted on models Form F2, Mahn, Shar, Start.
Width = tapping centres (▲▽) + 2,7 cm

Art. ME 40 tapping centres 40cm 195,30€
(for 50 cm wide towel heaters)
Art. ME 46 tapping centres 46cm 199,20€
(for 55cm wide Start towel heaters)
Art. ME 50 tapping centres 50cm 204,70€
(for 60 cm wide towel heaters)



CHROME-PLATED TOWEL HANDRAIL

Adjustable inside depth from 65 to 87 mm the towel handrail can be fitted to models Form F2, Mahn, Shar, Start.
Width = tapping centres (▲▽)+2,7cm

Art. MA 30 tapping centres 30cm 71,70€
Art. MA 40 tapping centres 40cm 72,70€
Art. MA 46 tapping centres 46cm 73,70€
Art. MA 62 tapping centres 62cm 77,70€

Art. PA (ø 6 x 4 cm)

Art. AC n.2 (ø 3 x 3,5 cm)

CLOTHES KNOB Art. PA 64,60€

Chrome-plated knob for all the towel heaters with round tubes excluding PLUS 20

CHROME HOOK Art. AC 75,30€

Chrome-plated hooks for all the towel heaters with round tubes excluding PLUS 20

HUMIDIFIER (ø 3 x 40 cm)

chrome-plated finish Art. UR 59,40€
Applicable on all radiators and towel heaters, except on panels and CrossFrame.

design Davide Brembilla

RAM TOWEL-BAR

Towel holder in painted metal applicable with magnets on all steel panels.
(35X44x7 cm) Art. RAM 150,00€

STANDARD COLORS (without extra):

- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color ordered with the radiator

On request in one paintwork to Brem color list different from the towel heater +15/25%

KNOBS

Metal knobs paint in one color of Brem list for the following use:
- with magnet on all the steel panels
- with wall fixing

STANDARD COLORS (without extra):

- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005

On request with extra in one paintwork to Brem color list

Art. ARO..
14x4,5x4

Art. PO..
8,5x7x4

Art. HK..
14x9x5

ARO MODEL

- with magnet Art. ARC 83,00€
- with wall fixing Art. ARM 81,00€

extra for Brem color:
- up to 2 pieces 35,20€ - from 3 pieces +15/25%

PO MODEL

- with magnet Art. POC 83,00€
- with wall fixing Art. POMC 81,00€

extra for Brem color
- up to 2 pieces 35,20€ - from 3 pieces +15/25%

HK MODEL

- with magnet Art. HKC 83,00€
- with wall fixing Art. HKMC 81,00€

extra for Brem color
- up to 2 pieces 35,20€ - from 3 pieces +15/25%

SPECIAL VERSIONS

PRICE FROM 1.07.2022 **+15%**

"IN CORNER" RADIATORS

On request, the EGON, KUADRUM, FORM and GRATA radiators can be supplied made-to-measure in corner configuration to ensure adequate heating in rooms where the conformation of walls, doors, and windows precludes more traditional positions for the radiators.

The most popular solutions are :
- with internal angle
- with external angle
- with two external angles

The use of special feet and fixings permits the most creative positioning of the radiator without limitation.

How to obtain prices and technical data:
- standard radiator price + connection price
- radiator width + (ß) dimension see table below
- heating output: add outputs of each connected radiator

Extra for the connection in corner of two radiators with one element ≤ 32 cm.

External angle	Art. FAE	349,80€
Internal angle	Art. FAI	349,80€
Double angle		by estimate
Wooden box package		by estimate

Radiators in corner:
(ß) dimension (mm) + standard radiator:

	Mod.	F2H	KH	GRH	EH
internal angle	ß	25	30	30	20
external angle	ß	20	25	30	25

Send a detailed drawing for a feasibility study and quotation.



internal angle



external angle


double inclined angle



double external angle

FRAME

On request, Form F2H and F3H, Kuadrum KQH, Grata GRH and Egon EH radiators are available with two lateral columns that form a frame with the following advantages:

- fittings with made-to-measure distances along one side of the radiating tube frame;

- opposing made-to-measure fittings along both sides of the radiating tube frame (providing the future possibility to replace the radiator without damaging the room's walls or pipes).

Width of the radiator with frame:
L +40 mm



"a" 11mm (as standard)
Other dimensions on request

FRAME Art. CF	€	H cm	Δt 50 K watt*
CF 80	329,40	80	92
CF 100	329,40	100	114
CF 120	339,50	120	136
CF 140	339,50	140	157
CF 160	349,10	160	178
CF 180	349,10	180	197
CF 200	359,20	200	219
CF 220	359,20	220	241
CF 240	368,10	240	263

*Add the yields to those of the radiator

META

META radiators are built to measure (see indications below).

Send us a detailed drawing with measurements for a feasibility study and quotation.







C-PROLUX®

C-PROLUX radiators are built to measure. Send us a detailed drawing with measurements for a feasibility study and quotation.


C-Prolux
internal angle


C-Prolux
external angle

BRACKETS

The thermoplastic resin or metal brackets allow for depth adjustment and are always included in the package.
Fix the provided brackets to the wall to install.
The bottom of the bracket has an oval hole to allow for adjustment on the wall.

Art. EOSB withe 8,40€
Art. EOSV colored 11,40€

Art. B15(mm)
Art. B35(mm)
Art. B70(mm) withe 13,40€ colored 16,80€

Art. 131B/Art. 151B withe 7,50€
Art. 131V/Art. 151V colored 11,00€

BRACKETS SPECIAL FINISHES page 275

M4..

M8..

M4F..

M4S..

M4K..

M4G

White bracket (depth 8 cm)	Art. M8B	14,10€
	Art. M8SB	14,10€
	Art. M8KB	14,10€
Chrome-plated bracket (depth 8 cm)	Art. M8C	21,70€
	Art. M8SC	21,70€
	Art. M8KC	21,70€
White bracket (depth 4 cm):	Art. M4B	11,90€
	Art. M4SB	11,90€
	Art. M4GB	11,90€
	Art. M4KB	14,90€
	Art. M4FB	14,90€
Chrome-plated bracket Art. M4	Art. M4C	19,70€
	Art. M4SC	19,70€
	Art. M4GC	19,70€
	Art. M4KC	19,70€
	Art. M4FC	24,00€

FORM - GRATA - TOWEL HEATER DIVIDERS

Art. FC4



Art. F25



Feet and special fixing supports painted in the final colour, allow radiators and heated towel rails to be used as partitions, providing aesthetically pleasing interior designs.

FIXINGS

Painted side bracket 10 cm (can be reduced to 4 cm) Art. F10 66,70€

Painted ceiling bracket 25 cm (can be reduced to 4 cm) Art. F25 69,60€

Side chrome-plated bracket with sleeve Adjustment: 4/6 cm Art. FC4 56,70€

Bracket FC4 is screwed into sleeve M18 extra charge Art. M18 20,20€

Different length on request.

Art. F10



Art. F10



FEET

Manifold foot
H cm 15 Art. PC15 79,70€
H cm 19 Art. PC19 79,70€
Fixed foot
standard H cm 15 Art. PF15 72,80€

Adjustable foot standard
H cm 15/20 Art. PR15 87,40€

Foot cover
(covers the fixing screws)Art. PT... 29,00€

Made-to-measure length feet, on request.



Art. PC...



Art. PR..



Art. PF..

Art. PT..

Foot (15 cm H) with incorporated valve.
Art. PV15 155,00€

Adjustable foot H 12/15 cm for Cross model
Art. PCV12 103,30€
On request, made-to-mesure heights



RADIATOR FITTINGS

+15%
PRICE FROM 1.07.2022

The fittings used to connect the radiators to the heating system consist of two 1/2" or 3/8" diameter sleeves on the manifolds, according to each model.
The technical drawings for each model show how to calculate the distances between the fittings (tapping centres) as well as the min distance from the wall.

vertical fitting

side fitting

Fitting position
▲ - delivery
▽ - return
s - bleed valve
v - drain



DUAL TUBE FITTINGS

This fitting is marked with letters showing the position of the other fittings:
- the first shows the delivery
- the second shows the return

followed by the fitting diameter:
e.g. AC ø 1/2"

STANDARD FITTING

The radiator is produced with standard fittings as shown in the technical data.

FITTINGS ON REQUEST

no extra charge (unless otherwise indicated)



SINGLE-TUBE RADIATOR FITTING

The single tube is fitted (in line with the manifold) by adding a ø 1/2" fitting for the water to enter/exit and a ø 10 mm hollow separator (other diameters available upon request) inside the manifold for insertion of the valve probe.

Standard single-tube fitting: ø 1/2"
probe hole: ø 10 mm Art. AM10 49,60€

The single-tube valve (p. 295) is supplied complete with 45 cm probe or small tube; on request:
Art. S70 probe L = 70 cm 8,40€
Art. S100 probe L =100 cm 11,60€

Indicate the diameter of the fitting and probe if not standard.



SINGLE TUBE



The BREM ø 1/2" single/dual tube chrome-plated valve is fitted with ø 10 mm probe. It can be either manual or thermostat controlled and is fitted with a flow deviator to reverse the delivery and return.

ASK FOR FEASIBILITY AND FITTINGS POSITION

Single tube fitting NOT POSSIBLE for technical reason in the following models:

C-PROLUX	ALCOVA
LAME-UP	CLIP
SBARRA-3	EYE
SBARRA-Up 3	PIT
SPAZIO CHIUSO	SLIDE
KORE/K-COR	RAW
TRAP	VINCI
	ZOOM

SPECIAL FITTINGS ON REQUEST

Special fittings Art. AS 75,50 €
EG/GE Wind fittings Art. EGW 75,50 €

Check plant flow rate and working pressure for AB-BA, CB-DA, HG-KE, EK-GH, HK-KH fittings. Ask for faseability and quotation

Fittings with 5 cm central tapping centre and inner probes (ask for feasibility):
Art. ACB 127,00€







PLUGS AND AIR VENTS

Art. T18	ch-plated ø 1/8" plug	3,00€
Art. T14	ch-plated ø 1/4" plug	3,00€
Art. T38	ch-plated ø 3/8" plug	3,00€
Art. T12	ch-plated ø 1/2" plug	3,00€
Art. S18	ch-plated ø 1/8" air vent	3,00€
Art. S12	ch-plated ø 1/2" air vent	2,80€

TOWEL HEATERS FITTINGS

+15%
PRICE FROM 1.07.2022

VERTICAL FITTINGS

The fittings used to connect the heated towel rails to the central heating system consist of two ø 1/2" sleeves on the manifolds (or ø 3/8" according to the model).

The technical drawings for each model show how to calculate the distances between the fittings (tapping centres) as well as the min distance from the wall.



vertical fitting

SIDE FITTINGS

Side fittings (on request) consist of two sleeves on the side of the towel heater.



side fitting

REVERSE FITTINGS

Reverse fittings (supplied as standard on certain models) are designed so that the reverse valves are fitted without sticking out from the towel heater (Cross..).

reverse fitting

TOWEL HEATER FRAME

On request, Brem towel heaters are produced with an additional smaller frame, which can be mounted vertically, with 5 cm tapping centres or made to measure.
This solution not only increases the thermal output, but also allows existing connections to be used, and allows the use of electrical immersion heater for mixed operation.
Feet and fixings are available on request.

Heated towel rail frame, painted in white, with fitting sleeves, heating element fittings and chrome-plated plug Art. CS 183,10€

SINGLE-TUBE FITTING

The BREM ø 1/2" single tube chrome-plated valve can be used in position E or G on heated towel rails with EG fittings.
The valve is fitted with a flow deviator to reverse the delivery and return and a ø 10 mm probe 45 cm long; on request:

Art.	S70	probe L= 70 cm	8,40€
Art.	S100	probe L=100 cm	11,60€



STANDARD FITTINGS

Heated towel rails have standard fittings, as indicated in the technical data.

SPECIAL FITTINGS

Side, reverse and vertical fittings different from standard productions, ask for feasibility
Art. AS 75,50€

REMOTE VALVES FITTING

Fittings on the back ø 24F19
(see page 280) Art. REM 36,60€



INDEX BREM'ART

ARTISTS' RADIATORS

ART AND RADIATOR

Perennially in pursuit of new shapes and expressions that are also surprisingly practical in the garb given to heat, Brem asked artists to develop the theme with their own interpretations, inventions, and solutions.

This is "Brem'Art": a line of radiators designed by artists given complete freedom for the most creative expression of the function of heating.

EVERY WORK OF ART IS MADE BY HAND:
THE MINIMUM IMPERFECTIONS AND IRREGULAR SHADING AND TONES OF COLOR ARE UNIQUE TO EACH PIECE AS IN EVERY REAL WORK OF ART.

BREM SPECIAL COLORS AND FINISHES

- BR 0001, a transparent metallic bright finish, highlights the signs of working on iron (welding, scoring, brushing, rings, marks, etc.); the phosphate greasing process enhances the colors of steel in shades of grey, beige, blue, brown, and dark green, and makes each piece unlike any other.
This finish is a good example of "Rustic Art" and it is not available for the radiating plates.

- BR 0001 MS, a clear matte finish, transmits all the raw material's "brutality", whereas a shiny finish softens the look (not available for radiating plates).

- BR 0031 is a brushed-metal effect to hide scratches on the plates. Clear varnish.

- BR 0007 is the color that both comes closest to natural iron and best conceals possible imperfections.

- BR 0021 transparent polished finish, it transmits the brass effect, glimpsing weldings.

- BR 0022 BL polished and nuanced rust color finish

Finishes, colors and extras are indicated for each work of art.

SPAZIO CHIUSO II
MOSSO III
CONTINUUM IV
SIPAR V
ERUZIONE VI
ORME VII
STROP' VIII
PINAK HOT IX
AREE EQUE X
STRUTTURA ALTA XI
SCUDO DI ERACLE XII
EAGLE XIII
CONFINI XIV
PERCORSO XV
CAPITONNÉ XVI
GRID XVII
TERRA XVIII
TERRA LUNARE XIX
GRAFFI XX
GRAFFI DI LUNA XXI
VIRGO XXII

SPAZIO CHIUSO
RINO CARRARA

PRICE FROM 1.07.2022 **+15%**

Rino Carrara proposes a model quite unlike the usual rigid radiator, adding the contents and shapes he loves to include in all his works to create an embracing overall design.

Color recommended by the artist: white sablé SB 9016
Other colors from BREM color list without extra

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



DUAL TUBE VALVE KIT with THERMOSTATIC head
Art. KTB 195,40€

DUAL TUBE VALVE KIT tapping centres 50mm
page 277 Art. KVB 149,10€

REMOTE FITTINGS Art. REM 36,60€
standard EG tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MODEL	H-L cm	€	EN 442 Watt Δt 50 K	▲▽ t.c. cm	Height cm	Width cm	Depth cm
SPAZIO CHIUSO	145-95	2023,20	1300	5	145	95	3

STANDARD FITTING
EG ø 1/2" ▲▽ 5 cm
Special fittings page 287

MOSSO
RINO CARRARA

PRICE FROM 1.07.2022 **+15%**

Here too Rino Carrara uses the graphic themes typical of his work, adding them to typical radiator shapes and materials, where they merge to form a special feature.

Color chosen by the artist: jet black Ral9005-M
Other colors from BREM color list without extra

MOSSO 180-60

with remote valves

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
standard EG tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

MODEL	H-L cm	€	EN 442 Watt Δt 50 K	▲▽ t.c. cm	Height cm	Width cm	Depth cm
MOSSO	180-60	1871,20	1210	56	180	60	6
MOSSO	200-70	2023,20	1530	66	200	70	6
MOSSO	220-80	2206,00	1890	76	220	80	6

BREM'ART

CONTINUUM
RAFFAELE CIOFFI

PRICE FROM 1.07.2022 **+15%**

Raffaele Cioffi has interpreted warmth by adding 3D effect moulds to the radiator, printed using special heat resistant inks. The works in the "CONTINUUM" series excite the emotions and feature alternating color schemes, thanks to a play of light and shadow The artist recommends to use distant valves.

CONTINUUM UNO (H 125 x L 16 cm)*
Red screen printing 605,90€
color recommended by the artist, Ral9005M

CONTINUUM TRE (H 45 x L 20 cm)*
Yellow screen printing 633,90€
color recommended by the artist, BR0007.

*to be added to the cost of the S-PLATT plate

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L - 5 cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

MOD. S-PLATT sablè white	H cm	L cm / t.c. ▲▽cm	42 / 38	49 / 45	56 / 52	63 / 59	70 / 66
SPH	180	€	810,20 / 701w	882,50 / 817w	953,90 / 934w	1023,00 / 1051w	1095,50 / 1168w
SPLH	180	€	1035,70 / 1033w	1134,20 / 1205w	1223,60 / 1377w	1312,40 / 1549w	1402,00 / 1721w
SPH	200	€	855,90 / 770w	926,40 / 898w	1000,70 / 1026w	1074,00 / 1155w	1147,40 / 1283w
SPLH	200	€	1122,70 / 1113w	1226,50 / 1299w	1315,80 / 1484w	1411,60 / 1670w	1507,70 / 1855w
SPH	220	€	905,90 / 836w	994,30 / 976w	1064,90 / 1115w	1143,20 / 1254w	1219,80 / 1394w
SPLH	220	€	1167,70 / 1204w	1275,80 / 1404w	1368,70 / 1605w	1468,10 / 1806w	1568,00 / 2006w

Extra colors p. 289 +15/25% Technical data S-Platt p.110
Eg. SPH 200-49 Ral9005M 1065,36€ + Continuum Uno 605,90€= 1671,26€

BREM'ART

SIPAR
RAFFAELE CIOFFI

PRICE FROM 1.07.2022 **+15%**

Raffaele Cioffi has interpreted warmth by adding 3D effect moulds to the radiator, printed using special heat resistant inks.
The works in the "SIPARIO" series excite the emotions and feature alternating color schemes, thanks to a play of light and shadow.
The artist recommends to use distant valves.

SIPAR.O (H 100 x L 25 cm)*
Ocher screen printing 634,80€
color recommended by the artist, SB3281

SIPAR.W (H 100 x L 25 cm)*
White screen printing 634,80€
color recommended by the artist, SB3061

*to be added to the cost of the S-PLATT plate

with remote valves

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



SIDE control TON VALVES KIT with
THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L - 5 cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD. S-PLATT			L cm	42	49	56	63	70
sablè white	H cm		t.c. ▲▽cm	38	45	52	59	66
SPH	180	€		810,20 701w	882,50 817w	953,90 934w	1023,00 1051w	1095,50 1168w
SPLH	180	€		1035,70 1033w	1134,20 1205w	1223,60 1377w	1312,40 1549w	1402,00 1721w
SPH	200	€		855,90 770w	926,40 898w	1000,70 1026w	1074,00 1155w	1147,40 1283w
SPLH	200	€		1122,70 1113w	1226,50 1299w	1315,80 1484w	1411,60 1670w	1507,70 1855w
SPH	220	€		905,90 836w	994,30 976w	1064,90 1115w	1143,20 1254w	1219,80 1394w
SPLH	220	€		1167,70 1204w	1275,80 1404w	1368,70 1605w	1468,10 1806w	1568,00 2006w

Extra colors p. 289 +15/25% Technical data S-Platt p.110
Eg. SPH 200-42 SB3061 1069,87€ + SIPAR.W 634,80€= 1706,67€

BREM'ART

ERUZIONE
STEVEN CAVAGNA

PRICE FROM 1.07.2022 **+15%**

Steven Cavagna has opted here to use precious gilded leaf details set against an oxidised steel background.
An imaginary stream of cast gold arousing the imagination.

The stream is hand-made and always different for each radiator.

BREM'ART CREATIONS (page I)
Bright shaded rust BR 0022 BL and gilded leaf, other BREM colors to quote

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MODEL	H cm		L cm	35	42	49	56	63	70
			▲▽cm	31	38	45	52	59	66
ERH	180	€		1517,20	1624,00	1733,50	1842,30	1948,80	2058,40
				584w	701w	817w	934w	1051w	1168w
ERLH	180	€		1731,60	1849,30	1985,30	2112,10	2238,10	2364,90
				861w	1033w	1205w	1377w	1549w	1721w
ERH	200	€		1557,50	1669,50	1777,50	1889,10	1999,70	2110,30
				642w	770w	898w	1026w	1155w	1283w
ERLH	200	€		1803,30	1936,40	2077,60	2204,20	2337,40	2470,90
				928w	1113w	1299w	1484w	1670w	1855w
ERH	220	€		1603,90	1719,40	1845,30	1953,00	2068,90	2182,70
				697w	836w	976w	1115w	1254w	1394w
ERLH	220	€		1844,40	1981,30	2126,60	2257,00	2393,80	2531,30
				1003w	1204w	1404w	1605w	1806w	2006w

Technical data S-PLATT page 110

ORME STEVEN CAVAGNA

PRICE FROM 1.07.2022 **+15%**

Steven Cavagna uses several different materials here. S-Platt with silver-leaf interspersed by a black stripe on the brushed steel surface, with a clear varnish finish. A sculpture with a huge impact.

BREM'ART CREATIONS (page I)
Brushed-metal finish BR 0031, silver leaf and varnish, other BREM colors to quote.

ORME 180-42

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MODEL	H cm		L cm 35	42	49	56	63	70
			▲▽cm 31	38	45	52	59	66
ORH	180	€	1517,20	1624,00	1733,50	1842,30	1948,80	2058,40
			584w	701w	817w	934w	1051w	1168w
ORLH	180	€	1731,60	1849,30	1985,30	2112,10	2238,10	2364,90
			861w	1033w	1205w	1377w	1549w	1721w
ORH	200	€	1557,50	1669,50	1777,50	1889,10	1999,70	2110,30
			642w	770w	898w	1026w	1155w	1283w
ORLH	200	€	1803,30	1936,40	2077,60	2204,20	2337,40	2470,90
			928w	1113w	1299w	1484w	1670w	1855w
ORH	220	€	1603,90	1719,40	1845,30	1953,00	2068,90	2182,70
			697w	836w	976w	1115w	1254w	1394w
ORLH	220	€	1844,40	1981,30	2126,60	2257,00	2393,80	2531,30
			1003w	1204w	1404w	1605w	1806w	2006w

Technical data S-PLATT page 110

STROP' STEVEN CAVAGNA

PRICE FROM 1.07.2022 **+15%**

Light plays and reflects on the irregular surface to create unexpected, ever-changing effects. The colour is an important part of the work. Each item is carefully crafted by hand, meaning that no two items are ever the same.

BREM'ART CREATIONS (page I)
BREM colors paintworks without extra.

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L - 5 cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MODEL			L cm	35	42	49	56	63	70
	H cm		▲▽cm	31	38	45	52	59	66
SRH	180	€		1624,20	1718,40	1815,60	1911,20	2005,50	2102,30
				584w	701w	817w	934w	1051w	1168w
SRLH	180	€		1827,70	1932,30	2054,00	2167,10	2279,70	2392,90
				861w	1033w	1205w	1377w	1549w	1721w
SRH	200	€		1662,30	1761,50	1857,00	1955,70	2053,60	2151,60
				642w	770w	898w	1026w	1155w	1283w
SRLH	200	€		1895,50	2014,80	2141,30	2254,50	2373,80	2493,30
				928w	1113w	1299w	1484w	1670w	1855w
SRH	220	€		1706,60	1809,10	1921,20	2016,40	2119,10	2220,10
				697w	836w	976w	1115w	1254w	1394w
SRLH	220	€		1934,40	2057,10	2187,90	2304,50	2427,40	2550,30
				1003w	1204w	1404w	1605w	1806w	2006w

Technical data S-PLATT page 110

PINAK HOT
NICOLA EVANGELISTI

PRICE FROM 1.07.2022 **+15%**

A large crystal mirror is crossed by a flash of white light.
The black crystal is framed by the radiator.



The artist proposes the radiator in black 9005 BREM colors paintworks without extra.

LIGHTSQUARE

PINAKHOT 2 LUXURY LUX

with remote valves

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
BREM color list extra 46,40€



SIDE CONTROL TON VALVES KIT chrome-plated with THERMOSTATIC head Art. KTLD 177,10€

REMOTE FITTINGS Art. REM 36,60€
tapping centres ▲▽ L-12cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø3/8" ▲▽ 5 cm
On request EG ø1/2"

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MODEL		€	EN 442 Watt Δt 50 K	▲▽ t.c. cm	Height cm	Widht cm	Depth cm
LIGHTSQUARE	50-50	1115,70	289	5	50	50	9
LIGHTSQUARE-C	58-58	1415,70	523	5	58	58	9
PINAKHOT-2	172-50	2075,60	756	5	172	50	9
PINAKHOT-C	180-58	2375,50	1245	5	180	58	9
LUXURY LUX	172-27	1157,90	654	5	172	27	9
LUXURY LUX-C	180-35	1469,80	1095	5	180	35	9

Light source in the middle, at rear, on the low side of the work of art. - On request: VALVE COVER page 82

AREE EQUE
MAX MARRA

PRICE FROM 1.07.2022 **+15%**

AREE EQUE 200-49

Bands that intersect each other in a true modality of meeting, giving privilege to lightness and to poetic resource, referring to action and manifacture.
Ideas that are able to become privileged acts in radiators art.

BREM'ART CREATIONS (page I) Work of art with sablé painting at the choice, other colors on request, without extra

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MODEL	Hcm		L cm	35	42	49	56	63	70
			▲▽cm	31	38	45	52	59	66
AEH	180	€		1624,20	1718,40	1815,60	1911,20	2005,50	2102,30
				584w	701w	817w	934w	1051w	1168w
AELH	180	€		1827,70	1932,30	2054,00	2167,10	2279,70	2392,90
				861w	1033w	1205w	1377w	1549w	1721w
AEH	200	€		1436,90	1518,90	1612,80	1740,20	2017,60	2160,80
				642w	770w	898w	1026w	1155w	1283w
AELH	200	€		1895,50	2014,80	2141,30	2254,50	2373,80	2493,30
				928w	1113w	1299w	1484w	1670w	1855w
AEH	220	€		1487,90	1575,10	1671,20	1808,20	2092,40	2240,10
				697w	836w	976w	1115w	1254w	1394w
AELH	220	€		1934,40	2057,10	2187,90	2304,50	2427,40	2550,30
				1003w	1204w	1404w	1605w	1806w	2006w

Technical data S-PLATT page 110

X

BREM'ART

STRUTTURA ALTA
MAX MARRA

PRICE FROM 1.07.2022 **+15%**

Max Marra gives the Form or Kuadrum radiator a clear burnished metal coating. The highlight of this unusual form of aesthetic communication is the burnished look of the metal that reflects light and enhances the sinuous folds of the sculpture.

BREM'ART CREATIONS (page I)
A work with a semi-glossy burnished finish reflecting the blue, green, brown and anthracite grey pigments in the raw material.
Other colors not available

STRUTTURA ALTA 180-44

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
EG tapping centres standard fitting

1,5 ± REM S ▲ ▽

REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EG S ▲ ▽

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MOD.			L cm	38	44	50	56	62	68
	H cm	p*cm	▲▽cm	34	40	46	52	58	64
STH	180	8,5/19 €		1381,90	1463,10	1549,10	1668,30	1938,60	2074,20
				882w	1021w	1160w	1299w	1438w	1578w
STH	200	8,5/19 €		1430,10	1511,90	1604,40	1731,30	2008,10	2150,40
				969w	1122w	1275w	1427w	1580w	1733w
STH	220	8,5/19 €		1489,70	1577,10	1674,00	1810,80	2095,10	2243,10
				1053w	1219w	1386w	1552w	1718w	1884w

*Depth from wall

BREM'ART

SCUDO DI ERACLE
ANTONIO PIZZOLANTE

PRICE FROM 1.07.2022 **+15%**

SCUDO DI ERACLE 200-49

Dedicated to the greatest antique greek hero, Scudo di Eracle is made of copper by the artist for BREM'ART. Antonio Pizzolante, with his own hands, creates the shield of Heracles out of copper; once again the artist joins together form and function, beyond the time.

SCUDO DI ERACLE (H 98 x L 28cm)
work of art 1018,50€
to be added to the cost of the S-PLATT plate

The artist suggests the plate in SB 0022 sablé rust nuanced color.

Note that this color nuance is not repeatable and has stains and tons always different, that make it unique.

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD. S-PLATT		L cm	35	42	49	56	63	70
sablè white	H cm	▲▽cm	31	38	45	52	59	66
SPH	180	€	740,90	810,20	882,50	953,90	1023,00	1095,50
			584w	701w	817w	934w	1051w	1168w
SPLH	180	€	955,20	1035,70	1134,20	1223,60	1312,40	1402,00
			861w	1033w	1205w	1377w	1549w	1721w
SPH	200	€	780,90	855,90	926,40	1000,70	1074,00	1147,40
			642w	770w	898w	1026w	1155w	1283w
SPLH	200	€	1027,00	1122,70	1226,50	1315,80	1411,60	1507,70
			928w	1113w	1299w	1484w	1670w	1855w
SPH	220	€	827,60	905,90	994,30	1064,90	1143,20	1219,80
			697w	836w	976w	1115w	1254w	1394w
SPLH	220	€	1068,10	1167,70	1275,80	1368,70	1468,10	1568,00
			1003w	1204w	1404w	1605w	1806w	2006w

Extra colors page 289 +15/25% Technical data S-Platt p.110
Eg. SPH 180-49 SB0022 1103,12€ + Scudo di Eracle 1018,5€= 2121,62€

A radiant plate, with the addition of sheets and tubes to obtain an original and dynamic plastic effect, made on the Clak model.

Brushed-metal finish BR 0031 and semi-bright varnish. Other colors not available



EAGLE 180-54
with remote valves

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres





REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MOD.	H cm		L cm 45	54	63	72
			▲▽cm 41	50	59	68
EAGLEH	180	€	1594,90 887w	1705,20 1061w	1814,50 1233w	1921,20 1407w
EAGLELH	180	€	1800,30 1181w	1935,70 1453w	2061,10 1723w	2186,00 1996w
EAGLEH	200	€	1647,10 985w	1755,20 1178w	1867,80 1369w	1979,40 1562w
EAGLELH	200	€	1895,30 1313w	2036,40 1616w	2161,50 1916w	2294,00 2219w
EAGLEH	220	€	1703,90 1082w	1832,50 1294w	1941,00 1504w	2058,20 1716w
EAGLELH	220	€	1944,20 1445w	2089,90 1778w	2219,20 2109w	2355,50 2441w

Technical data Clak p.102

BREM'ART

CONFINI
STEFANO SODDU

PRICE FROM 1.07.2022 **+15%**

CONFINI 200-49

Black iron is used for this work proposed by Stefano Soddu for application on the S-Platt radiator. The edges of the radiator lose their definition to spread out in uncertain margins.

BREM'ART CREATIONS (page I)
Brushed-metal finish BR 0031and semi-bright varnish.
Other colors from BREM color list without extra.

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MODEL	H cm		L cm 35* / ▲▽cm 31	42* / 38	49* / 45	56* / 52	63* / 59	70* / 66
COH	180	€	1711,20 / 584w	1795,70 / 701w	1882,90 / 817w	1969,20 / 934w	2053,40 / 1051w	2140,50 / 1168w
COLH	180	€	1925,60 / 861w	2021,20 / 1033w	2134,60 / 1205w	2239,00 / 1377w	2342,50 / 1549w	2447,10 / 1721w
COH	200	€	1751,50 / 642w	1841,00 / 770w	1926,70 / 898w	2016,10 / 1026w	2104,30 / 1155w	2192,60 / 1283w
COLH	200	€	1997,50 / 928w	2108,20 / 1113w	2226,70 / 1299w	2331,10 / 1484w	2441,90 / 1670w	2552,80 / 1855w
COH	220	€	1798,10 / 697w	1891,20 / 836w	1994,80 / 976w	2080,10 / 1115w	2173,60 / 1254w	2264,90 / 1394w
COLH	220	€	2038,60 / 1003w	2153,00 / 1204w	2275,90 / 1404w	2383,90 / 1605w	2498,40 / 1806w	2613,20 / 2006w

*Widths + 10 cm on the right side - Technical data S-Platt page 110

BREM'ART

PERCORSO STEFANO SODDU

PRICE FROM 1.07.2022 **+15%**

Work by Stefano Soddu: the path goes beyond the surface, as iron magma explodes from within. A creative fracture that stresses a force of nature and the heat trying to break through.

BREM'ART CREATIONS (page I)
Brushed-metal finish BR 0031and semi-bright varnish with 9005M black background.
Other colors from BREM color list without extra.

PERCORSO 180-42

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED MINI VALVES KIT page 278
Art. KMS 107,80€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
Remote fittings at the rear: ▲▽L - 5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.	H cm		L cm	35	42	49	56	63	70
			▲▽cm	31	38	45	52	59	66
PRH	180	€		1569,50	1653,30	1740,70	1826,70	1910,60	1998,00
				584w	701w	817w	934w	1051w	1168w
PRLH	180	€		1828,60	1925,90	2044,90	2152,80	2260,00	2368,20
				861w	1033w	1205w	1377w	1549w	1721w
PRH	200	€		1617,90	1708,50	1793,90	1883,70	1972,10	2060,60
				642w	770w	898w	1026w	1155w	1283w
PRLH	200	€		1915,30	2031,00	2156,20	2264,20	2379,80	2496,00
				928w	1113w	1299w	1484w	1670w	1855w
PRH	220	€		1674,20	1768,80	1875,70	1960,70	2055,60	2147,90
				697w	836w	976w	1115w	1254w	1394w
PRLH	220	€		1964,90	2085,10	2215,60	2328,00	2448,20	2569,00
				1003w	1204w	1404w	1605w	1806w	2006w

Technical data S-PLATT page 110

CAPITONNÉ
LUIGI BREMBILLA

PRICE FROM 1.07.2022 **+15%**

with remote valves

The effect of the quilting, arranged on a network of squares, is transferred to the metal surface of the Clak plate to evoke a fashion that has remained in the history of furniture.

Color recommended by the artist SB 0022 Sablé ruby red, sablé standard painting at the choice, without extra, other colors on request.

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MODEL	H cm		L cm / ▲▽cm	36 / 32	45 / 41	54 / 50	63 / 59	72 / 68
CAPH	180	€		1565,90	1658,50	1753,80	1848,20	1940,60
				713w	887w	1061w	1233w	1407w
CAPLH	180	€		1761,00	1863,70	1982,80	2093,70	2204,00
				909w	1181w	1453w	1723w	1996w
CAPH	200	€		1602,50	1700,00	1793,80	1891,00	1987,00
				792w	985w	1178w	1369w	1562w
CAPLH	200	€		1826,30	1943,00	2066,80	2177,60	2294,20
				1011w	1313w	1616w	1916w	2219w
CAPH	220	€		1644,80	1745,60	1855,60	1949,10	2050,00
				870w	1082w	1294w	1504w	1716w
CAPLH	220	€		1863,80	1983,70	2111,40	2225,60	2345,60
				1112w	1445w	1778w	2109w	2441w

Technical data CLAK page 102

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

BREM'ART

GRID
LUIGI BREMBILLA

PRICE FROM 1.07.2022 **+15%**

The texture of a square mesh grid shines through under the surface treated with a smoothing of resin-based mixes.

Each piece is hand-made, than unique. Standard "sablé" colors are recommended by the artist.

GRID 180-45

with remote valves

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 167,70€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = W x 0,755) - (Δt 30K = W x 0,526)

MODEL	H cm		L cm / ▲▽cm	36 / 32	45 / 41	54 / 50	63 / 59	72 / 68
GRIDH	180	€		1607,30	1724,60	1844,50	1963,60	2080,60
				713w	887w	1061w	1233w	1407w
GRIDLH	180	€		1802,40	1929,80	2073,60	2209,10	2344,00
				909w	1181w	1453w	1723w	1996w
GRIDH	200	€		1643,90	1766,10	1884,50	2006,40	2127,00
				792w	985w	1178w	1369w	1562w
GRIDLH	200	€		1867,70	2009,10	2157,60	2293,00	2434,20
				1011w	1313w	1616w	1916w	2219w
GRIDH	220	€		1686,30	1811,70	1946,30	2064,50	2190,00
				870w	1082w	1294w	1504w	1716w
GRIDLH	220	€		1905,20	2049,80	2202,10	2340,90	2485,60
				1112w	1445w	1778w	2109w	2441w

Technical data CLAK page 102

TERRA STEVEN CAVAGNA

PRICE FROM 1.07.2022 **+15%**



An imaginary walk on the uneven surface of the moon, the sensation of overcoming space and gravity for the very first time: this is the message that Steven Cavagna gets across by adding softness to a radiator.

BREM'ART CREATIONS (page I)
Standard "sablé" colors recommended by the artist, other colors on request.

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED MINI VALVES KIT page 278
Art. KMS 107,80€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MODEL	H cm		L cm	35	42	49	56	63	70
			▲▽ cm	31	38	45	52	59	66
TRH	180	€		1665,90	1762,85	1862,30	1960,80	2057,20	2156,75
				584w	701w	817w	934w	1051w	1168w
TRLH	180	€		1874,95	1982,20	2107,20	2223,25	2338,75	2455,20
				861w	1033w	1205w	1377w	1549w	1721w
TRH	200	€		1705,45	1807,10	1905,20	2006,65	2106,80	2207,30
				642w	770w	898w	1026w	1155w	1283w
TRLH	200	€		1944,70	2067,10	2197,00	2313,05	2435,30	2558,05
				928w	1113w	1299w	1484w	1670w	1855w
TRH	220	€		1750,65	1855,80	1971,10	2068,80	2174,10	2277,70
				697w	836w	976w	1115w	1254w	1394w
TRLH	220	€		1984,80	2110,60	2244,75	2364,40	2490,25	2616,65
				1003w	1204w	1404w	1605w	1806w	2006w

Technical data S-PLATT page 110

TERRA LUNARE
STEVEN CAVAGNA

PRICE FROM 1.07.2022 **+15%**

An imaginary walk on the uneven surface of the moon, the sensation of overcoming space and gravity for the very first time: this is the message that Steven Cavagna gets across by adding softness to a radiator.

BREM'ART CREATIONS (page I)
Standard "sablé" colors recommended by the artist, other colors on request.

TERRA LUNARE180-42

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

MODEL	H cm		L cm	35	42	49	56	63	70
			▲▽cm	31	38	45	52	59	66
TEH	180	€		1746,20	1847,50	1951,80	2055,00	2156,00	2260,50
				584w	701w	817w	934w	1051w	1168w
TELH	180	€		1965,00	2077,60	2208,70	2330,40	2451,50	2573,60
				861w	1033w	1205w	1377w	1549w	1721w
TEH	200	€		1787,40	1893,90	1996,70	2103,00	2208,20	2313,50
				642w	770w	898w	1026w	1155w	1283w
TELH	200	€		2038,30	2166,70	2303,00	2424,50	2552,80	2681,50
				928w	1113w	1299w	1484w	1670w	1855w
TEH	220	€		1834,60	1944,90	2065,90	2168,30	2278,70	2387,40
				697w	836w	976w	1115w	1254w	1394w
TELH	220	€		2080,40	2212,30	2353,00	2478,40	2610,40	2743,10
				1003w	1204w	1404w	1605w	1806w	2006w

Technical data S-PLATT page 110

GRAFFI
LUIGI BREMBILLA

PRICE FROM 1.07.2022 **+15%**

GRAFFI 180-42

GRAFFI has a merely furrow form surface.
This gave birth to a radiator that creates very particular atmosphere, where light and color play an important role.
Each piece is hand-made, than unique.

BREM'ART CREATIONS (page I)
Standard "sablé" colors recommended by the artist, other colors on request.

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MODEL	H cm		L cm 35	42	49	56	63	70
			▲▽cm 31	38	45	52	59	66
GFH	180	€	1554,50	1644,70	1737,40	1829,20	1919,10	2012,00
			584w	701w	817w	934w	1051w	1168w
GFLH	180	€	1749,10	1849,00	1965,60	2073,80	2181,50	2289,90
			861w	1033w	1205w	1377w	1549w	1721w
GFH	200	€	1591,00	1685,90	1777,30	1872,00	1965,30	2059,00
			642w	770w	898w	1026w	1155w	1283w
GFLH	200	€	1814,00	1928,10	2049,20	2157,40	2271,20	2385,80
			928w	1113w	1299w	1484w	1670w	1855w
GFH	220	€	1633,20	1731,30	1838,80	1929,70	2028,10	2124,60
			697w	836w	976w	1115w	1254w	1394w
GFLH	220	€	1851,30	1968,60	2093,50	2205,10	2322,50	2440,30
			1003w	1204w	1404w	1605w	1806w	2006w

Technical data S-PLATT page 110

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED QUADRA VALVES KIT
page 279 Art. KQS 156,60€
extra for BREM color list 46,40€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€
SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

GRAFFI DI LUNA
LUIGI BREMBILLA

PRICE FROM 1.07.2022 **+15%**

GRAFFI wellcomes the moon and becomes GRAFFI DI LUNA, where furrows leave room to a smooth, rising moon.

BREM'ART CREATIONS (page I)
Standard "sablé" colors recommended by the artist, other colors on request.

GRAFFI DI LUNA180-42

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€
SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€
REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

EN 442 Watt Δt 50K (Δt 40K = W×0,755) - (Δt 30K = W×0,526)

MODEL	H cm		L cm	35	42	49	56	63	70
			▲▽cm	31	38	45	52	59	66
GUH	180	€		1585,60	1678,20	1772,80	1866,60	1958,40	2053,00
				584w	701w	817w	934w	1051w	1168w
GULH	180	€		1784,90	1886,80	2005,70	2116,10	2226,00	2336,80
				861w	1033w	1205w	1377w	1549w	1721w
GUH	200	€		1623,50	1720,30	1813,70	1910,30	2005,40	2101,10
				642w	770w	898w	1026w	1155w	1283w
GULH	200	€		1851,10	1967,50	2091,00	2201,60	2317,80	2434,60
				928w	1113w	1299w	1484w	1670w	1855w
GUH	220	€		1666,70	1766,70	1876,30	1969,30	2069,50	2168,00
				697w	836w	976w	1115w	1254w	1394w
GULH	220	€		1889,20	2008,90	2136,50	2250,40	2370,10	2490,20
				1003w	1204w	1404w	1605w	1806w	2006w

Technical data S-PLATT page 110

VIRGO
LUIGI BREMBILLA

PRICE FROM 1.07.2022 **+15%**



VIRGO, with its surface graved by nearly signed furrows, creates a minimal decoration inspired by nature. Splits crack like cuts the surface producing discontinuities and revealing the inner core of the radiator.

Each piece is hand-made, than unique. Sablé standard colors at choice, satinated colors for the furrows, other colors on request.

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:
- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED TON VALVES KIT
page 277 Art. KVS 119,20€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€

SIDE control TON VALVES KIT
page 277 Art. KVL 130,90€

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

MOD.	1/2/3		L cm	35	42	49	56	63	70
	H cm		▲▽cm	31	38	45	52	59	66
VR..H	180	€		1661,60	1758,00	1857,20	1955,30	2051,50	2150,80
				584w	701w	817w	934w	1051w	1168w
VR..LH	180	€		1869,60	1976,70	2101,30	2217,20	2332,20	2448,20
				861w	1033w	1205w	1377w	1549w	1721w
VR..H	200	€		1700,70	1802,20	1899,80	2000,90	2100,90	2201,30
				642w	770w	898w	1026w	1155w	1283w
VR..LH	200	€		1939,30	2061,40	2190,90	2306,60	2428,40	2550,90
				928w	1113w	1299w	1484w	1670w	1855w
VR..H	220	€		1745,80	1850,70	1965,60	2063,00	2168,10	2271,40
				697w	836w	976w	1115w	1254w	1394w
VR..LH	220	€		1979,20	2104,70	2238,50	2357,80	2483,40	2609,40
				1003w	1204w	1404w	1605w	1806w	2006w

Technical data S-PLATT page 110

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287

BREM'ART

VIRGO3/180-49

REMOTE FITTINGS Art. REM 36,60€
▲▽ L-5cm tapping centres



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGT 199,80€

STANDARD FITTING
EG ø 1/2" ▲▽ L - 4 cm
Special fittings page 287



BREM: COLOR LIST

THIS COLORS LIST SHOULD BE USED ONLY AS A GUIDE; CONSULT THE BREM COLORS CARD IN OUR WHOLE SALLERS

STANDARD COLORS

Without extra
See technical page of each model

SB 9016 Standard white SABLÈ
C-PROLUX - PLANK - PLUS 20 models excluded

Ral 9016 standard only C-PROLUX - PLANK - PLUS 20
On request other models without supplement

Selection of RAL colors available in various finishes: brillant, satin, opaque and softTOUCH.

BRIGHT COLORS 75-85GU ±5 +15%

E.g. Ral 9002

SATIN COLORS ± 60 GU +25%

E.g. Ral 9002-S

SoftTOUCH COLORS ±5 GU +25%

Velveteen and soft touch finish, easy to clean, fingerprint and abrasion resistant.
E.g. Ral 9002-ST

RAL 9002 Grey white
RAL 7047 Grey Chinchilla
RAL 7038 Agate grey
RAL 7044 Silk grey
RAL 7030 Stone grey
RAL 7006 Grayish beige
RAL 7036 Platinum grey
RAL 7037 Dusty grey
RAL 7015 Slate grey
RAL 5013 Cobalt blue

RAL 9010 Pure white
RAL 9001 Cream White
RAL 1013 Oyster white
RAL 1015 Light ivory
RAL 1017 Saffron yellow
RAL 3000 Flame red
RAL 3003 Rubies red
RAL 4002 Red violet
RAL 3005 Wine red
RAL 4005 Purple lilac

UNTIL EX HAUSTED STOCKS

BR 0013 Metal ivory

COLORS FOR ARCHITECTURE: 180 RAL COLORS IN VARIOUS FINISHES

colors out of Brem list: +25%, + cost contribution upon availability and feasibility

---

MATT COLORS MATT 30GU +15%

RAL 9016-M White (matt)
RAL 9010-M Pure white (matt)

RAL 9005-M Jet black (matt)

RAL 9005 BRILLIANT (on request only for some model)

SPECIAL FINISHES +35%

- BR 0031 only for panels, Cross, Essen, Quar and Pit, is a brushed-metal effect to hide scratches on the surface, clear varnish. (BR 0007 is the color that both comes closest to natural iron and best conceals imperfections).
- BR 0021 transparent polished finish, it transmits the brass effect, glimpsing weldings.
- SB 0022 BL polished and nuanced rust color finish that perfectly fits with the gilded leaf finishes (Eruzione)

BR 0031 Trasparent brushed metal
BR 0021 Simil-brass clear
BR 0022 BL Bright rust (shaded color)

BREM SPECIAL FINISHES (panels excluded)
- BR 0001, a transparent metallic bright finish, highlights the signs of working on iron (welding, scoring, brushing, rings, marks, etc.); the phosphate greasing process enhances the colors of steel in shades of grey, blue, brown, and dark green, and makes each piece unlike any other. This finish is a good example of "Poor Art" and it is not available for the radiating plates.
- BR 0001 MS, a clear matte finish, transmits all the raw material's "brutality", whereas a shiny finish softens the look (not available for radiating plates).

METAL COLORS +25%

BR 0002 Glossy aluminium

BR 0006 Metal aluminium

BR 0007 Metal grey

BR 0008 Black nickel

BR 51MO Pearly white

BR 1035 Beige perlato

BR 0004 Gilded aluminium

BR 0019 Metal gold

BR 0033 Metal bronze

METAL SATIN COLORS +25%

BR 0019-MS Satin metal gold

BR 0033-MS Satin metal bronze

BR 0002-MS Satin aluminium

BR 0006-MS Satin metal aluminium

BR 0007-MS Satin metal grey

SABLÉ COLORS +25%

SB 9010 Sablé pure white

SB 7035 Sablé light grey

SB 9006 Sablé aluminium

SB 9007 Sablé grey aluminium

SB 7005 Sablé mouse grey

SB 7039 Sablé quartz grey

SB 7011 Sablé iron grey

SB 9005 Sablé jet black

SB 5002 Sablé ultramarine light blue

SB 2639 Sablé blue

SB 1014 Sablé ivory

SB 370F Sablé beige

SB 356F Sablé beige turtle

SB 2589 Sablé beige grey

SB 1032 Sablé ancient yellow

SB 2008 Sablé oxide orange

SB 3013 Sablé tomato red

SB 3003 Sablé ruby red

SB 0022 Sablé rust nuanced

SB 3061 Sablé dark copper

SB 3281 Sablé grey brown

HEAT, SAVE, and DECORATE

HEAT WHILE SAVING MONEY: THE GREAT CHALLENGE IN BUILDING CLIMATE CONTROL. *ENG. FRANCESCO PAOLETTI*

HEATING and SAVING
Everyone, and every designer, systems engineer, builder, and lawmaker is looking for ways to save on energy costs today in order to:
• reduce polluting atmospheric emissions;
• optimize comfort performance;
• lower energy consumption.

The world's two most common heating systems are:

THE RADIATOR SYSTEM,
The classic heating system with a boiler or heat pump and radiators that thanks to rapid heat transmission **(low thermal inertia)** can:
• work with both low and high system water temperatures;
• ensure nearly instantaneous adjustments to temperature variation with user-friendly and inexpensive regulation systems in single rooms or entire areas;
• facilitate installation with lower costs;
• minimize pump electric power consumption.

The low thermal inertia of the radiators makes it easy to keep the room at comfort temperature (20 °C) only when necessary, in this way permitting significant energy savings.

THE UNDERFLOOR RADIANT HEATING SYSTEM
(only with **high thermal inertia**) consists of cross-linked polyethylene or multilayer pipes laid on insulating panel incorporated in the floor's substrate screed and one or more circuits for the area to be heated.
• Floor surface temperature must never exceed 29 °C in the living areas and 35 °C in the service areas.
• Room temperate regulation can be either on/off type with water circulation interruption or delivery water temperature modulation type.
• Temperatures in single rooms/areas are adjusted by motorized valves in every circuit.
• Because the panels cannot ensure adequate comfort, bathrooms are supplied with a heated towel rail with either mixed or electric power.

The heat is initially transmitted to the floor screed and then transferred to the room for heating (high thermal inertia) with a substantial delay of usually no less than 6 hours between the request for/interruption of heat emission and the perception of heat in the room, in this way leading to higher energy consumption.

A BUILDING'S ENERGY REQUIREMENT
depends on numerous physical phenomena associated with thermal exchange, heat transmission, and the type and characteristics of the heat generators and heating elements.

The main factors Involved in determining the energy required to heat a building are therefore:
• the thermohygrometric characteristics of the building's constructive materials;
• the efficiency of the technological systems;
• auxiliary electric power consumption;
• building/heating system interaction;
• the building's intended use.

Maximum efficiency and sustainability means achieving the maximum level of every parameter involved.

THE BUILDING ENVELOPE
is the most important element in determining the energy required to meet its heating needs. The quantity of heat needed to heat a building and therefore its energy requirement depends solely on its constructive features.
The thermal power that must be provided by the heating system to keep the building at a temperature of 20 °C Is always the same regardless of the type of heating system used.

For example:

Energy class	Heated area	Thermal power required
- Class A	100 sq m	4,050 W
- Class G	100 sq m	13,000 W

The thermal power requires depends on the building's insulation.

BUILDING/HEATING SYSTEM INTERACTION
The building's intended use affects the heating system's operating modes:
• continuous;
• discontinuous.
For this reason, the heating system must be capable of optimizing its output as required by the operating mode.
Residential buildings, offices and schools are not occupied uninterruptedly and for such reason can be heated discontinuously, which is very useful whenever energy must be saved (current regulations specify heating system operation to different temperatures during the day).

A home's comfort temperature (20 °C) must be constantly maintained only when its inhabitants are at home.

HEATING SYSTEM EFFICIENCY
is the heating system's performance in terms of:
• output, which depends on the characteristics of the heat generator;
• distribution, which depends on the characteristics of the hydraulic network;
• emission, which depends on the characteristics of the radiators in the room;
• regulation, which depends on the thermal inertia of the radiators.

- OUTPUT EFFICIENCY depends on the characteristics of the heat generator and the heating elements. The combustion efficiency for condensing boilers or the COP (coefficient of performance) for heat pumps depends on the average temperature of the system water. The lower this average temperature is, the higher the efficiency is.

- COMBUSTION EFFICIENCY depends on:
• the length of the connection network between the heat generator and the heating bodies (the length of the piping must be kept as short as possible and efficient insulation must be used);
• the average temperature of the water inside the piping and above all, its insulation (low temperature: < 50 °C);
• electrical power consumption (circulation pumps, motorized valves): the higher the consumption, the lower the efficiency.
The use of the following heating elements that operate at low temperature is also advised:
• fan coils;
• radiant panels;
• heating elements/radiators.
Regardless of their constructive material, all radiators are suited operation at both high and low temperature.

- EMISSION EFFICIENCY is one characteristic of heating elements.
The thermal power delivered is indicated in the manufacturers' catalogs.

- REGULATION EFFICIENCY depends on numerous parameters, the most important of which is the heating system's thermal inertia. One positive aspect of radiators is the possibility they offer to take advantage of "bonus" temperature rises (sunshine, mid-seasonal rises, indoor heat, the presence of people, etc.) because their low thermal inertia allows them to immediately Interrupt heat delivery (a form of regulation that is scarcely efficient for radiant panel systems).

Low thermal inertia systems follow variations in temperature rapidly (both inside and outside the building) and vaunt higher regulation efficiency than high thermal inertia systems.

IN SHORT: THE ENERGY NEED DEPENDS ON THE BUILDING.

THE DELIVERY OF THE ENERGY NEEDED DEPENDS ON THE HEATING SYSTEM.

THE PERFORMANCE OBTAINED BY THE EFFICIENCY OF REGULATION OF DELIVERY IS FUNDAMENTAL.

RADIANT PANEL and RADIATOR PERFORMANCE COMPARED

RESEARCH CONDUCTED BY ENG. FRANCESCO PAOLETTI PUBLISHED IN: www.brem.it/riscaldare-risparmiare

RESEARCH AGREEMENT between the "Sergio Stecco" Energy Department at the UNIVERSITY OF FIRENZE and GLOBAL Srl.

The comparison was made in 2 test chambers of identical dimension, constructive type, and energy needs equivalent to an approx. 50-60 sq m Class A building, one with radiant panels and the other radiators, both equipped with a 7.5 kW heat pump. The thermal profile of the two test chambers may be considered reasonably comparable and therefore assumed as representative. The comparison between the energy consumed by the two systems is unconnected to the type of heat source used and is and based on the actual heat entering each system.

ANALYSIS OF THE RESULTS

Analyzing the energy charts and consumptions of the two systems shows that under all circumstances and operating modes (continuous/discontinuous):

- the radiant panel heating system consumes more energy than the radiator heating system;
- the electrical power consumptions of the radiant panel systems are always higher than those of the radiator system;
- at equivalent temperature set points, and despite the more refined regulation, the temperature of the room heated by radiant panels tends to be always higher than the other room. In particular, during time-band operation, higher temperatures are observed even with the system switched off, which in practice corresponds to moments in which the building is not occupied and therefore no need for heating exists.

This becomes more evident as outdoor temperatures rise and daily temperature variations increase (in mid-season), a condition typical to most heating system operating hours in most parts of Italy.

Also in the tests conducted with radiator water set at higher temperatures that seriously penalized consumption, significant savings were observed in radiator systems (in demonstration of the fact that the optimization of output efficiency may be all in vain if the emission system is not in the condition to maximize regulation efficiency).

In addition to thermal consumptions being always higher, also the electric consumptions of the radiant panel system were also always higher due to the higher pumping power necessary for the circulation of a higher quantity of water than in the radiator circuit.

RESULTS OF FIRST TEST CAMPAIGN

Total energy consumed from 10/02 to 01/05
Continuous 24 hour operation
Discontinuous operation with 2 time-bands
Discontinuous operation with 3 time-bands
Radiant panel on/off regulation
Radiator on/off regulation
Radiant panel average delivery temperature: 40 °C
Heat pump set-point temperature: 45 °C
Radiant panel active energy: 861,898 kW
Radiator active energy: 638,999 kW

RADIANT PANEL ENERGY CONSUMPTION +34.9%

Days		Energy Consumption		Energy Consumption
		Panels	Radiators	DIFFERENCE
from	to	kWht	kWht	Panel-Radiator
16/2	20/2	87,4	79,0	+ 10,6%
24/2	3/03	115,9	82,9	+39,8%
19/3	8/04	221,7	178,2	+24,4%

RESULTS OF SECOND TEST CAMPAIGN

Total energy consumed from 23/11 to 15/04
Continuous 24 hour operation
Discontinuous operation with 3 time-bands
Radiant panel on/off regulation
Radiator on/off regulation
Radiant panel average delivery temperature: 35 °C
Heat pump set-point temperature: 40 °C
Radiant panel active energy: 1.756,700 kW
Radiator active energy: 1.591,400 kW

RADIANT PANEL CONSUMPTION +10.4%

The second test campaign was conducted with a structure oriented at optimizing the radiant panel system (continuous operation at low temperature) while feeding radiators with water at higher temperatures at the same time (a choice that penalizes heat pump efficiency and consumption)

THE ENERGY CONSUMPTIONS OF THE RADIANT PANEL system exceeded those of the RADIATOR system by 10 - 40%

COMPARISON OF THE PERFORMANCES OF THE TWO SYSTEMS

The data selection criteria permitted the identification of the five days that may be considered representative of the different conditions of operation of the two systems in question.

Radiant panel systems clearly show higher thermal consumptions than radiator systems with differences in the range of 4 - 44% on the typical test days considered.
The differences are minimal under continuous operation but increase significantly with time-band operation, in this way confirming the tendency of radiant panels to operate continuously due to their high thermal inertia.

The thermal consumptions of each of the two systems were obtained from the differences in water delivery and return temperatures and the ambient temperature after electrical absorption values were detracted

The results showed the radiator system to have less thermal consumption, varying from 5% under continuous operation (optimum for radiant panels) to 40% for highly discontinuous operation.

The difference between the electric power consumptions and the thermal consumptions of the two systems gradually increased as the warmer months approached in which reduced requests for heat increased the incidence of the heating circulators.

- In all tests, the average temperature of the room with radiant panels was observed to be higher than the room with radiators due to the higher thermal inertia of the radiant panels.
- This explains also why the radiant panel system generally consumes more energy than radiators during hours in which operation is discontinuous.

The table provides total thermal and electric power consumptions in the 24 hours of the five typical days

TYPICAL DAY	Tot. Thermal Consumption		DIFFERENCE	Electric Power Consumption		DIFFERENCE
	PANELS kWht	RADIATORS kWht	Thermal consumption Panel-Radiator	PANELS kWht	RADIATORS kWht	electric consumption Panel-Radiator
1	41,5	39,7	+ 4,5%	17,1	15,2	+12,5%
2	33,1	26,5	+24,9%	15,0	10,3	+45,6%
3	19,3	16,7	+15,6%	10,2	9,2	+10,9%
4	17,7	9,9	+78,8%	9,6	7,2	+33,3%
5	13,6	11,6	+17,2%	8,5	3,6	+ 236%

THE USER CAN ASSESS HOW MUCH SAVING CAN BE MADE USING THE RADIATOR HEATING SYSTEM IN DISCONTINUOUS OPERATION

The inadequacy and economic disadvantages of radiant panel heating for newly constructed Class A civil buildings characterized by very low heating loads and very low thermal inertia is plainly clear to see.

The absence of radiators occupying wall space is proposed as an advantage offered by floor heating, which makes no visual impact of its own, but choosing attractive radiators with original shapes built expressly for the spaces available can enable authentic interior architecture that can be personalized by color or rendered nearly invisible by matching the finishing given to the walls

Making the right decision to heat your home is a choice of fundamental importance: the highly vaunted economic advantages of the radiant panel system have been proven to be untrue.
The possibility to switch heating on and off quickly and suddenly (the one and only real saving in energy) is still the most appropriate solution today.

GENERAL CONDITIONS OF SALE

PRICE LIST 2021 BEGINNING FROM 1 JANUARY 2021 - VAT EXCLUDED

PRICE FROM 1.07.2022 **+15%**

ORDERS

The selling of BREM products DDU UK retailers according to INCOTERMS 2000, is ruled by the general conditions hereafter listed. Further changes will be valid only if confirmed by us in writing.

The order confirmation must be checked when received, if, within 2 calendar days, further information does not follow, the confirmation is considered valid to start manufacturing.

BREM reserves the right to add modifications to the dimensions and to effect differentiated deliveries for goods in the warehouse and goods in manufacturing.

The technical specifications concerning the BREM radiators, which involve the tolerance of use, must be considered as approximate and subject to variations.

ORDER MODIFICATIONS

Variations and cancellations of orders are subject to our written approval.

The costs already met will be debited to the buyer. Orders with a fixed-time confirmation can be cancelled or modified only within the delivery term.

The possible modifications, subject to the BREM written approval, to be made on radiators in manufacturing, involve an additional charge of 40-70% of the cost of the radiator; if the required modifications are not possible, the radiator will be completed as standard and debited as the order confirmation.

DELIVERY

All goods shall be delivered, upon the terms in the confirmation of order that indicates the loading date, by means of BREM's handing over the goods to the shipper who is then responsible for actual delivery of the goods.

Should the reseller fail to pick up the delivered goods, the Company reserves the right to debit the reseller the cost and liability of storage and the materials shall be invoiced as normal.

BREM s.r.l. reserves the right to choose the packaging type; special packing materials shall be invoiced separately.

If there is a delay in delivery of the goods by BREM for technical reasons or reasons involving product quality, the reseller may not refuse delivery or collection of the goods ordered.

CLAIMS AND RETURNS

Claims for damage due to transport or lost goods must be pointed out on signing the delivery note with reservation for the received goods, and informing BREM s.r.l. in writing within two days.

Claims for visible manufacturing faults must be communicated at the moment of the unpackaging and before mounting the radiator.

No return will be accepted without our written approval. Damaged radiators or with manufacturing defects must be returned to the company for suitable repairs as these are made-to-measure goods.

PAYMENT

Unless otherwise agreed, all invoices shall be paid within 30 days, in full and without further discounting.

All delivered goods remain the property of BREM until full payment is made; in the event of non-payment, Brem s.r.l. reserves the right to withdraw any unpaid goods.

TOLERANCES

Brem radiators are built with great care: the machining and welding at up to 1085° may cause expansion and stretching (tolerance ± 3mm)

GUARANTEE

BREM radiators are guaranteed for three years, beginning from the delivery day, provided that they have been used in the appropriate way and the installation has been performed correctly.

All accessories are guaranteed for two year.

Any components that are found to have manufacturing or material defects within the warranty period shall be repaired free of charge upon request (in writing), ex your works, without making any changes to the structure or color.

All returns (defective materials) shall be packed and sent to our production site using our courier, after obtaining our written authorization to do so.

Any transport damages due to inadequate packaging will be charged.

The guarantee does not cover products which have not been paid for and products which have been damaged by:

- unsuitable storage of radiators without the plastic packaging and/or in humid locations
- incorrect installation and use;
- incorrect maintenance: cleaning with aggressive detergents can ruin the surface; clean the surface using a damp cloth and polish it with car wax;
- installation carried out by unqualified personnel
- repairs carried out without written permission from BREM s.r.l.;
- addition of aggressive chemical products in the heating system water;
- periodical emptying of the heating system;
- connection to heating systems with an open expansion tank, or to water treatment equipment or to overloaded systems;
- operating pressures higher than those in the technical specifications;
- connection to sanitary water apparatus.
- using hemp on fittings supplied with an O-ring

APPLICABLE LAW

For all unforeseen issues and in case of dispute, the applicable law to each supply is Italian law (Court of Bergamo, Italy).

BREM

RADIATORS FOR ARCHITECTURE

BREM SRL - VIA DELL' ARTIGIANATO, 8 - 24046 OSIO SOTTO/BERGAMO/ITALY
TEL. 035.482.36.36 / FAX 035.482.41.73 - www.brem.it / e-mail: brem@brem.it