# UNIQUE SIMPLE AND PRACTICAL







### **FINISHES**

**EUROPA** 

Chrome

Matt blackMatt white

Brushed nickel

Black gun metalBrushed gold

Matt black and rose gold


Matt black and bright goldMatt gray and champagne

\$316 steelBrushed rose gold

441

		SINGLE-LEVER MIXER										THERMOSTATIC MIXER									
SQUARE TAPS SERIES		Shower set	Shower set with extra longue bar Basi	Bidet mixer	Showing Masin mixer	Shower/bath tax	Embedded shower set	Embedded basin mixer	Embedded bidet mixer	Free-standing bath tub	Shower set	Shower set with extra longue har	Basi	Bidet mixer	High basin mixer	Shower tap	Embedded shower sat	Embedded basin mixer	Embedded bidet mixer	Free-standing bath tub	Showerset
VALENCIA	•	331	331	331 33	31 33	3 332															
SUECIA / ESTOCOLMO	•	337 347 357 367	347 357	337 33 347 34 357 35 367 36	17 57	338 348 358 368	342 352 362 372	339 349 359 369	339 349 359 369	375 375 375 375											
ART	0	<ul><li>379</li><li>385</li><li>389</li></ul>	385 389	379 37 385 38 389 38	35																
BREMEN LIVERPOOL	•	393	393 397 397									$\vdash$									+
SAONA	•		401 401																		
BRISTOL	•		405 405																		
NANTES	•	409		409 40	)9																
FIYI	•	414 422 429	415 414 423 422		22	416 424		417 425 431													
BALI	•	435		435 43		7 437		731													
VIGO	•										467 468										
BAHAMAS	0						477 478 481														
BORNEO	•						482														T
DUBLIN / BERLIN	•						490 493 495														
VOLGA	•						497 499														
GALES	•						497														
SUMATRA	•						500 503														
RODAS	•																505 506				+
MALAGA	•						509										300				+-
FORMENTERA	•						511														
JAVA							512														
NORUEGA / FINLANDIA	•						520														
ONS / CIES	•																524 526 527				
MADEIRA / PORTUGAL	•																530				
HIDRA / FEROE	•																534 538				
	•											ш					542				44:

		20		25		30		40			RECTANGULAR				
eran.	RAINHEADS		Ø20	20x20	Ø25	25x25	Ø30	30x30	Ø40	40x40	40x40 (two lines)	20X30	25X40	48X33 (two lines)	59X48 (three lines)
	Round		641		641		641		641						
			644		644		644		644						
		0	644		644		644		644						
			644		644		644		644						
_				642		642		642		642	655				
	Square			645		645		645		643					
	Rectangular	0		645		645		645							
_												647	647	657	651
<u>_</u>		•										647		657	653






EMBEDDED MIXER		Single lever	Thermostati
	•	477	
_	•	481	
	•	547	544/546
_	•	547	545/546
_	•	547	544
_	•	547	545
_	•	547	544
	•	547	545








		RO	UND				
	Kitchen	Removable	Flexible	Osmosis			
•			600				
LAOS •			600				
CAOS			600				
TOKYO •			636				
PIREO •				614			
MONTECARLO •				620			
MARSELLA •				622			
LYON	625 626						
VERONA •			632				
VIENA O			635				
		SQI	UARE				
	Kitchen	Removable	Flexible	Osmosis			
MIKONOS •	628						
COX	631						
MENORCA		585					
TOULOUSE		586 599					
10020052		613					
CONSTANZA •		015					



		Round	Square
STORAGE BASKET	•		710
RACK SOAP HOLDERS		715	715
HANGING			717
			682
	•		683
MAYURA	0		682
			682
	0		683
			692
	•		693
BETHARI	0		692
			692
	0		693







VALVES AND FITTINGS Pag. 730



CAPRI

SPARE PARTS AND ACCESSORIES Pag. 736



# IMEX BATH EQUIPMENTS



IMEX PRODUCTS S.L.

IMEX is a company located in Torrent, (Valencia) dedicated to the manufacture and marketing of shower rails and taps. We started out in 2001, supplying bathroom and shower materials to manufacturers in the sector.

Over the years and with accumulated experience we have developed a series of products with a design and a very competitive price in the market.

Our products are medium-high range, always using the best raw material savailable on the market, such as top quality brass or steel S304 and S316, which have made us be represented in the national and international territory.

At IMEX we always try to be at the forefront of design, which is why we are constantlyc ommitted to R+D+I.

Our values are the excellent relation between quality - design and price. Our commitments are as follows:

- To achieve the highest quality standards
- To bear in mind that the customer is our first concern and their satisfaction our main objective
- To surround ourselves with great professionals

In order to achieve a balance between these objectives, we constantly strive to improve and innovate our products.

You will find the result of all this in our catalogue.













# ROUND SINGLE-LEVER TAPS

Elegant designs of rounded curved lines that brings comfort and wellness.








# **ROMA**

SERIES



A sober and elegant product with an unsurpassed technology.



# **ROMA**

SERIES



Multipurpose model, adapted to every bathroom, its main qualities are is robustness and sobriety.





# Ref.: **BDR001**

Stainless steel S304 telescopic bar 95/132 cm.
Chrome Stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.
Elevated adjustable support handle.
Round handle shower 3 position changeable.
Chrome palated brass single-lever mixer.

Chrome plated brass single-lever mixer.

Medium flow rate 12 l/min.

Round chrome plated brass integrated flow-diverter.

Reinforced flexible hose 150 cm.

Ceramic cartridge Ø 35mm.

# Certified faucet















# Ref.: **BDR001-4**

Chrome plated brass shower/bath mixer. Reinforced flexible hose 180 cm. ABS hand shower wall bracket. Round handle shower. Single-lever ceramic cartridge Ø 35 mm.





# Ref.: **BDR001-5**

Chrome plated brass single-lever mixer. Reinforced flexible hose 180 cm. ABS hand shower wall bracket. Round handle shower. Single-lever ceramic cartridge Ø 35 mm.











Multipurpose model, adapted to every bathroom, its main qualities are is robustness and sobriety.







# Ref.: **BDR002**

Matt black stainless steel S304, telescopic bar 99/137 cm.

Matt black stainless steel S304, round rainhead Ø20 cm. Super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower 3 position changeable. Matt black brass single-lever mixer.

Medium flow rate 12 l/min.

Round matt black brass integrated flow-diverter.

PVC matt black flexible hose 150 cm.

Ceramic cartridge Ø 35 mm.




























# LINE

SERIES








# Ref.: BTD038-5

Wall bracket
Elevated adjustable support handle.
Round handle shower
Chrome brass thermostatic shower mixer.
Medium flow rate 12 l./min.
Round chrome brass integrated flow-diverter.
Reinforced flexible hose 150 cm.
Thermostatic cartridge TURN CLEAN SYSTEM







# Ref.: BTD038-4

Wall bracket.
Round handle shower
Chrome brass thermostatic shower/bath mixer.
Medium flow rate 12 l/min.
Round chrome brass integrated flow-diverter.
Reinforced flexible hose 150 cm.
Thermostatic cartridge TURN CLEAN SYSTEM











Start/stop button (PATENTED SYSTEM)

# Ref.: BTD038-B

Stainless steel S304 telescopic bar 115/165 cm.

Chrome stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower

Chrome brass thermostatic mixer.

Medium flow rate 12 L/min.

Round chrome brass integrated flow-diverter. Reinforced flexible hose 150 cm. Thermostatic cartridge TURN CLEAN SYSTEM







### Ref.: BTD038

Stainless steel S304 telescopic bar 95/132 cm. Chrome stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower

Chrome brass thermostatic mixer.

Medium flow rate 12 L/min.

Round chrome brass integrated flow-diverter. Reinforced flexible hose 150 cm. Thermostatic cartridge TURN CLEAN SYSTEM











# LINE **SERIES** Embedded body in the wall without box. Minimum dimensions are: 13cm high, 6cm wide, minimum depth 6cm, maximum 7cm.

### Ref.: GPD038

Chrome stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Chrome brass wall outlet tube.

Round shower handle.

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm. Inlet wall bracket.





Medium flow rate 20 I./min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm. Inlet wall bracket.



# LINE **SERIES** CHANGE STATES Ref.: GTD038 Chrome stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system. Chrome brass wall outlet tube. Round shower handle. Chrome brass thermostatic mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

PVC flexible hose 150 cm.

Inlet wall bracket.

Chrome brass round distributor.

Thermostatic cartridge TURN CLEAN SYSTEM

# **TOP**

**SERIES** 





# Ref.: GTQ038

Chrome stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Chrome brass ceiling outlet tube.

Round shower handle.

Chrome brass thermostatic mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Thermostatic cartridge TURN CLEAN SYSTEM Inlet wall bracket.





### LINE

SERIES






#### Ref.: GLD038

Chrome brass handle shower inlet wall bracket with embedded box. In 2 separated parts.











#### LINE MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM







#### Ref.: BDD038/NG

Matt black stainless steel S304 telescopic bar 95/132 cm. Matt black stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

and anti-lime system.
Elevated adjustable support handle.
Round handle shower 1 position.
Matt black brass single-lever mixer.
Medium flow rate 12 l/min.
Round matt black brass integrated flow-diverter.
PVC matt black flexible hose 150 cm.
Ceramic cartridge Ø 35 mm.










#### LINE MATT BLACK

SERIES










#### Ref.: BTD038-5NG

Elevated adjustable support handle.
Round matt black handle shower
Matt black brass thermostatic shower mixer.
Medium flow rate 12 l/min.
Round matt black brass integrated flow-diverter.
PVC matt black flexible hose 150 cm.
Thermostatic cartridge TURN CLEAN SYSTEM







#### Ref.: BTD038-4NG

Wall bracket.
Round matt black handle shower
Matt black brass shower/bath thermostatic mixer.
Medium flow rate 12 l/min.
Round matt black brass integrated flow-diverter.
PVC matt black flexible hose 150 cm.
Thermostatic cartridge TURN CLEAN SYSTEM











Start/stop button (PATENTED SYSTEM)

#### Ref.: BTD038-B/NG

Matt black stainless steel S304 telescopic bar 115/165 cm. Matt black stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle. Round handle shower 1 position. Matt black brass thermostatic mixer.

Medium flow rate 12 L/min.

Round matt black brass integrated flow-diverter.

PVC matt black flexible hose 150 cm.
Thermostatic cartridge TURN CLEAN SYSTEM



#### Ref.: BTD038/NG

Matt black stainless steel S304 telescopic bar 95/132 cm.

Matt black stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower 1 position changeable.

Matt black brass thermostatic mixer.

Medium flow rate 12 l./min.

Round matt black brass integrated flow-diverter. PVC matt black flexible hose 150 cm. Thermostatic cartridge TURN CLEAN SYSTEM












# LINE MATT BLACK SERIES







## LINE **SERIES** Embedded body in the wall without box. Minimum dimensions are: 13cm high, 6cm wide, minimum depth 6cm, maximum 7cm.

#### Ref.: GPD038/NG

Matt black stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Matt black brass wall outlet tube.

Round shower handle.

Matt black brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Matt black brass round distributor.

PVC matt black flexible hose 150 cm. Ceramic single lever cartridge 35 mm. Inlet wall bracket.





#### Ref.: GPQ038/NG

Matt black stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Matt black brass ceiling outlet tube.

Round matt black shower handle.

Matt black brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Matt black brass round distributor.

PVC matt black flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.



# LINE **SERIES**

#### Ref.: GTD038/NG

Matt black stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Matt black brass wall outlet tube.

Round shower handle.

Matt black brass thermostatic mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Matt black brass round distributor.

PVC matt black flexible hose 150 cm.

Thermostatic cartridge TURN CLEAN SYSTEM



#### **TOP**

**SERIES** 





#### Ref.: GTQ038/NG

Matt black stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Matt black brass ceiling outlet tube.

Round matt black shower handle.

Matt black brass thermostatic mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Matt black brass round distributor.

PVC matt black flexible hose 150 cm.

Thermostatic cartridge TURN CLEAN SYSTEM Inlet wall bracket.





#### LINE MATT BLACK


SERIES



Ref.: GLD038/NG

Matt black brass handle shower inlet wall bracket with embedded box. In 2 separated parts.































# LINE









#### LINE

**SERIES** 





#### Ref.: GPD038/GC

Matt gray / champagne stainless inox steel round rainhead Ø25 cm. Superflat design and anti-lime system.

Matt gray / champagne brass wall outlet tube.

Round matt gray / champagne shower handle.

Matt gray / champagne brass single lever mixer with 2 lines embedded box. Medium flow rate 20 l./min.

Matt gray / champagne brass round distributor. PVC matt gray / champagne flexible hose 150 cm. Ceramic single lever cartridge 35 mm. Inlet wall bracket.


#### **TOP**

**SERIES** 









in the wall without hox Minimum dimensions are: 13cm high, 6cm wide, minimum depth 6cm, maximum 7cm.

#### Ref.: GPO038/GC

Matt gray / champagne stainless inox steel round rainhead Ø25 cm. Superflat design and anti-lime system.

Matt gray / champagne brass ceiling outlet tube.

Round matt gray / champagne shower handle.

Matt gray / champagne brass single lever mixer with 2 lines embedded box. Medium flow rate 20 L/min.

Matt gray / champagne brass round distributor. PVC matt gray / champagne flexible hose 150 cm. Ceramic single lever cartridge 35 mm. Inlet wall bracket.



#### LINE **SERIES**



#### Ref.: GTD038/GC

Matt gray / champagne stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Matt gray / champagne brass wall outlet tube.

Round matt gray / champagne shower handle.

Matt gray / champagne brass thermostatic mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Matt gray / champagne brass round distributor. PVC matt gray / champagne flexible hose 150 cm. Thermostatic cartridge TURN CLEAN SYSTEM

Inlet wall bracket.



#### **TOP**

**SERIES** 





#### Ref.: GTO038/GC

Matt gray / champagne stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Matt gray / champagne brass ceiling outlet tube.

Round matt gray / champagne shower handle.

Matt gray / champagne brass thermostatic mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Matt gray / champagne brass round distributor. PVC matt gray / champagne blass round distributor.

Thermostatic cartridge TURN CLEAN SYSTEM

Inlet wall bracket.






#### Ref.: GLD038/GC

Matt gray / champagne brass handle shower inlet wall bracket with embedded box. In 2 separated parts.







# LINE MATT GRAY AND CHAMPAGNE SERIES





























# LINE **SERIES**



- NESTARBOURNICHES

#### Ref.: GPD038/NQ

Brushed nickel stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Brushed nickel brass wall outlet tube.

Round brushed nickel shower handle.

Brushed nickel brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Brushed nickel brass round distributor.

PVC brushed nickel flexible hose 150 cm.

Ceramic single lever cartridge 35 mm. Inlet wall bracket.


### **TOP**

#### **SERIES**









Embedded body in the wall without box. Minimum dimensions are: 13cm high, 6cm wide, minimum depth 6cm, maximum 7cm.

#### Ref.: GPQ038/NQ

Brushed nickel stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Brushed nickel brass ceiling outlet tube.

Round brushed nickel shower handle.

Brushed nickel brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Brushed nickel brass round distributor.

PVC brushed nickel flexible hose 150 cm.

Ceramic single lever cartridge 35 mm. Inlet wall bracket.

# LINE **SERIES** SYSTEM

#### Ref.: GTD038/NQ

Brushed nickel stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Brushed nickel brass wall outlet tube.

Round brushed nickel shower handle.

Brushed nickel brass thermostatic mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Brushed nickel brass round distributor.

PVC brushed nickel flexible hose 150 cm.

Thermostatic cartridge TURN CLEAN SYSTEM

Inlet wall bracket.



### **TOP**

**SERIES** 





#### Ref.: GTQ038/NQ

Brushed nickel stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Brushed nickel brass ceiling outlet tube.

Round brushed nickel shower handle.

Brushed nickel brass thermostatic mixer with 2 lines embedded box.

Medium flow rate 20 L/min.


Brushed nickel brass round distributor.

PVC brushed nickel flexible hose 150 cm.

Thermostatic cartridge TURN CLEAN SYSTEM

Inlet wall bracket.





# LINE BRUSHED NICKEL


SERIES



#### Ref.: GLD038/NQ

Brushed nickel brass handle shower inlet wall bracket with embedded box. In 2 separated parts.













# **LINE**BLACK GUN METAL



















# **LINE**BLACK GUN METAL









Elevated adjustable support handle.
Round black gun metal handle shower
Black gun metal brass shower thermostatic shower mixer.
Medium flow rate 12 l/min.
Round black gun metal brass integrated flow-diverter.
PVC black gun metal flexible hose 150 cm.
Thermostatic cartridge TURN CLEAN SYSTEM





Elevated adjustable support handle.
Round black gun metal handle shower
Black gun metal brass thermostatic shower/bath mixer.
Medium flow rate 12 l/min.
Round black gun metal brass integrated flow-diverter.
PVC black gun metal flexible hose 150 cm.
Thermostatic cartridge TURN CLEAN SYSTEM







# LINE **SERIES** Embedded body in the wall without box. Minimum dimensions are: 13cm high, 6cm wide, minimum depth 6cm, maximum 7cm.

#### Ref.: GPD038/BGM

Black gun metal stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Black gun metal brass wall outlet tube.

Round black gun metal shower handle.

Black gun metal brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Black gun metal brass round distributor.

PVC black gun metal flexible hose 150 cm. Ceramic single lever cartridge 35 mm. Inlet wall bracket.

### **TOP**

**SERIES** 





#### Ref.: GPQ038/BGM

Black gun metal stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Black gun metal brass ceiling outlet tube.

Round black gun metal shower handle.

Black gun metal brass single lever mixer with 2 lines embedded box.

Medium flow rate 20l./min.

Black gun metal brass round distributor.

PVC black gun metal flexible hose 150 cm. Ceramic single lever cartridge 35 mm. Inlet wall bracket.



### LINE

**SERIES** 



#### Ref.: GTD038/BGM

Black gun metal stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Black gun metal brass wall outlet tube.

Round black gun metal shower handle.
Black gun metal brass thermostatic mixer with 2 lines embedded box. Medium flow rate 20 l/min.

Black gun metal brass round distributor.

PVC black gun metal flexible hose 150 cm. Thermostatic cartridge TURN CLEAN SYSTEM Inlet wall bracket.



### **TOP**

**SERIES** 





#### Ref.: GTQ038/BGM

Black gun metal stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Black gun metal brass ceiling outlet tube.

Round black gun metal shower handle.

Black gun metal brass thermostatic mixer with 2 lines embedded box. Medium flow rate 20 L/min.

Black gun metal brass round distributor.

PVC black gun metal flexible hose 150 cm. Thermostatic cartridge TURN CLEAN SYSTEM

Inlet wall bracket.








#### Ref.: GLD038/BGM


Black gun metal brass handle shower inlet wall bracket with embedded box. In 2 separated parts.





# **LINE**BLACK GUN METAL













**PVD FINISH** 



# **LINE**BRUSHED GOLD















# **LINE**BRUSHED GOLD













Elevated adjustable support handle.
Round brushed gold handle shower
Brushed gold brass shower thermostatic shower mixer.
Medium flow rate 12 l/min.
Round brushed gold brass integrated flow-diverter.
PVC brushed gold flexible hose 150 cm.
Thermostatic cartridge TURN CLEAN SYSTEM





#### Ref.: BTD038-40C

Elevated adjustable support handle.
Round brushed gold handle shower
Brushed gold brass thermostatic shower/bath mixer.
Medium flow rate 12 I/min.
Round brushed gold brass integrated flow-diverter.
PVC brushed gold flexible hose 150 cm.
Thermostatic cartridge TURN CLEAN SYSTEM







# LINE **SERIES** Embedded body in the wall without box. Minimum dimensions are: 13cm high, 6cm wide, minimum depth 6cm, maximum 7cm.

#### Ref.: GPD038/OC

Brushed gold stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Brushed gold brass wall outlet tube.

Round brushed gold shower handle.

Brushed gold brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Brushed gold brass round distributor.

PVC brushed gold flexible hose 150 cm.

Ceramic single lever cartridge 35 mm. Inlet wall bracket.

### **TOP**

**SERIES** 





#### Ref.: GPQ038/OC

Brushed gold stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Brushed gold brass ceiling outlet tube.

Round brushed gold shower handle. Brushed gold brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Brushed gold brass round distributor.

PVC brushed gold flexible hose 150 cm. Ceramic single lever cartridge 35 mm. Inlet wall bracket.

## LINE

**SERIES** 







#### Ref.: GTD038/OC

Brushed gold stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Brushed gold brass wall outlet tube.

Round brushed gold shower handle.
Brushed gold brass thermostatic mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Brushed gold brass round distributor.

PVC brushed gold flexible hose 150 cm.

Thermostatic cartridge TURN CLEAN SYSTEM Inlet wall bracket.



### **TOP**

**SERIES** 





#### Ref.: GTQ038/OC

Brushed gold stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Brushed gold brass ceiling outlet tube.

Round brushed gold shower handle.
Brushed gold brass thermostatic mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Brushed gold brass round distributor.

PVC brushed gold flexible hose 150 cm.

Thermostatic cartridge TURN CLEAN SYSTEM Inlet wall bracket.





### LINE BRUSHED GOLD

SERIES






#### Ref.:GLD038/OC

Brushed gold brass handle shower inlet wall bracket with embedded box. In 2 separated parts.













### **BELGICA**





#### Ref.: **BDZ044**

Stainless steel S304 telescopic bar 95/132 cm. Chrome stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle. Round handle shower 3 positions changeable. Chrome brass single-lever mixer. Medium flow rate 12 l./min.

Round chrome brass integrated flow-diverter. Reinforced flexible hose 150 cm. Ceramic cartridge Ø 35 mm.
















### BELGICA MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM





#### Ref.: BDZ044/NG

Stainless S304 matt black steel telescopic bar 95/132 cm. Stainless S304 matt black steel round rainhead Ø20 cm super-flat design and anti-lime system. Elevated adjustable support handle.
Round matt black handle shower 3 positions changeable.

Matt black brass single-lever mixer. Medium flow rate 12 l/min.

Round matt black brass integrated flow-diverter.
PVC matt black flexible hose PVC 150 cm.
Ceramic cartridge Ø 35 mm.
















# **URAL**









Stainless steel S304 telescopic bar 90/131 cm. Chrome stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.
Round handle shower 3 position changeable.
Chrome brass single-lever mixer.
Medium flow rate 12 L/min.
Pound flow pages interested flow divorters

Round chrome brass integrated flow-diverter. Reinforced flexible hose 150 cm. Ceramic cartridge Ø 35 mm.

Certified faucet







# **URAL**


















#### Ref.: **BDG040-4**

Chrome brass shower/bath mixer. Wall bracket. Square 3 positions changeable handle shower. Medium flow rate 12 l/min. Reinforced flexible hose 170 cm. Ceramic cartridge 35 mm.







### URAL MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM









Stainless S304 matt black steel telescopic bar 90/131 cm. Stainless S304 matt black steel round rainhead  $\emptyset$ 20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.
Round matt black handle shower 3 position changeable.
Matt black brass single-lever mixer.
Medium flow rate 12 l./min.
Round matt black brass integrated flow-diverter.
PVC flexible hose PVC 150 cm.
Ceramic cartridge Ø 35 mm.

Certified faucet











### URAL MATT BLACK

SERIES
















#### Ref.: BDG040-4NG

Matt black brass shower/bath mixer. Wall bracket. Matt black square 3 positions changeable handle shower. Medium flow rate 12 l./min. PVC matt black hose 170 cm. Ceramic cartridge 35 mm.









### URAL BRUSHED NICKEL








### URAL BRUSHED NICKEL









#### Ref.: BDG040/NQ

Stainless S304 brushed nickel telescopic bar 95/132 cm.

Stainless S304 brushed nickel round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower 3 position changeable.

Brushed nickel single-lever mixer. Medium flow rate 12 l./min.

Round brushed nickel integrated flow-diverter. PVC brushed nickel flexible hose PVC 150 cm.

Ceramic cartridge Ø 35 mm.

Certified faucet











### URAL BRUSHED NICKEL


















#### Ref.: BDG040-4NQ

Brushed nickel shower/bath mixer. Wall bracket. Square 3 positions changeable handle shower. Medium flow rate 12 l/min. PVC brushed nickel hose 170 cm. Ceramic cartridge 35 mm.







## **DINAMARCA**





Stainless steel S304 telescopic bar 88/125cm.
Chrome Stainless steel S304 round rainhead Ø20 cm super-flat design andanti-lime system.
Elevated adjustable support handle.
Handle shower 1 position changeable.
Chrome brass single-lever mixer.
Medium flow rate 12 I/min.
Round chrome brass integrated flow-diverter.

Reinforced flexible hose 150 cm. Ceramic cartridge Ø 35mm.













## **DINAMARCA**

SERIES

ELECTROPHORESIS LACQUER SYSTEM





#### Ref.: BDR031/NG

Matt black telescopic bar 88/125cm.

Matt black Stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Handle shower 1 position changeable.

Matt black brass single-lever mixer.

Medium flow rate 12 l./min.

Round matt black brass integrated flow-diverter.

PVC matt black flexible hose PVC 150 cm.

Ceramic cartridge Ø 35mm.













## DINAMARCA MATT WHITE























# **MILOS**


















#### Ref.: BDYS045

Stainless steel S304 telescopic bar 100/140cm.

Chrome Stainless steel S304 round rainhead  $\emptyset$ 20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower 1 position changeable.

Chrome brass single-lever mixer.

Medium flow rate 12 l./min.

Round chrome brass integrated flow-diverter.

Reinforced flexible hose 150 cm.

Ceramic cartridge Ø 35mm.











## **MILOS**

SERIES














#### Ref.: **BDY027-4**

Chrome plated brass shower/bath mixer. Reinforced flexible hose 180 cm.
ABS hand shower wall bracket.
Round handle shower.
Medium flow rate 12 l/min.
Single-lever ceramic cartridge Ø 35 mm.



SERIES









Medium flow rate 12 l./min. Single-lever ceramic cartridge Ø 35 mm.





### **MILOS**

SERIES



#### Ref.: GPM029

Chrome stainless inox steel round rainhead Ø25 cm. Super-flat design and antilime system.

Chrome brass wall outlet tube.

Round shower handle 1 position.

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 l/min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.



### **THALOS**

**SERIES** 



#### Ref.: GPT030

Chrome stainless inox steel S304, round rainhead Ø25 cm. Super-flat design and anti-lime system.

Ceiling outlet tube.

Round shower handle 1 position.

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.



SFRIFS



#### Ref.: GPMS045

Chrome stainless inox steel round rainhead Ø25 cm. Super-flat design and antilime system.

Chrome brass wall outlet tube.

Round shower handle 1 position.

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.



### THALOS STICK

SFRIFS











Embedded body in the wall without box.

Minimum measures: Height 12.5 cm, width 6 cm. Minimum depth 6 cm, maximum 7cm.

#### Ref.: GPTS045

Chrome stainless inox steel S304, round rainhead Ø25 cm. Super-flat design and anti-lime system.

Ceiling outlet tube.

Round shower handle 1 position.

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.



# **MILOS**



SERIES






#### Ref.: GLIS045

Chrome brass handle shower inlet wall bracket with embedded box. In 2 separated parts.

EMBEDDED IN THE WALL. NO BOX. (min. 45 / max. 65)



(ACS)











### MILOS STICK MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM







### MILOS STICK MATT BLACK











Ceramic cartridge Ø 35 mm.



#### Ref.: BDYS045/NG

Matt black Stainless steel S304 telescopic bar 100/140cm.

Matt black Stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower 1 position changeable.

Matt black brass single-lever mixer.

Medium flow rate 12 l./min.

Round matt black brass integrated flow-diverter.

PVC flexible hose PVC 150 cm.

Ceramic cartridge Ø 35 mm.









SERIES




### MILOS STICK MATT BLACK



SERIES





#### Ref.: BDY027-4NG


Matt black plated brass shower/bath mixer. ABS hand shower wall bracket. Round handle shower. Medium flow rate 12 l/min. Single-lever ceramic cartridge Ø 35 mm. PVC flexible hose



### MILOS STICK MATT BLACK

**SERIES** 





#### Ref.: BDYS045-4NG

Matt black plated brass shower/bath mixer. ABS hand shower wall bracket. Round handle shower. Medium flow rate 12 l/min. Single-lever ceramic cartridge Ø 35 mm. PVC flexible hose









SERIES



#### Ref.: GPM029/NG

Matt black stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system. Matt black brass wall outlet tube.
Round shower handle 1 position.
Matt black brass single lever myer with 2 lines.


Matt black brass single lever mixer with 2 lines embedded box.

Medium flow rate20 I/min. Matt black brass round distributor. PVC flexible hose 150 cm. Ceramic single lever cartridge 35 mm. Inlet wall bracket.



















#### **MILOS STICK** MATT BLACK

**SERIES** 



#### Ref.: GPMS045/NG

Matt black stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Matt black brass wall outlet tube.

Round shower handle 1 position.

Matt black brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Matt black brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm. Inlet wall bracket.





#### THALOS STICK **MATT BLACK**

SERIES











Embedded body in the wall without box.

Minimum measures: Height 12.5 cm, width 6 cm. Minimum depth 6 cm, maximum 7cm.

#### Ref.: GPTS045/NG

Matt black stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Matt black brass wall outlet tube.

Round shower handle 1 position.

Matt black brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Matt black brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Ceiling outlet tube.





SERIES




#### Ref.: **GLI019/NG**

Matt black brass handle shower inlet wall bracket with embedded box. In 2 separated parts.




EMBEDDED IN THE WALL. NO BOX. (min. 45 / max. 65)





### MILOS STICK MATT BLACK

SERIES




#### Ref.: GLIS045/NG

Matt black brass handle shower inlet wall bracket with embedded box. In 2 separated parts.



EMBEDDED IN THE WALL. NO BOX. (min. 45 / max. 65)
















# MILOS STICK MATT BLACK AND ROSE GOLD







### MILOS MATT BLACK AND ROSE GOLD







# MILOS STICK MATT BLACK AND ROSE GOLD







# **MILOS** MATT BLACK AND ROSE GOLD **SERIES** Ref.: BDY027/NOR Matt black and rose gold Stainless steel S304 telescopic bar 100/140cm. Matt black and rose gold Stainless steel S304 round rainhead Ø20 cm superflat design and anti-lime system. Elevated adjustable support handle. Round handle shower 1 position changeable. Matt black and rose gold brass single-lever mixer. Medium flow rate 12 l./min. Round Matt black and rose gold brass integrated flow-diverter. PVC flexible hose PVC 150 cm.







Ceramic cartridge Ø 35 mm.

## MILOS STICK MATT BLACK AND ROSE GOLD



#### Ref.: BDYS045/NOR

Matt black and rose gold Stainless steel S304 telescopic bar 100/140cm. Matt black and rose gold Stainless steel S304 round rainhead Ø20 cm super-

flat design and anti-lime system.

Elevated adjustable support handle. Round handle shower 1 position changeable.

Matt black and rose gold brass single-lever mixer.

Medium flow rate 12 l/min.

Round Matt black and rose gold brass integrated flow-diverter.

PVC flexible hose PVC 150 cm.

Ceramic cartridge Ø 35 mm.










# MILOS MATT BLACK AND ROSE GOLD

SERIES




### MILOS STICK MATT BLACK AND ROSE GOLD



# MILOS MATT BLACK AND ROSE GOLD

**SERIES** 





#### Ref.: BDY027-4NOR


Matt black and rose gold plated brass shower/bath mixer. ABS hand shower wall bracket. Round handle shower. Medium flow rate 12 l/min. Single-lever ceramic cartridge Ø 35 mm. PVC flexible hose.



# MILOS STICK MATT BLACK AND ROSE GOLD

**SERIES** 





#### Ref.: BDYS045-4NOR

Matt black and rose gold plated brass shower/bath mixer. ABS hand shower wall bracket. Round handle shower. Medium flow rate 12 l/min. Single-lever ceramic cartridge Ø 35 mm. PVC flexible hose.







## **MILOS**

#### MATT BLACK AND ROSE GOLD

**SERIES** 





#### Ref.: GPM029/NOR

Gold rose stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Wall outlet tube.

Round shower handle 1 position..

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.



# THALOS MATT BLACK AND ROSE GOLD











Embedded body in the wall without box.

Minimum measures: Height 12.5 cm, width 6 cm. Minimum depth 6 cm, maximum 7cm.

#### Ref.: GPT030/NOR

Gold rose stainless inox steel round rainhead  $\emptyset$ 25 cm. Superflat design and anti-lime system.

Ceiling outlet tube.

Round shower handle 1 position.

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.



# MILOS STICK

#### MATT BLACK AND ROSE GOLD

**SERIES** 



#### Ref.: GPMS045/NOR

Gold rose stainless inox steel round rainhead Ø25 cm. Super-flat

design and anti-lime system.

Wall outlet tube.

Round shower handle 1 position..

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.

### 5 YEARS K

# THALOS STICK

#### MATT BLACK AND ROSE GOLD











Embedded body in the wall without box.

Minimum measures: Height 12.5 cm, width 6 cm. Minimum depth 6 cm, maximum 7cm.

#### Ref.: GPTS045/NOR

Gold rose stainless inox steel round rainhead  $\emptyset$ 25 cm. Superflat design and anti-lime system.

Ceiling outlet tube.

Round shower handle 1 position.

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.





# MILOS MATT BLACK AND ROSE GOLD

SERIES


#### Ref.: GLI019/NOR

Matt black and rose gold brass handle shower inlet wall bracket with embedded box. In 2 separated parts.





EMBEDDED IN THE WALL. NO BOX. (min. 45 / max. 65)







### **MILOS STICK** MATT BLACK AND ROSE GOLD


SERIES



#### Ref.: GLIS045/NOR

Matt black and rose gold brass handle shower inlet wall bracket with embedded box.
In 2 separated parts.











## MILOS MATT WHITE











## MILOS MATT WHITE





# MILOS STICK MATT WHITE





#### Ref.: BDY027/BL

Stainless steel S304 telescopic bar 95/132,5m.

MATT WHITE Stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower 1 position changeable.

MATT WHITE e brass single-lever mixer.

Medium flow rate 12 I/min. Round MATT WHITE brass integrated flow-

PVC Reinforced flexible hose150 cm. Ceramic cartridge Ø 35mm.







### **MILOS STICK MATT WHITE**



#### Ref.: BDYS045/BL

Stainless steel S304 telescopic bar 95/132,5m. MATT WHITE Stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower 1 position changeable.

MATT WHITE e brass single-lever mixer.

Medium flow rate 12 I/min. Round MATT WHITE brass integrated flow-

PVC Reinforced flexible hose 150 cm.

Ceramic cartridge Ø 35mm.









### MILOS MATT WHITE

SERIES










# MILOS STICK MATT WHITE



### MILOS MATT WHITE

SERIES






#### Ref.: BDY027-4BL

MATT WHITE and rose gold plated brass shower/bath mixer. ABS hand shower wall bracket. Round handle shower. Medium flow rate 12 l/min. Single-lever ceramic cartridge Ø 35 mm.. PVC flexible hose

# MILOS STICK MATT WHITE

SERIES






#### Ref.: BDYS045-4BL

MATT WHITE and rose gold plated brass shower/bath mixer. ABS hand shower wall bracket. Round handle shower. Medium flow rate 12 l/min. Single-lever ceramic cartridge Ø 35 mm. PVC flexible hose



### **MILOS BLANCO MATE**

SERIES



#### Ref.: GPM029/BL

Matt white stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.
Matt white brass wall outlet tube.

Round shower handle 1 position.

Matt white brass single lever mixer with 2 lines embedded

Medium flow rate 20 L/min. Matt white brass round distributor. PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm. Inlet wall bracket.









Embedded body in the wall without box. Minimum measures: Height 12.5 cm, width 6 cm.  $\ \, \text{Minimum depth 6 cm, maximum 7cm.}$ 







### **MILOS STICK MATT WHITE**

**SERIES** 



#### Ref.: GPMS045/BL

Matt white stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Matt white brass wall outlet tube.

Round shower handle 1 position.

Matt white brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 L/min.

Matt white brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.

### THALOS STICK **MATT WHITE**

**SERIES** 











Embedded body in the wall without box.

Minimum measures: Height 12.5 cm, width 6 cm. Minimum depth 6 cm, maximum 7cm.

> Embedded body in the wall without

#### Ref.: GPTS045/BL

Matt white stainless inox steel round rainhead Ø25 cm. Super-flat design and anti-lime system.

Ceiling outlet tube.

Round shower handle 1 position.

Matt white brass single lever mixer with 2 lines embedded box.

Medium flow rate 20 l./min.

Matt white brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.





## MILOS MATT WHITE


SERIES



#### Ref.: GLI019/BL

Matt white brass handle shower inlet wall bracket with embedded box. In 2 separated parts.







EMBEDDED IN THE WALL. NO BOX. (min. 45 / max. 65)

# MILOS STICK MATT WHITE


SERIES



#### Ref.: GLIS045/BL

Matt white brass handle shower inlet wall bracket with embedded box. In 2 separated parts.













# **ESCOCIA**









# **ESCOCIA**





#### Ref.: BDSC024

Stainless steel S304 extendable shower bar (87/123) Chrome Stainless steel S304 round rainhead Ø 20 cm. super-flat design and anti-lime system.

Support for handle shower adjustable in height.

Round handle shower 4 position changeable.

Chrome brass faucet single-lever mixer

Medium flow rate 12l/min.

Chrome plated brass round distributor.

Reinforced flexible hose 150 cm

Ceramic cartridge Ø 35mm.













# **LUXOR**

SERIES



Linear purity and sobriety within everyone's reach.







#### Ref.: **BDX023**

Stainless steel S304 extendable shower bar (95/133)
Chrome Stainless steel S304 round rainhead Ø 20 cm. super-flat design and anti-lime system.
Support for handle shower adjustable in height.

Round handle shower 3 position changeable.

Chrome brass faucet single-lever mixer

Medium flow rate 12l/min.

Chrome plated brass round distributor.

Reinforced flexible hose 150 cm

Ceramic cartridge Ø 25mm.









## LUXOR MATT BLACK

SERIES


ELECTROPHORESIS LACQUER SYSTEM







Linear purity and sobriety within everyone's reach.





## LUXOR MATT BLACK





#### Ref.: BDX023/NG

Stainless steel S304 extendable shower bar 95/133cm

Matt black Stainless steel S304 round rainhead Ø 20 cm. super-flat design and anti-lime system.

Support for handle shower adjustable in height.

Round handle shower 3 position changeable. Matt black brass faucet single-lever mixer

Medium flow rate 12l/min.

Matt black plated brass round distributor. PVC matt black hose 150 cm.

Ceramic cartridge Ø 25mm.









# LUXOR MATT WHITE





# LUXOR MATT WHITE





# Ref.: BDX023/BL

Stainless steel S304 extendable shower bar (95/133) Matt white Stainless steel S304 round rainhead Ø 20 cm. super-flat design and anti-lime system.

Support for handle shower adjustable in height.

Round handle shower 3 position changeable.

Matt white brass faucet single-lever mixer

Medium flow rate 12l/min.

Matt white plated brass round distributor.

PVC matt white hose 150 cm.

Ceramic cartridge Ø 25mm.











# ELBA CHROME/BLACK

# ELBA CHROME/BLACK














# ELBA CHROME/WHITE







# Ref.: BDA022/BL

Stainless steel S304 extendable shower bar (94/133) Chrome Stainless steel S304 round rainhead Ø 20 cm. super-flat design and anti-lime system.

Support for handle shower adjustable in height. Round handle shower 3 position changeable. Chrome/white brass faucet single-lever mixer

Medium flow rate 12l/min.

Chrome plated brass round distributor.

Reinforced flexible hose 150 cm

Ceramic cartridge Ø 35mm.











# **MILAN**











# Ref.: BDM002

Stainless steel S304 telescopic bar 94/132 cm. Chrome Stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower.

Chrome plated brass mixer.

Medium flow rate 12 l./min.

Round chrome plated brass integrated flow-diverter. Reinforced flexible hose 150 cm.













# **PARIS**

SERIES



The evolution towards the design and the delicacy, with a distinctive character.







# Ref.: BDP004

Stainless steel S304 telescopic bar 94/132 cm. Chrome Stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system. Elevated adjustable support handle.

Round handle shower 3 position changeable.

Chrome plated brass mixer.

Medium flow rate 12 l./min.

Round chrome plated brass integrated flow-diverter.

Reinforced flexible hose 150 cm.













# **SINTRA**

SERIES






A model where the traditional lines have evolved into a solid and competitive model.



# **SINTRA**







# Ref.: **BDS008**

Stainless steel S304 telescopic bar 94/132 cm. Chrome Stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower 3 position changeable.

Chrome plated brass mixer.

Medium flow rate 12 L/min.

Round chrome plated brass integrated flow-diverter.

Reinforced flexible hose 150 cm.













# NASSAU SERIES



# **NASSAU**

SERIES



A new generation product which introduces recents innovations of the design and the concept of use, such as integrated flow-diverters in the taps.



# **NASSAU**





## Ref.: BDU014

Stainless steel S304 telescopic bar 87/123 cm. Chrome Stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Round handle shower 3 position changeable.

Chrome plated brass mixer.


Medium flow rate 12 l./min.

Round chrome plated brass integrated flow-diverter.

Reinforced flexible hose 150 cm.











# **MADRID**












# **TEIDE**









# 940-1300

### Ref.: BDT021

Stainless steel S304 extendable shower bar (94/130) Chrome Stainless steel S304 round rainhead Ø 20 cm. super-flat design

Chrome Stainless steel S304 round rainhead Ø 20 cm. super-flat designand anti-lime system.

Support for handle shower adjustable in height.

Round handle shower.

Chrome brass faucet single-lever mixer

Medium flow rate 12l/min.

Chrome plated brass round distributor.

Reinforced flexible hose 150 cm

Ceramic cartridge Ø 35mm.



# **TEIDE**









# OLIMPO SERIES


















# **OLIMPO**

**SERIES** 





### Ref.: GPC033

Chrome stainless steel S304 round rainhead 25x25 cm. Super-flat design and anti-lime system.

Chrome wall brass outlet tube.

Round shower handle.

Chrome brass single lever mixer with 2 lines embedded box. Medium flow rate 12 l./min.
Chrome brass round distributor.

PVC flexible hose 150 cm. Single lever cartridge 35 mm. Handle shower inlet wall bracket.



# **VESUBIO**

**SERIES** 





### Ref.: GTV038

Chrome stainless steel S304 round rainhead Ø25cm. Super-flat design and anti-lime system.
Chrome ceiling brass outlet tube.
Round shower handle.

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 l./min.

Chrome brass round distributor.

PVC hose 150 cm.

Single lever cartridge 35 mm.

Handle shower inlet wall bracket.



# **OLIMPO**








### Ref.: GLC033


Chrome brass handle shower inlet wall bracket with embedded box. In 2 separated parts.


























# **OLIMPO**

### MATT BLACK AND ROSE GOLD

**SERIES** 





### Ref.: GPC033/NOR

Matt black and rose gold stainless steel S304 round rainhead  $\,$  Ø25cm. Super-flat design and anti-lime system.

Matt black and rose gold wall brass outlet tube.

Round shower handle.

Matt black and rose gold brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 l./min.

Matt black and rose gold brass round distributor.

PVC flexible hose 150 cm.

Single lever cartridge 35 mm. Handle shower inlet wall bracket.



# **VESUBIO**

### MATT BLACK AND ROSE GOLD





### Ref.: GTV038/NOR

Matt black and rose gold stainless steel S304 round rainhead Ø25cm. Super-flat design and anti-lime system. Matt black and rose gold ceiling brass outlet tube.

Round shower handle.

Matt black and rose gold brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 l./min.


Matt black and rose gold brass round distributor.

PVC hose 150 cm.

Single lever cartridge 35 mm.

Handle shower inlet wall bracket.








## **OLIMPO** MATT BLACK AND ROSE GOLD

SERIES









Installation



Ref.: GLC033/NOR Matt black and rose gold brass handle shower inlet wall bracket with embedded box. In 2 separated parts.





















# **OLIMPO**BLACK MATT

**SERIES** 



### Ref.: GPC033/NG

Matt black stainless steel S304 round rainhead Ø25cm. Super-flat design and anti-lime system.

Matt black wall brass outlet tube.

Round shower handle.

Matt black brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 l./min.

Matt black brass round distributor.

PVC flexible hose 150 cm.

Single lever cartridge 35 mm.

Handle shower inlet wall bracket.



# **VESUBIO**

### **BLACK MATT**

**SERIES** 











EMBEDDED IN THE WALL. NO BOX.

### Ref.: GTV038/NG

Matt black stainless steel S304 round rainhead Ø25cm. Super-flat design and anti-lime system.

Ceiling matt black outlet tube.

Round shower handle.

Matt black brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 l/min.

Matt black brass round distributor.

PVC hose 150 cm.

Single lever cartridge 35 mm.

Handle shower inlet wall bracket.



# OLIMPO BLACK MATT












# **BELICE**















# **BELICE**

**SERIES** 





### Ref.: **GPH041**

Chrome stainless inox steel S304 round rainhead Ø25 cm. Super-flat design and anti-lime system.

Chrome brass wall outlet tube.

Round shower handle.

Chrome brass single lever mixer with 2 lines embedded box. Medium flow rate 12 l/min.

Chrome brass round distributor. PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm. Inlet wall bracket.

# **CROACIA**

**SERIES** 





### Ref.: GPJ041

Chrome stainless inox steel S304 round rainhead Ø25 cm. Super-flat design and anti-lime system.

Ceiling outlet tube.

Round shower handle.

Chrome brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 L/min.

Chrome brass round distributor.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.
















# BELICE MATT BLACK AND ROSE GOLD

**SERIES** 





#### Ref.: GPH041/NOR

Gold rose stainless inox steel S304 round rainhead Ø25 cm. Super-flat design and anti-lime system.

Wall matt black and rose gold outlet tube.

Round shower handle.

Matt black and rose gold brass single lever mixer with 2 lines embedded box. Medium flow rate 12 l/min.

Matt black brass round distributor.

PVC matt black flexible hose 150 cm. Ceramic single lever cartridge 35 mm.

Inlet wall bracket.

#### ) SYEARSK

# CROACIA MATT BLACK AND ROSE GOLD

**SERIES** 





#### Ref.: GPJ041/NOR

Gold rose stainless inox steel S304 round rainhead Ø25 cm. Super-flat design and anti-lime system.

Ceiling matt black and rose gold outlet tube.

Round shower handle.

Matt black and rose gold brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 l./min.

Matt black brass round distributor.

PVC matt black flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.















### BELICE BLACK MATT

**SERIES** 





#### Ref.: GPH041/NG

Matt black stainless inox steel S304 round rainhead Ø25 cm. Super-flat design and anti-lime system.

Wall matt black outlet tube.

Round matt black shower handle.

Matt black brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 l./min.

Matt black brass round distributor.

PVC matt black flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Inlet wall bracket.

### CROACIA BLACK MATT

**SERIES** 





#### Ref.: **GPJ041/NG**

Matt black stainless inox steel S304 round rainhead Ø25 cm, Superflat design and anti-lime system.
Ceiling matt black outlet tube.
Round matt blackshower handle.
Matt black brass single lever mixer with 2 lines embedded box.
Medium flow rate 12 l/min.
Matt black brass round distributor.
PVC matt black flexible hose 150 cm.
Ceramic single lever cartridge 35 mm.
Inlet wall bracket.



# **BELICE**



# **BELICE**









# Perfect for indoor and outdoor spaces. High resistance.



SERIES



Perfect for indoor and outdoor spaces. High resistance.

GARANTÍA ANTICORROSIÓN ACERO INOX. 5316



#### Ref.: BDK034

Stainless S316 steel round rainhead Ø20 cm.
Super-flat design and anti-lime system.
Support for handle shower adjustable in height.
Telescopic bar 88/125cm cm. High resistance and anti-corrosive quality.
Round handle shower 1 position changeable.
S316 steel mixer with integrated flow-diverter.
Medium flow rate 12 l./min.
Reinforced PVC hose 150 cm, S316
Ceramic cartridge 35 mm.
PERFECT FOR INDOOR AND OUTDOOR SPACES.



















Perfect for indoor and outdoor spaces. High resistance.

**SERIES** 










#### Ref.: GPK034

Stailess steel rainhead S 316, maximum anti-corrosion quality and high resistance. Stainless steel tube S 316, maximum anti-corrosion quality resistance wall outlet. Round shower handle S 316, maximum anti-corrosion quality and high resistance. S 316 single-leer tasps, maximum anti-corrosion quality and high resistance 2 way. Average fliw 121/min.

Round steel distributor S316. PVC reinforce hose 1,5m. Sigle-lever ceramic cartridge of 35mm.

Shower hose support with wall outlet.













#### **SERIES**

#### STEEL S316 **Thermostatic**











#### Ref.: GTK034

25 cm. stailess steel S316 rainhead, maximum anti-corrosion quality and high resistance.
Stainless steel tube S316, maximum anti-corrosion quality resistance

wall outlet.

S 316 round shower handle, maximum anti-corrosion quality and high resistance.

Thermostatic faucet S316, maximum anti-corrosion quality and high resistance 2 way. Round steel distributor S316.


PVC reinforce hose 1,5m.
Turn clean system thermostatic cartridge.

Shower hose support with wall outlet.





EMBEDDED IN THE WALL. NO BOX.



STEEL S316
Thermostatic


















# STEEL S316 Thermostatic

### Thermostatic cartridge IMEX TURN CLEAN SYSTEM (patent).

LOW PRESSURE WORKING ANTI-SCALDING SYSTEM EASY CLEANING





#### Ref.: BTK017/AC

S316 steel shower rod. Extensible 87/133cm.
S316 steel shower head. Round 20cm., extra-flat, anti-lime
Heigh-adjustable telephone support steel S316.
Round steel shower handle S316.
S316 steel faucet.

Maximum pressure 6 at. minimum 1 at. Average flow 12I/min. Distributor integrated in S316 steel tap. Reinforced hose 1,5 mts. PVC Turn cleansystem thermostatic cartridge VALID BOTH INDOOR AND OUTDOOR
















# FREE-STANDING BATH TUB

# **CÓRCEGA**

SERIES

#### Ref.: BBECO1

Chrome plated brass bath external mixer. Ceramic cartridge 35mm Round handle shower, 1 position PVC flexible hose. Embedded box into de floor.












## CÓRCEGA BLACK MATT

SERIES

ELECTROPHORESIS
LACQUER SYSTEM

#### Ref.: BBECO1/NG

Matt black plated brass bath external mixer. Ceramic cartridge 35mm Round handle shower, 1 position PVC flexible hose. Embedded box into de floor.














New creation of IMEX and precise lines with a square polished chrome and exceptional.



## **VALENCIA**







MODERNITY AND WARMTH.

A model with a straight and square design, allow for a great versatility.


















### Ref.: **BDV003-4**

Chrome plated brass shower/bath mixer. Wall bracket. Square handle shower. Medium flow rate 12 l/min. Reinforced telescopic flexible hose 170/190 cm. Single-lever ceramic cartridge 35 mm.









#### Ref.: **BDV003-5**

Chrome plated brass single-lever mixer. Wall bracket. Square handle shower. Medium flow rate 12 l/min. Reinforced telescopic flexible hose 170/190 cm. Single-lever ceramic cartridge 35 mm.

























Ref.: **BDC032-7** 

Chrome plated brass shower/bath mixer. Reinforced flexible hose 180 cm. ABS hand shower wall bracket. Round handle shower. Medium flow rate 12 I/min. Single-lever ceramic cartridge Ø 35 mm.









SERIES



#### Ref.: BDC032-4

Handle shower inlet wall bracket. Chrome brass. Embedded box.







#### Ref.: **BDC032-5**

Embedded bidet mixer. Hot and cold water. Handle 1 position. Chrome brass. Anti-explosion steel reinforced flexible hose 100 cm.



EMBEDDED IN THE WALL. NO BOX.











## **ESTOCOLMO**











#### Ref.: BDC032/NG

Stainless inox 304 steel telescopic bar 87/133 cm.

Matt black stainless inox 304 steel square rainhead 20 cm, super-flat design and anti-lime system.

Elevated adjustable support handle.

Matt black brass mixer.

Medium flow rate 12 l./min.

Square matt black brass integrated flow-diverter. Reinforced flexible hose 150 cm.

Ceramic cartridge 35 mm.










### Ref.: BDC032-7NG

Matt black plated brass shower/bath mixer. Reinforced flexible hose 180 cm. ABS hand shower wall bracket. Round handle shower. Medium flow rate 12 I/min. Single-lever ceramic cartridge Ø 35 mm.





SERIES





# Ref.: BDC032-5NG Embedded bidet mixer. Hot and cold water. Handle 1 position. Matt black brass. Anti-explosion steel reinforced flexible hose 100 cm. EMBEDDED IN THE WALL. NO BOX.







## **ESTOCOLMO**



## SUECIA MATT BLACK AND ROSE GOLD











#### Ref.: BDC032/NOR

Stainless inox 304 steel telescopic bar 87/133cm. Matt black and gold rose stainless inox 304 steel square rainhead 20 cm, super-flat design and anti-lime system.

Elevated adjustable support handle. Matt black and gold rose brass mixer. Medium flow rate 12 l/min.

Square matt blackand gold rose brass integrated flow-diverter. Reinforced flexible hose 150 cm.

Ceramic cartridge 35 mm.








#### Ref.: BDC032-7NOR

Matt black and rose gold plated brass shower/bath mixer.
Reinforced flexible hose 180 cm.
ABS hand shower wall bracket.
Round handle shower.
Medium flow rate 12 L/min.
Single-lever ceramic cartridge Ø 35 mm.







## MATT BLACK AND ROSE GOLD

#### **SERIES**






## Ref.: BDC032-5NOR Embedded bidet mixer.

Embedded bidet mixer.
Hot and cold water.
Handle 1 position.
Matt black and rose gold brass.
Anti-explosion steel reinforced
flexible hose 100 cm.


EMBEDDED IN THE WALL. NO BOX.











## **ESTOCOLMO**











#### Ref.: BDC032/NGOLD

Stainless inox 304 steel telescopic bar 87/133 cm.
Matt black and bright gold stainless inox 304 steel square rainhead 20 cm, super-flat design and anti-lime system.
Elevated adjustable support handle.
Matt black and bright gold brass mixer.
Medium flow rate 12 l/min.
Square matt black and bright gold brass integrated flow-diverter.
Reinforced flexible hose 150 cm.
Ceramic cartridge 35 mm.


















#### Ref.: **BDC032-7NGOLD**

Matt black and bright gold plated brass shower/bath mixer.
Reinforced flexible hose 180 cm.
ABS hand shower wall bracket.
Round handle shower.
Medium flow rate 12 l./min.
Single-lever ceramic cartridge Ø 35 mm.



SERIES






# Ref.: BDC032-5NGOLD Embedded bidet mixer. Hot and cold water. Handle 1 position. Matt black and bright gold brass. Anti-explosion steel reinforced flexible hose 100 cm. EMBEDDED IN THE WALL. NO BOX.







## **ESTOCOLMO**









## **ART**







## **ART** SERIES







#### Ref.: BDAR025

Stainless steel S304 extendable shower bar (93,5/130) Chrome Stainless steel S304 square rainhead 20 cm. super-flat design

and anti-lime system.

Support for handle shower adjustable in height.

Square handle shower

Chrome brass faucet single-lever mixer

Medium flow rate 12l/min.
Chrome plated brass round distributor.
Reinforced flexible hose 150 cm
Ceramic cartridge Ø 35mm.

















# ART WHITE

















#### ART MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM













#### Ref.: BDAR025/NG

Stainless inox steel telescopic bar 93,5/130 cm.

Matt black stainless inox steel square rainhead 20 cm, super-flat design and anti-

Elevated adjustable support handle.

Matt black brass mixer.

Medium flow rate 12 l/min.

Square matt black brass integrated flow-diverter. Reinforced flexible hose 150 cm PVC matt black

Ceramic cartridge 35 mm.












## **BREMEN**







Modern structure and voluminous. A unique product, designed by us in which highlights the quality and functionality.





#### **BREMEN** SERIES



#### Ref.: BDB006

Stainless steel S304 telescopic bar 87,5/130 cm. Chrome Stainless steel S304 square rainhead 20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Square handle shower.

Chrome plated brass mixer.

Medium flow rate 12 l./min.

Square chrome plated brass integrated flow-diverter.

Reinforced flexible hose 150 cm.

Single-lever ceramic cartridge 35 mm.











## **LIVERPOOL**

SERIES





Shower area, more relevant than ever.

When the sense is essential for you, when you feel the style as your own. Stylized lines and simple design transform your space.





# Stainless steel S304 telescopic bar 86/120 cm. (Shower) Stainless steel S304 telescopic bar 102/165 cm. (Bath)

# **LIVERPOOL**

SERIES





Chrome Stainless steel S304 square rainhead 20 cm super-flat design and anti-

Elevated adjustable support handle.

Square handle shower.

Chrome plated brass mixer.

Medium flow rate 12 l./min.

Square chrome plated brass integrated flow-diverter.

Reinforced flexible hose 150 cm.
Single-lever ceramic cartridge 35 mm.

Ref.: **BDL007-B** (BATH)

Ref.: **BDL007** (SHOWER)

(ACS)






# **SAONA**

SERIES



EXCELLENT, PRACTICAL AND ORIGINAL.





Square handle shower.

Chrome brass faucet single-lever mixer

Medium flow rate 12l/min.

Square distributor integrated in three-way chromed brass.


Reinforced flexible hose 150 cm

Ceramic cartridge Ø 35mm.





### **ENERGY SAVING SYSTEM**









# **BRISTOL**

SERIES



Essence and purity come true.



# **BRISTOL**

SERIES







### Ref.:BDB008

Stainless steel S304 telescopic bar 100/162 cm. Chrome Stainless steel S304 square rainhead 20 cm super-flat design and anti-lime system.

Elevated adjustable support handle.

Square handle shower.

Chrome plated brass mixer.

Medium flow rate 12 L/min.

Square chrome plated brass integrated flow-diverter.

Reinforced flexible hose 150 cm.
Single-lever ceramic cartridge 35 mm.
















# **NANTES**

SERIES



Product developed from ingots of molten brass. Taps characterized by its quality and presence.





Certified faucet













# **FIYI**

SERIES







The highest possible expression of elegance. The integration of all its elements, makes this model series one the most attractive from our collection.





### Ref.: BDF016

Stainless steel S304 telescopic bar 95/140 cm. Chrome Stainless steel S304 square shower-head 20 cm. Super-flat design and anti-lime system. Elevated adjustable support handle. Square handle shower. Chrome plated brass mixer. Medium flow rate 12 l/min. Square chrome plated brass integrated flow-diverter. Reinforced flexible hose 150 cm. Single-lever ceramic cartridge 35 mm.
















### Ref.: BDF016-4

Chrome plated brass shower/bath mixer.
ABS wall bracket.
Square handle shower.
Medium flow rate 12 l/min.
Reinforced telescopic flexible hose 170/190 cm.
Single-lever ceramic cartridge 25 mm.












Ref.: GLF016

Chrome brass handle shower inlet wall bracket with embedded box. In 2 separated parts.














# FIYI MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM









### Ref.: BDF016/NG

Stainless steel S304 extendable shower bar 87/131cm Matt black Stainless steel S304 square rainhead 20X20 cm. superflat design and anti-lime system. Support for handle shower adjustable in height. Round handle shower 3 position changeable. Matt black brass faucet single-lever mixer Medium flow rate 12l/min. Matt black plated brass square distributor. PVC matt black flexible hose 150 cm. Single-lever ceramic cartridge 35 mm.









# FIYI MATT BLACK


SERIES



### Ref.: BDF016-4NG

Matt black plated brass shower/bath mixer. ABS wall bracket. Square handle shower. Medium flow rate 12 l/min. Reinforced telescopic flexible hose 170/190 cm. Single-lever ceramic cartridge 25 mm.











## FIYI MATT BLACK

SERIES

### Ref.: GLF016/NG

Matt black brass handle shower inlet wall bracket with embedded box. In 2 separated parts.









# FIYI WHITE MATT

SERIES





### Ref.:BDF016/BL

Stainless steel S304 extendable shower bar (87/131)

White black Stainless steel S304 square rainhead 20X20 cm. super-flat design and anti-lime system.

Support for handle shower adjustable in height.
Round handle shower 3 position changeable.
White black brass faucet single-lever mixer

Medium flow rate 12l/min.

White black plated brass square distributor.

PVC matt black flexible hose 150 cm.

Single-lever ceramic cartridge 35 mm.











# FIYI WHITE MATT


SERIES



### Ref.: GLF016/BL


White matt brass handle shower inlet wall bracket with embedded box. In 2 separated parts.







# **BALI** SERIES





Combination of square elements with curved edges that makes this product one of the most competitive for our own brand.





# **BALI**

SERIES











# **BALI**

SERIES










# SHOWER SETS WITHOUT TAP




## **EUROPA**

SERIES







## **MINSK**

SERIES









and anti-lime system.

Elevated adjustable support handle.

Square handle shower.


Medium flow rate 12 L/min.

Square chrome plated brass integrated flow-diverter.

Reinforced telescopic flexible hose 150 cm.

Reinforced flexible hose 60 cm. for connecting to the tap.







# THERMOSTATICS TAPS

A new generation of thermostatic taps with cartridges made with a polymer resistant to the medium/hard water.





# LAST GENERATION THERMOSTATIC FAUCET







# RE-EVOLUCIÓN




SPOT



PROFESSIONAL TECHNICAL VIDEO



# 38



- ① With the advanced polymer cartridge, set your desired temperature, then enjoy perfect comfort knowing your water won't suddenly heat up or go cold no matter how the supply fluctuates.
- With the Instant Control button, will control easily the appropriate temperature in an instant to avoid changes in the pressure or temperature, this will help you to achieve a pleasant experience.
- ② To improve the sensitivity of the thermostatic accessories, the top output shall remain constant in high or low water pressure.
- ④ For to set the Safety Locking at >38 °C you only must to press the button and so, to avoid burns.
- The integrated diverted allows to select the water flow in one direction or another.



#### **KENT**

**SERIES** 

#### Thermostatic cartridge IMEX TURN CLEAN SYSTEM (patent).

LOW PRESSURE WORKING ANTI-SCALDING SYSTEM EASY CLEANING






#### Ref.: BTK017

- THERMOSTATIC CARTRIDGE IMEX TURN CLEAN SYSTEM (PATENT)
- CHROME STAINLESS STEEL S304 ROUND RAINHEAD Ø20 CM. SUPER-FLAT DESIGN AND ANTI-LIME SYSTEM.
- TELESCOPIC BAR 87/123 CM.
- ROUND HANDLE SHOWER 3 POSITIONS.
- CHROME PLATED BRASS THERMOSTATIC MIXER WITH INTEGRATED FLOW-DIVERTER.
- MEDIUM FLOW RATE 12 L./MIN.
- REINFORCED FLEXIBLE HOSE 150 CM.















#### KENT MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM






#### Ref.: BTK017/NG

Matt black Stainless steel S304 round rainhead Ø20 cm.
Matt black super-flat design and anti-lime system.
Support for handle shower adjustable in height
Telescopic bar 94/130 cm.
Round handle shower 3 position changeable.
Matt black plated brass thermostatic mixer with integrated flow-diverter.
Medium flow rate 12 I./min.
Reinforced matt black flexible hose 150 cm.
Thermostatic cartridge.





# **KENT**WHITE MATT

SERIES










#### Ref.: BTK017/BL

White black Stainless steel S304 round rainhead Ø20 cm. White black super-flat design and anti-lime system. Support for handle shower adjustable in height Telescopic bar 92/127 cm.
Round handle shower 3 position changeable.
White black plated brass thermostatic mixer with integrated flow-diverter.
Medium flow rate 12 L/min.
Reinforced white black flexible hose 150 cm.
Thermostatic cartridge.

Certified faucet











### **CRETA**

SERIES





#### Ref.: BTC018

Chrome Stainless steel S304 round rainhead Ø20 cm super-flat design and anti-lime system.


Stainless steel S304 telescopic bar 88/138 cm.


Support for handle shower adjustable in height.

Round handle shower 3 position changeable. Chrome plated brass thermostatic mixer with integrated flow-diverter.

Medium flow rate 12 I/min.
Reinforced flexible hose 150 cm.
Thermostatic cartridge IMEX TURN CLEAN SYSTEM (PATENT).







## **CRETA**


SERIES

#### Ref.: BTC018-5

Round handle shower 3 position changeable. Chrome plated brass thermostatic mixer with integrated flow-diverter. Medium flow rate 12 l/min. Reinforced flexible hose 170/190 cm. Thermostatic cartridge IMEX TURN CLEAN SYSTEM (PATENT).















## **AMSTERDAM**

SERIES



#### Ref.: GTAM015

Stainless steel S304 extendable shower bar (88/124) Chrome Stainless steel S304 round rainhead Ø 25 cm. super-flat design and anti-lime system.


Support for handle shower adjustable in height.

Round handle shower 3 position changeable.

Chromed brass thermostatic faucet whith integrated distributor Medium flow rate 20l/min.

PVC flexible hose 150 cm

Thermostatic cartridge IMEX TURN CLEAN SYSTEM (PATENT) .















#### **PRAGA**

SERIES


The details represent perfection their oval lines give you great beauty and distinction, being a single model and exclusive.



#### Ref.: BTP012

Chrome Stainless steel S304 oval rainhead 20x30 cm.
Super-flat design and anti-lime system.
Support for handle shower adjustable in height
Oval telescopic bar 87/130 cm.
Round handle shower 3 position changeable.
Chrome plated brass thermostatic mixer with integrated flow-diverter.
Medium flow rate 12 L/min.
PVC flexible hose 150 cm.

Thermostatic cartridge IMEX TURN CLEAN SYSTEM (PATENT) .












# **LONDRES**

SERIES

One of our most competitive model of the excellent quality/price ratio.

#### Ref.: BTL011

Chrome Stainless steel S304 round rainhead Ø20 cm.
Super-flat design and anti-lime system.
Support for handle shower adjustable in height
Telescopic bar 87/123 cm.
Round handle shower 3 position changeable.
Chrome plated brass thermostatic mixer with integrated flow-diverter. Medium flow rate 12 l./min. Reinforced flexible hose 150 cm. Thermostatic cartridge













#### **BLED**

#### SERIES Made in Europe


One of our best products. Durability, resistance and the possibility of operating at very low pressure provide great versatility to this model.

#### Ref.: BTB010

Chrome Stainless steel S304 round rainhead Ø20 cm.
Super-flat design and anti-lime system.
Support for handle shower adjustable in height
Telescopic bar 90/150 cm.
Round handle shower 3 position changeable.
Chrome plated brass thermostatic mixer with integrated flow-diverter.
Medium flow rate 12 l./min.

Reinforced flexible hose 150 cm.

Thermostatic cartridge IMEX TURN CLEAN SYSTEM (PATENT).













# **VIGO**

SERIES








#### Ref.: BTV013


Chrome Stainless steel S304 square rainhead 20x20 cm.
Super-flat design and anti-lime system.
Support for handle shower adjustable in height
Telescopic shower bar 87/130 cm.
Square handle shower.
Chrome plated brass thermostatic mixer with integrated flow-diverter.
Medium flow rate 12 l/min.

Reinforced flexible hose 150 cm.

Thermostatic cartridge IMEX TURN CLEAN SYSTEM (PATENT).







### VIGO MATT BLACK

SERIES

# ELECTROPHORESIS LACQUER SYSTEM



### Ref.: BTV013/NG

Stainless steel S304 extendable shower bar (87/130) matt black

Matt black Stainless steel S304 square rainhead 20 cm super-flat design and antilime system.

Support for handle shower adjustable in height.

square handle shower.

 $\dot{\rm M}$  att black brass thermostatic faucet whith integrated distributor

Medium flow rate 12l/min.

PVC matt black flexible hose 150 cm.

Thermostatic cartridge IMEX TURN CLEAN SYSTEM (PATENT) .

(PATENT).

TURN CLEAN
SYSTEM
Sistema patentado











# **SIDNEY**

### SERIES

### Ref.: BTS016

Stainless steel S304 extendable shower bar (101/163,5cm)

Chrome Stainless steel S304 oval rainhead 20x30 cm super-flat design and antilime system.

lime system.

Support for handle shower adjustable in height.

Round handle shower.

Chromed brass thermostatic faucet with integrated distributor and waterfall.

Medium flow rate 12l/min.


PVC flexible hose 150 cm.

Thermostatic cartridge IMEX TURN CLEAN SYSTEM (PATENT).



















# EMBEDDED SHOWERS

The maximum expression of the design and the latest innovations of the market leading to the integration of the bathroom elements. IMEX has adapted to the times, creating several embedded series.



# **ARUBA**

SERIES

Subtle and rounded lines with an exclusive design that gives its own personality.





### Ref.: **GPA015**

Chromed stainless steel S304 round rainhead Ø 25cm super-flat design and antilime system. Wall round tubing.


Chromed brass shower bar with water inlet direct to the wall and round handle

shower 2 positions.

Chromed brass embedded single lever mixer faucet of 2 lines with integrated distributor

Medium flow rate 12l/min. PVC flexible hose 150 cm. Ceramic cartridge Ø 35mm.







# **BAHAMAS**

SERIES



### Ref.: GPH016

Chrome plated brass bar and incorporated rainhead with integrated flow-diverter, 2 lines, and water inlet direct to the wall.


Chrome plated brass embedded single lever mixer with 1 line.

Medium flow rate 12 l./min. PVC flexible hose 150 cm. and handle shower.

Ceramic cartridge 35 mm.









### Ref.: GSM01V (1 line)

1 line embedded chrome plated brass simple lever mixer. Chrome brass. Ceramic cartridge 35 cm.





### BAHAMAS MATT WHITE

SERIES




### Ref.: GPH016/BL

Matt white brass bar and incorporated rainhead with integrated flow-diverter, 2 lines, and water inlet direct to the wall.

Matt white brass embedded single lever mixer with 1 line.

Medium flow rate 12 I/min.

PVC matt white flexible hose 150 cm. and matt white handle shower. Ceramic cartridge 35 mm.











### BAHAMAS MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM

### Ref.: GPH016/NG

Matt black brass bar and incorporated rainhead with integrated flow-diverter, 2 lines, and water inlet direct to the wall.

Matt black brass embedded single lever mixer with 1 line.

Medium flow rate 12 l./min.


PVC matt black flexible hose 150 cm. and matt black handle shower. Ceramic cartridge 35 mm.













### $Ref.: \textbf{GSM01V/NG} \quad (1 \ line)$

1 line embedded matt black plated brass simple lever mixer. Matt black brass. Ceramic cartridge 35 cm.





# **BORNEO**

SERIES

### Ref.: **GPB022**

Chromed stainless steel S304 square rainhead 25x25 cm. super-flat design and anti-lime system.

Wall square tubing.


Chromed brass shower bar with water inlet direct to the wall and square

handle shower 3 positions.
Chromed brass embedded single lever mixer faucet of 2 lines with integrated distributor

Medium flow rate 20 l/min. PVC flexible hose 150 cm.

Ceramic cartridge Ø 35mm.













# **OSLO**

SERIES



Rounded lines and subtle with a marked character of exclusive design and differentiated.





# **OSLO**



# **MÓNACO**







# DUBLÍN





# **DUBLÍN**



# **BERLÍN**





# **DUBLÍN MATT BLACK**

SERIES

**ELECTROPHORESIS** LACQUER SYSTEM

### Ref.: GPE006/NG

Matt black stainless steel S304 square rainhead 25x25 cm super-flat design and anti-lime system.

Wall outlet tube.

Square handle shower.

Matt black plated brass single lever mixer with 2 lines embedded box.

Matt black plated brass round distributor.

Medium flow rate 20 L/min.

PVC flexible hose 150 cm matt black. Ceramic single lever cartridge 35 mm.


Inlet wall bracket.






Combinable series with mod. Art.














### Ref.: GPE006/BL

Matt white stainless steel S304 square rainhead 25x25 cm super-flat design and anti-lime system.


Wall outlet tube.

Square handle shower 1 position.


Matt white plated brass single lever mixer with 2 lines embedded box.

Matt white plated brass round distributor.

Medium flow rate 20 l/min.
PVC flexible hose 150 cm Matt white.
Ceramic single lever cartridge 35 mm.
Inlet wall bracket.



Combinable series with mod. Art.











# **VOLGA**

### **SERIES**

### Ref.: **GET015** (Inset ceiling)

Chrome stainless steel S304 S304, square rainhead 40x40 cm super-flat design and anti-lime system.

Square shower handle 1 position..

Chrome plated brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 l./min.

Chrome plated brass square flow-diverter.


PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Preframe included.

Handle shower inlet wall bracket.





Combinable series with mod. Valencia, Nantes , Art.

# **GALES**

### **SERIES**

### Ref.: GTG008 (Inset ceiling)

Chrome stainless steel S304, square rainhead 30x30 cm super-flat design and anti-lime system.

Square shower handle 1 position.

Chrome plated brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 l./min.

Chrome plated brass square flow-diverter.

PVC flexible hose 150 cm.


Ceramic single lever cartridge 35 mm.


Preframe included.


Handle shower inlet wall bracket.











**ELECTROPHORESIS** LACQUER SYSTEM

# **VOLGA MATT BLACK**

**SERIES** 

#### Ref.: GET015/NG (Inset ceiling)

Matt black stainless steel S304, square rainhead 40x40 cm super-flat design and anti-lime system.

Square shower handle 1 position..

Matt black plated brass single lever mixer with 2 lines embedded box.

Medium flow rate 12 l./min.

Matt black plated brass square flow-diverter.
PVC flexible hose 150 cm.
Ceramic single lever cartridge 35 mm.
Preframe included.

Handle shower inlet wall bracket.





Combinable series with mod. Art.

# **SUMATRA**


**SERIES** 

New shower set creation, amazing rainhead in terms of its large-scale and multiple functions will make you feel as in your private spa.




### Ref.: **GTS019/P**WITH PREMARK

Chrome stainless steel S304, rectangular rainhead 48x59 cm. 3 changeables flow positions. Super-flat design and anti-lime system. Square shower handle 1 position.
Chrome plated brass single lever mixer with 4 lines embedded box. Medium flow rate 12 l/min.
Chrome plated brass square flow-diverter.
PVC flexible hose 150 cm.
Ceramic single lever cartridge 35 mm.
Ceiling mounting accessories included.
Handle shower inlet wall bracket.



Combinable series with mod. Valencia, Nantes , Art.





# SUMATRA MATT BLACK

**SERIES** 







ELECTROPHORESIS LACQUER SYSTEM

### Ref.: **GTS019-P/NG** WITH PREMARK

Matt black stainless steel S304, rectangular rainhead 48x59 cm. 3 changeables flow positions. Super-flat design and anti-lime system. Square shower handle 1 position.

Matt black plated brass single lever mixer with 4 lines embedded box. Medium flow rate 12 I/min.

Matt black plated brass square flow-diverter.

PVC flexible hose 150 cm.

Ceramic single lever cartridge 35 mm.

Ceiling mounting accessories included.

Handle shower inlet wall bracket.





Combinable series with mod. Art.





### **RODAS**


SERIES


Newly created shower set. Thanks to its spectacular sprinkler of large dimensions and various functions capable of providing exceptional relaxation and comfort.











VIDEO SPOT



PROFESSIONAL TECHNICAL VIDEO





### Ref.: GTR049

Chrome stainless inox steel S304, rectangular rainhead 48 x 33,5 cm. Super-flat design and anti-lime system. 2 changeables flow positions: rain and cascade.

Square shower handle 1 position.

Chrome thermostatic single lever mixer with 3 lines embedded box. Medium flow rate 12 L/min.

Chrome brass square flow-diverter.

PVC flexible hose 150 cm.

 $Self-cleaning\ thermostatic\ cartridge\ TURN\ CLEAN\ SYSTEM.$ 

Handle shower inlet wall bracket.



Combinable series with mod. Valencia, Nantes.

### RODAS MATT BLACK



### SERIES

Newly created shower set. Thanks to its spectacular sprinkler of large dimensions and various functions capable of providing exceptional relaxation and comfort.

### Ref.: GTR049/NG

Matt black stainless inox S304, steel rectangular rainhead  $48 \times 33,5$  cm. Super-flat design and anti-lime system. 2 changeables flow positions: rain and cascade.

Square shower handle, 1 position.

Matt black thermostatic single lever mixer with 3 lines embedded box. Medium flow rate 12 l/min.


Matt black brass square flow-diverter.

PVC flexible hose 150 cm.

Self-cleaning thermostatic cartridge TURN CLEAN SYSTEM.

Handle shower inlet wall bracket.













Combinable series with mod. Art.










# **MÁLAGA**

SERIES







### Ref.: GTS020 pre-frame to ceiling included

Chromed stainless steel S304, square rainhead 40cm. 2 changeables flow positions, super-flat design and anti-lime system.

Square shower handle 1 position.

 $\dot{\text{Chromed}}$  brass embedded  $\,$  single lever mixer faucet of 3 lines with integrated distributor

Medium flow rate 12l/min.


PVC flexible hose 150 cm.

shower handle bracket with water outlet to wall

Ceramic cartridge Ø 35 mm.

Pre-frame to ceiling included





Combinable series with mod. Valencia, Nantes.

# **FORMENTERA**

SERIES

Details of perfection. This model has been designed for to bring comfort and elegance, creating a unique and unrepeatable ambience.






### **JAVA**

SERIE

Embedded bath/shower set. Relax in its purest form, thanks to its large dimensions waterfall. A multifunctional product with different uses: bath fill function, rainhead and shower handle.

### Ref.:GPV017

Chrome stainless steel S304 square rainhead 25x25 cm super-flat design and anti-lime system.
Square shower handle 1 position.
Chrome plated brass single lever mixer with 3 lines.
Steel S304 waterfall bath inlet 30 cm.
Medium flow rate 20 I/min.
Chrome plated brass square flow-diverter.
PVC flexible hose 150 cm.
Ceramic single lever cartridge 35 mm.
Handle shower inlet wall bracket.
Wall square tubing.












# **ITALIA**



# **FRANCIA**







Linear recessed that integrates seamlessly into any environment.



# **NORUEGA**




# **FINLANDIA**







Thermostatic recessed of square lines of high precision, the excellence in pure State, it is given a few minimalist lines.



# **CIES**



# **ONS**





### Ref.: GPC009/NG

Matt black stainless steel S304 square rainhead 25x25 cm super-flat design and anti-lime system.

Brass wall outlet tube.

Square handle shower 1 position.


Matt black plated brass thermostatic mixer with 2 lines embedded box. Medium flow rate 20 l./min.

Matt black plated brass square flow-diverter. PVC flexible hose 150 cm matt black.

Thermostatic cartridge TURN CLEAN SYSTEM.

Handle shower inlet wall bracket matt black







CIES **MATT BLACK** 



# Ref.: GPC009/BL Matt white stainless steel S304 square rainhead 25x25 cm super-flat design and anti-lime system. Brass wall outlet tube. Square handle shower 1 position. Matt white plated brass thermostatic mixer with 2 lines embedded box. Medium flow rate 20 I/min. Matt white plated brass square flow-diverter. PVC flexible hose 150 cm matt white. Thermostatic cartridge TURN CLEAN SYSTEM. Handle shower inlet wall bracket matt white Certified faucet ACS CETTIFIED ASSE ASSE ASSE NHS 777 IIII 1016 1070 1017 D08 CIES MATT WHITE





# **MADEIRA**



# **PORTUGAL**







### MADEIRA MATT BLACK



# PORTUGAL MATT BLACK







### **HIDRA**



### **FEROE**







### HIDRA MATT BLACK



## FEROE MATT BLACK



### **EMBEDDED THERMOSTATIC**





#### Ref.: GST22V (2 lines)

Chrome plated brass embedded thermostatic, 2 lines. Embedded box. Chrome brass

Thermostatic cartridge TURN CLEAN SYSTEM.







#### Ref.: GST33V (3 lines)

Chrome plated brass embedded thermostatic, 3 lines. Embedded box. Chrome brass

Thermostatic cartridge TURN CLEAN SYSTEM.











#### Ref.: GST44V (4 lines)

Chrome plated brass embedded thermostatic, 4 lines. Embedded box. Chrome brass

Thermostatic cartridge TURN CLEAN SYSTEM.









### **EMBEDDED THERMOSTATIC**





#### Ref.: GST22V/NG (2 lines)

Matt black plated brass embedded thermostatic, 2 lines. Embedded box. Matt black brass

Thermostatic cartridge TURN CLEAN SYSTEM.







#### Ref.: GST33V/NG (3 lines)

Matt black plated brass embedded thermostatic, 3 lines. Embedded box. Matt black brass

Thermostatic cartridge TURN CLEAN SYSTEM.











#### Ref.: GST44V/NG (4 lines)

Matt black plated brass embedded thermostatic, 4 lines. Embedded box. Matt black brass

Thermostatic cartridge TURN CLEAN SYSTEM.









### **EMBEDDED THERMOSTATIC**





#### Ref.: GSP02V

Chrome brass embedded thermostatic mixer with 2 lines and embedded box. With push button.

Thermostatic cartridge TURN CLEAN SYSTEM.







#### Ref.: CTP02V

Chrome brass embedded thermostatic mixer with 2 lines and embedded box. With push button.

Thermostatic cartridge TURN CLEAN SYSTEM.














#### Ref.: GSP02V/NG

Matt black brass embedded thermostatic mixer with 2 lines and embedded box. With push button.

Thermostatic cartridge TURN CLEAN SYSTEM.








#### Ref.: CTP02V/NG

Matt black brass embedded thermostatic mixer with 2 lines and embedded box. With push button.

Thermostatic cartridge TURN CLEAN SYSTEM.





### SINGLE LEVER MIXER



#### Ref.: GSM02V (2 lines)

2 lines embedded chrome plated brass single lever mixer. Chrome brass. Embedded box. Ceramic cartridge 35 cm.



#### Ref.: GSM02V/NG (2 lines)

2 lines embedded matt black plated brass single lever mixer. Matt black brass. Embedded box. Ceramic cartridge 35 cm.







#### Ref.: GSM03V (3 lines)

Max. 80 Min. 65

0

Max. 80 Min. 65

3 lines embedded chrome plated brass single lever mixer. Chrome brass. Embedded box Ceramic cartridge 35 cm.



#### Ref.: GSM03V/NG (3 lines)

3 lines embedded matt black plated brass single lever mixer. Matt black brass. Embedded box. Ceramic cartridge 35 cm.









#### Ref.: GSM04V (4 lines)

4 lines embedded chrome plated brass single lever mixer. Chrome brass. Embedded box. Ceramic cartridge 35 cm.



#### Ref.: GSM04V/NG (4 lines)

4 lines embedded matt black plated brass single lever mixer. Matt black brass. Embedded box. Ceramic cartridge 35 cm.














# EMBEDDED BASIN MIXER

### **MALTA**

SERIES

#### Ref.: GLM021

Chrome brass handle shower inlet wall bracket with embedded box. Thread 1/2" added to the spout. Single lever cartridge 35 mm.









Combinable series with mod. Italia, Francia.

Installation




### **SUIZA**

SERIES

#### Ref.: GLE020

Chrome brass handle shower inlet wall bracket with embedded box. Thread 1/2". Single lever cartridge 35 mm.









Combinable series with mod. Valencia, Nantes, Fiyi.



### **SUIZA** MATT BLACK

SERIES




#### Ref.: GLE020/NG

Matt black brass handle shower inlet wall bracket with embedded box. Thread 1/2 ".
Single lever cartridge 35 mm.







Embedded box.




Combinable series with mod. Fiyi.





### SUIZA MATT WHITE













#### Ref.:GLT023


Chrome brass handle shower inlet wall bracket with embedded box.
In 2 separated parts













Combinable series with mod. Múnich.

### ETNA MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM



#### Ref.: GLT023/NG

Matt black brass handle shower inlet wall bracket with embedded box. In 2 separated parts.













# ETNA MATT WHITE




#### Ref.: GLT023/BL

Matt white brass handle shower inlet wall bracket with embedded box. In 2 separated parts.







# KITCHEN TAPS COLLECTION











### **TORINO**

SERIES

The depth of life is come by the appreciation of taste. The colors embody the visual luxuriousness and interpret the power of personality.






Ref.: **GCE007** 

Single lever pull-out sink mixer. Chrome plated brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.












Ref.: **GCE020** Single lever sink mixer. Chrome brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.















SERIES

ELECTROPHORESIS LACQUER SYSTEM



Ref.: GCE020/NG Single lever sink mixer. Matt black brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.

Certified faucet








SERIES



#### Ref.: GCE020/NQ Single lever sink mixer. Brushed nickel brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.





SERIES






#### Ref.: GCE020/ORC

Single lever sink mixer. Brushed rose gold brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.












SERIE





### Ref.: GCE020/OC

Single lever sink mixer.
Brushed gold brass body mixer.
Ceramic cartridge 35 cm.
Connecting tubes 50 cm.










### **BELICE**








Ref.: GCCH041 Single lever sink mixer. Chrome brass body mixer. Ceramic cartridge 25 cm. Connecting tubes 50 cm.






### **BELICE CURVED**

SERIES



#### Ref.: GCRH041

Single lever pull-out sink mixer. Chrome brass body mixer. Two position areator Ceramic cartridge 25 cm. Connecting tubes 50 cm











# **OLIMPO**


SERIES



Ref.: GCC033

Single lever sink mixer. Chrome brass body mixer. Ceramic cartridge 25 cm. Connecting tubes 50 cm.







# **OLIMPO**BLACK AND ROSE GOLD


SERIES



#### Ref.: GCC033/NOR

Single lever sink mixer. Matt black and rose gold brass body mixer. Ceramic cartridge 25 cm. Connecting tubes 50 cm.







### OLIMPO MATT BLACK

SERIES


ELECTROPHORESIS LACQUER SYSTEM



#### Ref.: GCC033/NG

Single lever sink mixer. Matt black brass body mixer. Ceramic cartridge 25 cm. Connecting tubes 50 cm.










# SAMOA

SERIES

Ref.: **GCE017** 

Single lever pull-out sink mixer. Chrome brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.










### SAMOA MATT WHITE

SERIES

Ref.: GCE017/BL

Single lever pull-out sink mixer. Matt white brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.













### SAMOA MATT BLACK


SERIES

Ref.: GCE017/NG

Single lever pull-out sink mixer. Matt black brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.



ELECTROPHORESIS LACQUER SYSTEM






### SAMOA MATT BLACK / ROSE GOLD

SERIES

#### Ref.: GCE017/NOR

Single lever pull-out sink mixer. Matt black and rose gold brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.














# **MENORCA**

SERIES

#### Ref.: **GCE019**

Single lever pull-out sink mixer. Chrome brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.






### MENORCA MATT BLACK


SERIES

ELECTROPHORESIS LACQUER SYSTEM



#### Ref.: GCE019/NG

Single lever pull-out sink mixer. Matt black brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.









# **ITACA**


SERIES



#### Ref.: **GCE018**

Folding single lever sink mixer. Chrome brass body mixer. Ceramic cartridge 25 cm. Connecting tubes 50 cm.







Installation








### ITACA MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM







#### Ref.: GCE018/NG

Folding single lever sink mixer. Matt black brass body mixer. Ceramic cartridge 25 cm. Connecting tubes 50 cm.















# **MANACOR**







### MANACOR MATT BLACK

ELECTROPHORESIS LACQUER SYSTEM





### MANACOR MATT WHITE
















# **LANZAROTE**


SERIES



Single lever pull-out sink mixer. chromed brass faucet body. Ceramic cartridge 25mm Flexible hose 50 cm













# **TOULOUSE**

SERIES


Starting from the practical and aesthetic feeling. Build low-key costly, and classical and fashionable. The kitchen household life experience.







Single lever pull-out sink mixer. Chrome plated brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.





Certified faucet





### **LAOS**

**SERIES** 





MINIMUN HEIGHT 37 cm



Ref.: GCE011

Single lever flexible sink mixer. Chrome plated brass body mixer. Ceramic cartridge 25 cm. Connecting tubes 50 cm.



Ref.: GCE012

Single lever flexible sink mixer. Matt black brass body mixer. Ceramic cartridge 25 cm. Connecting tubes 50 cm.



Ref.: **GCE014** 

Single lever flexible sink mixer. Matt white brass body mixer. Ceramic cartridge 25 cm. Connecting tubes 50 cm.











# **MALTA**

SERIES






#### Ref.: GCE006

Single lever pull-out sink mixer. Chrome plated body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.









Installation




### MALTA MATT WHITE

SERIES

#### Ref.: GCE006/BL

Single lever pull-out sink mixer. Matt white brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.







Instalación










### MALTA MATT BLACK

SERIES

ELECTROPHORESIS LACQUER SYSTEM

#### Ref.: GCE006/NG

Single lever pull-out sink mixer. Matt black brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.



Installation>









# **MOSCU**





# **VENECIA**









# **CONSTANZA**

SERIES






Single lever pull-out sink mixer. Chrome plated body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.









# **PIREO**


SERIES





2 level single lever sink mixer. (Osmosis) Chrome plated brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.









# **CAPRI**
















### Ref.: GOS002/NG

2 level single lever sink mixer. (Osmosis) Matt black plated brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.







# CAPRI BLACK MATT

SERIES

ELECTROPHORESIS LACQUER SYSTEM



# **MONTECARLO**










Installation





# **MARSELLA**


SERIES






# Ref.: **GOS004**

2 level Single-lever sink faucet. (Osmosis) Chromed brass faucet body. Ceramic cartridge 35mm Connecting tubes 50 cm











# **LYON**

SERIES

Simple and refined lines for a model that combine quality and design.





# LYON BLACK MATT

SERIES

# ELECTROPHORESIS LACQUER SYSTEM

### Ref.: GCR002/NG


Single lever sink mixer. Matt black plated brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.

ertified fauce















# **MIKONOS**

SERIES






Installation



### Ref.: GCC002

Single lever sink mixer. Chrome plated brass body mixer. Ceramic cartridge 35 cm. Connecting tubes 50 cm.









# COX










# **VERONA**


















# **VIENA**

SERIES



# Ref.: GCE009

Single lever sink mixer.
Chrome plated brass body mixer and matt white flexible hose.
Ceramic cartridge 35 cm.
Connecting tubes 50 cm.
2 positions mouseur (normal spray and powerful jet spray)











# **TOKYO**


### SERIES

Quality and performance within a product led to the maximum expression. Very useful are the two water output functions that allow us to increase the pressure with a simple twist.











# RAINSHOWERS







### Ref.: RDN001

Dimensions: Ø20 cm. Super-flat and round rainhead. Material : Stainless steel S304. Chrome finish. Thread 1/2"



### Ref.: RDN003

Dimensions: Ø30 cm. Super-flat and round rainhead. Material : Stainless steel S304. Chrome finish. Thread 1/2"



### Ref.: RDN002

Dimensions: Ø25 cm. Super-flat and round rainhead. Material : Stainless steel S304. Chrome finish. Thread 1/2"



### Ref.: RDN004

Dimensions: Ø40 cm. Super-flat and round rainhead. Material : Stainless steel S304. Chrome finish. Thread 1/2"





Ref.: RDC003

Dimensions: 30x30 cm.
Super-flat and square rainhead.
Material: Stainless steel S304.
Chrome finish.
Thread 1/2"



Pre-frame 30x30cm Ref.: **PTC030** 

Pre-frame 30x30cm black Ref.: **PTC030/NG** 

Pre-frame 30x30cm white Ref.: PTC030/BL







### Ref.: RDC004/NG

Dimensions 40x40cm. Super-flat and square rainhead Stainless steel S304. Finish: Matt black. Thread 1/2"

ELECTROPHORESIS LACQUER SYSTEM



Ref.: **PTC040/NG** Pre-frame 40x40cm black



#### Ref.: RDN001/BL

Dimensions: Ø20cm. Super-flat and round rainhead Finish: Matt white. Thread 1/2"



### Ref.: RDN002/BL

Dimensions: Ø25cm. Super-flat and round rainhead Finish: Matt white. Thread 1/2"



#### Ref.: RDN003/BL

Dimensions: Ø30cm. Super-flat and round rainhead Finish: Matt white. Thread 1/2"



#### Ref.: RDN001/NG

Dimensions: Ø20cm. Super-flat and round rainhead Finish: Matt black. Thread 1/2"

> ELECTROPHORESIS LACQUER SYSTEM



### Ref.: RDN002/NG

Dimensions: Ø25cm. Super-flat and round rainhead Finish: Matt black. Thread 1/2"

ELECTROPHORESIS LACQUER SYSTEM



#### Ref.: RDN003/NG

Dimensions: Ø30cm. Super-flat and round rainhead Finish: Matt black. Thread 1/2"

> ELECTROPHORESIS LACQUER SYSTEM



### Ref.: RDN001/AC

Dimensions: Ø20cm. Super-flat and round rainhead Finish: S316 steel Thread 1/2"

Certified fauce







## Ref.: RDN002/AC

Dimensions: Ø25cm. Super-flat and round rainhead Finish: S316 steel Thread 1/2"

Certified faucet







#### Ref.: RDN003/AC

Dimensions: Ø30cm. Super-flat and round rainhead Finish: S316 steel. Thread 1/2"

Certified faucet







### Ref.: RDC001/BL

Dimensions: 20x20cm. Super-flat and square rainhead Stainless steel S304. Finish: Matt white. Thread 1/2"



## Ref.: RDC002/BL

Dimensions: 25x25cm. Super-flat and square rainhead Stainless steel S304. Finish: Matt white. Thread 1/2"



#### Ref.: RDC003/BL

Dimensions: 30x30cm. Super-flat and square rainhead Stainless steel S304. Finish: Matt white. Thread 1/2"



### Ref.: RDC001/NG

Dimensions: 20x20cm. Super-flat and square rainhead Stainless steel S304. Finish: Matt black. Thread 1/2"

ELECTROPHORESIS LACQUER SYSTEM



### Ref.: RDC002/NG

Dimensions: 25x25cm. Super-flat and square rainhead Stainless steel S304. Finish: Matt black. Thread 1/2"

ELECTROPHORESIS LACQUER SYSTEM



#### Ref.: RDC003/NG


Dimensions: 30x30cm. Super-flat and square rainhead Stainless steel S304. Finish: Matt black. Thread 1/2"


ELECTROPHORESIS LACQUER SYSTEM













# **CHROME**



Ref.: **RDG590/P** With pre-frame

Material: Stainless steel S304. Chrome finish Three outputs





# **MATT BLACK**







ELECTROPHORESIS LACQUER SYSTEM


Ref.: **RDG590-P/NG**With pre-frame

Material: Stainless steel S304. Matt black finish Three outputs






# **CHROME**



Ref.: RDG400 (dimensions 40x40 cm)

Material: Stainless steel S 304 Finish:Chromed 2 outputs Pre-frame to ceiling included








#### Ref.: RPS490

Material: Stainless steel S304. Chrome finish.

Wall outlet super-flat and square rainhead.

2 functions: rain and cascade.






#### Ref.: RPS490/NG

Material: Stainless steel S304. Matt black finish.

Wall outlet super-flat and square rainhead.

2 functions: rain and cascade.



ELECTROPHORESIS LACQUER SYSTEM



# EMBEDDED BIDET MIXERS







# **MUNICH**

SERIES




#### Ref.: RDM001

Embedded bidet mixer. Hot and cold water. Handle 1 position. Chrome plated brass. Steel reinforced flexible hope 100 cm.





Installation







### MUNICH BRUSHED NICKEL


SERIES



#### Ref.: RDM001/NQ

Embedded bidet mixer. Hot and cold water. Handle 1 position. Brushed nickel plated brass. Steel reinforced flexible hope 100 cm.





Serie combinable with mod. Moscú, Line Níquel Cepillado.



# MUNICH MATT BLACK


SERIES

ELECTROPHORESIS LACQUER SYSTEM

#### Ref.: RDM001/NG

Embedded bidet mixer. Hot and cold water. Handle 1 position. Matt black brass. Anti-explosion PVC hose 100 cm. Matt black brass special pre-installation cap. High resistance.














# **MAUI**

SERIES



#### Ref.: RDM004

Embedded bidet mixer. Hot and cold water. Handle 2 positions. Chrome plated brass. Steel reinforced flexible hope 100 cm.



Instalación >









# **IRLANDA**

SERIES




#### Ref.: RDM003

Embedded bidet mixer. Hot and cold water. Handle 1 position. Chrome plated brass. Steel reinforced flexible hope 100 cm.



Serie combinable with mod. Valencia, Nantes, Art.








# **NESS**

SERIES





#### W.C. connection

#### Ref.: RDM005

Embedded bidet mixer.
Cold water.
Chrome plated brass.
Steel reinforced flexible hope 100 cm.
Flexible hope connection to the toilet not included.



# SHOWER ACCESORIES



# IMEX BATH EQUIPMENTS



The design and quality just together for to do new forms in the complements of the shower.





# MAYURA SERIES



SERIES

Square designs and new finishes bring beauty to bathroom interiors.



SERIES




Square designs and new finishes bring beauty to bathroom interiors.





#### SERIES







#### SERIES







## **ANGA**

SERIES

Round shapes are a strong feature of our showers, providing exceptional warmth and design.








## **ANGA**







## **ANGA**







## BETHARI SERIES



Square designs and new finishes bring beauty to bathroom interiors.

## **BETHARI**





### **BETHARI**







## **BETHARI**











Round shapes are a strong feature of our showers, providing exceptional warmth and design.




## **DHANU**





## **DHANU**





## IMAN SERIES







## **IMAN**

SERIES





Square designs and new finishes bring beauty to bathroom interiors.



## **IMAN**








## **IMAN**










Round shapes are a strong feature of our showers, providing exceptional warmth and design.







## **NIRMALA**





## **NIRMALA**












Ref.: ABL006

Material: PVC Finish: White









Ref.: ANG005

Material: PVC Finish: Matt black








### **TOWEL BAR INSIDE FURNITURE**

Ref.: **SPA001** 

Material: Stainless steel. Finish: Chromed



#### Ref.: SPA001/NG

Material: Stainless steel. Finish: Matt black



















# HAND SHOWERS



# **AUSTIN**

# SERIES



Ref.: MDA008

Model: Chrome Austin.
3 positions hand shower.
ABS hand shower, ergonomic and anti-lime system,
Dimensions: Ø12 cm.









Ref.: MDA008/NG
Model: Matt black Austin.
3 positions hand shower.
ABS hand shower, ergonomic and anti-lime system,
Dimensions: Ø12 cm.



Ref.: MDA008/BL

Model: Matt white Austin.
3 positions hand shower.

ABS hand shower, ergonomic and anti-lime system,
Dimensions: Ø12 cm.

# **NEW YORK**

# SERIES



Ref.: MDN009

Model: Chrome New York. 3 positions hand shower. ABS hand shower, ergonomic and anti-lime system, Dimensions: 8 cm.









Ref.: MDN009/NG

Model: Matt black New York. 3 positions hand shower. ABS hand shower, ergonomic and anti-lime system, Dimensions: 8 cm.



Ref.: MDN009/BL

Model: Matt white New York.

ABS hand shower.

ABS hand shower, ergonomic and anti-lime system, Dimensions: 8 cm.





Ref.: MDH013 Model: Henk. Finish: Chrome. ABS hand shower, ergonomic and anti-lime system. 1 position.



Ref.: MDH013/NG

Model: Henk.
Finish: Matt black.
ABS hand shower, ergonomic and anti-lime system.



Ref.: MDH013/BL

Model: Henk.
Finish: Matt white.

ABS hand shower, ergonomic and anti-lime system.
1 position.

# **GENOVA**

SFRIFS



Ref.: MDV014

Model: Genova.
Finish: Chrome.

ABS hand shower, ergonomic and anti-lime system.
1 position.



Ref.: MDV014/NG

Model: Genova.
Finish: Matt black.

ABS hand shower, ergonomic and anti-lime system.

1 position.



Ref.: MDV014/BL

Model: Genova.
Finish: Matt white.

ABS hand shower, ergonomic and anti-lime system.
1 position.







Ref.: MDK011

Model Kansas.
2 positions hand shower.

ABS hand shower, ergonomic and anti-lime

# **KANSAS**

**SERIES** 







Ref.: MDN012

Model Nevada
4 positions hand shower.
ABS hand shower, ergonomic and anti-lime system.
Dimensions: 8'5 cm.

# **NEVADA**

SERIES





Ref.: MDD010

Model: Denver. 5 positions hand shower. ABS hand shower, ergonomic and anti-lime system. Dimensions: 10 cm.




Ref.: MDM006


Model: Miami. 3 positions hand shower. ABS hand shower, ergonomic and anti-lime system. Dimensions: 10 cm.




Ref.: MDG004

Model: Houston. 3 positions hand shower. ABS hand shower, ergonomic and anti-lime system. Dimensions: 9,5 cm.









Ref.: MDC003

Model: Orlando. 3 positions hand shower. ABS hand shower, ergonomic and anti-lime system. Dimensions: ø9'5 cm.



Ref.: MDL005


Model: Chicago. 5 positions hand shower. ABS hand shower, ergonomic and anti-lime system. Dimensions: ø8'5 cm.



Ref.: MDB002

Model: Boston. 1 position hand shower. ABS hand shower, ergonomic and anti-lime system. Dimensions: Ø10 cm.







Ref.: MDL001

Model: Dallas. 1 position hand shower. ABS hand shower, ergonomic and anti-lime system. Dimensions: 6 cm.

# VALVES AND FITTINGS







### Ref.: VCC007 (matt white)

Suitable for all toilets and bidets, with or without overflow. Guaranteed open/close system for cycles of 20.000 uses. Internal thread of 1 1/4 Made of brass, matt white. Quick and easy mounting.













### Ref.: VCC008 (matt black)

Suitable for all toilets and bidets, with or without

Guaranteed open/close system for cycles of 20.000 uses.

Internal thread of 1 1/4 Made of brass, matt black. Quick and easy mounting.













### Ref.: VCC003(gloss white ceramics)

Suitable for all toilets and bidets, with or without

Guaranteed open/close system for cycles of 20.000 uses.

Internal thread of 1 1/4 Made of brass, chromed. Quick and easy mounting.














### Ref.: VCC009

Suitable for all toilets and bidets, with or without

Guaranteed open/close system for cycles of 20.000 uses.

Internal thread of 1 1/4

Made in PVC Quick and easy mounting.





### Ref.: VCC012

Suitable for all toilets and bidets, with or without overflow. Guaranteed open/close system for cycles of 20.000 uses. Internal thread of 1 1/4 Made of brass finished brushed nickel Quick and easy mounting.

















### Ref.: VCC001

Suitable for all toilets and bidets, with or without

Guaranteed open/close system for cycles of 20.000 uses.

Internal thread of 1 1/4 Made of brass, chromed. Quick and easy mounting.













# Ref.: VCC002

Suitable for all toilets and bidets, with or without overflow. Guaranteed open/close system for cycles of 20.000 uses. Internal thread of 1 1/4 Made of brass, chromed. Quick and easy mounting.













### Ref.: VCC006

Suitable for all toilets and bidets, with or without

Guaranteed open/close system for cycles of 20.000

Internal thread of 1 1/4 Made of brass, chromed. Quick and easy mounting.













### Ref.: VCC005(long)

Suitable for all toilets and bidets, with or without

Guaranteed open/close system for cycles of 20.000 uses.

Internal thread of 1 1/4 Made of brass, chromed. Quick and easy mounting.

















### Ref.: VCC010

Suitable for all sinks as bowl sinks. Guaranteed open/close system for cycles of 20.000uses. Internal thread of 1 1/4 ". Made of brass, chromed. Quick and easy mounting. Without overflow.













Ref.: **FLX001** 

Reinforced steel shower flexible hose. Extensible 150 cm.





Ref.: FLX002

PVC flexible shower hose 150 cm





Ref.: FLX003 (weight 370gr)

Reinforced brass shower flexible hose. Extensible 170 cm.





Ref.: **FLX004** 

Reinforced steel shower flexible hose. Extensible 180 cm.





Ref.: FLX005/BL (Matt white)

PVC flexible shower hose 150 cm.





Ref.: FLX005/NG (Matt black)

PVC flexible shower hose 150 cm.





### Ref.: KITR01

Model Rex

5 position ABS hand shower, ergonomic and anit-

lime system.

Reinforced and flexible steel shower hose, extensible

170/190 cm., chrome brass finish.

ABS swivel wall hand shower holder.



Ref.: SFR001

Square chrome shower handle holder with water outlet.





Ref.: SFR001/BL

Square matt white shower handle holder with water outlet.





Ref.: SFR001/NG

Square matt black shower handle holder with water outlet.





Ref.: SFD002

Round chrome shower handle holder with water outlet.



Ref.: SFD002/BL


Round matt white shower handle holder with water outlet.





Ref.: SFD002/NG

Round matt black shower handle holder with water outlet.



# **ROTATING BATH SPOUT**




# **SIPHONS**





# SPARE PARTS AND ACCESSORIES









# OVERFLOW COVER FOR WASHBASIN



Ref.: **ERL001**Chrome overflow cover for washbasin

Material: Brass and ABS



Ref.: **ERL001/NG**Matt black overflow cover for washbasin

Material: Brass and ABS



Ref.: ERL001/OR

Matt black and rose gold overflow cover for washbasin


Material: Brass and ABS

ELECTROPHORESIS LACQUER SYSTEM

















# SHOWER MOUNTING SYSTEMS.




# EMBEDDED SHOWERS ASSEMBLY INSTRUCTIONS.



# MAUI SERIES ASSEMBLY INSTRUCTIONS.



# MUNICH SERIES ASSEMBLY INSTRUCTIONS.



### MAUI AND MUNICH TECHNICAL DETAILS.

- Recommended operating pressure from 1-5 bar.
- Maximum text pressure 16 bar.
- $\bullet$  Maximum water temperature 80 °C.

- Recommended water temperature 40 °C.
- Pressure difference between cold/hot water 1'5 bar.
- Is advisable to install filters at the inlet of the water system.

# ASSEMBLY INSTRUCTIONS.

- Assemble the embedded part and put the tile. Instructions from the tile minimum level specified in the piece must be respected.
- Once assembled the tile, to remove the wear plate unscrewing the screws.
- Remove the wear plate,
- Assemble the body, and note that figure-of-eight guar gum (fg. 5/3) not to move from the original position.
- Adjust the screws at the side first and then,the following.


Installation video: https://imexproducts.es/videos-montaje-e-instalacion/







Ref.: 1EXP0017-B



Ref.: 1EXP0027



Ref.: 1EXP0022



Ref.: 1EXP0005


(BLACK AND WHITE OPTIONS)



Ref.: 1EXP0014-N



Ref.: 1EXP0020






Ref.: 1EXP0019-B Ref.: 1EXP0019-N





Ref.: 1EXP0024 Ref.: 1EXP0023





Ref.: 1EXP0013-B



Ref.: 1EXP0013-N



Ref.: 1EXP0025

# GENERAL TERMS AND CONDITIONS OF SALES

# DELIVERIES

Check the products at reception.

The carrier shall enter any possible anomaly in the delivery order.

No claim against us shall be receivable in the above mentioned points shall not have been observed

### **SALES RETURNS**

In case of a return specify clearly the reason.

IMEX will accept any return that complies with the following requirements:

The product shall be any manufacturing defect.

The original packaging shall be in perfect conditions. If not, a 10% surcharge shall be applied in the invoice by the concept of reception, review and manipulation.

#### **PAYMENT FORM**

The receipt will be issued throughout a banking entity.

Bank draft within a maximum of 30 days invoice date.

Collection maximum 30 days invoice date, essential domiciled bank draft.

Any unpaid will result the payment of the invoice and any banking costs incurred and the retention of all purchase orders until the payment of the pendant balance.

#### **LAW COURTS**

In case of litigation both parties will submit to the jurisdiction of the Court of Torrent, Valencia.

# UPDATE AND COLLECTIONS MAINTENANCE

### **MOLDING CHANGES**

Some of the articles supplied by IMEX PRODUCTS, S.L. may have non-substantial modifications of some of their components compared to the photographs published in the catalogue.

IMEX PRODUCTS, S.L. reserves the right to make such changes in order to improve the design and functionality of the product, as well as its sales conditions.

# CLEANING AND MAINTENANCE TIPS

Imex Products recommends using non-abrasive cleaning products with a neutral Ph, which will not damage our products, to clean our taps in matt black or matt white finishes.

Following the product manufacturer indications, it is highly recommended to use a microfibre cloth and to always dry the product. In this way we will extend the taps' life.

Video demonstration

